

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

SEP 22 1994

Mr. Julius C. Prinzo
LESCO Inc.
20005 Lake Road
P.O. Box 16915
Rocky River, Ohio 44116-0915

Dear Mr. Prinzo:

SUBJECT: LESCO Eliminate 47% DG Selective Broadleaf Herbicide
EPA Registration No. 10404-70
Label Amendment
Your Application Dated August 25, 1994

The labeling referred to above, submitted in accordance with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following provisions:

- 1) The following statement must be retained on the label: "Only for use by professional turf maintenance personnel, landscape or commercial applicators."
- 2) Please note, as stated in our letter of April 18, 1991, child resistant packaging is required for this product (an exception is allowed for the 50 pound container).

A stamped copy is enclosed for your records. Please submit one (1) final printed copy for the above mentioned label before releasing the product for shipment.

Sincerely yours,

Joanne I. Miller
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (7505C)

CONCURRENCES

SYMBOL	7505C						
SURNAME	Miller						
DATE	9/21/94						



ACCEPTED
with COMMENTS
U. EPA Letter, Detroit
SEP 22 1994

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
10404-76

Eliminate 47% DG Selective Broadleaf Herbicide

NOT FOR USE on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

A Water Dispersible Granule Formulation for Broadleaf Weed Control on Ornamental Lawns and Turf

ACTIVE INGREDIENTS:

2-methyl-4-chlorophenoxyacetic acid	31.50%
[(2-methyl-4-chlorophenoxy) propionic acid	12.70%
Dicamba (3,6-dichloro-o-anisic) acid	2.84%
Related Compounds	0.88%
INERT INGREDIENTS:	52.50%
TOTAL	100.00%

EPA Reg. No. 10404-70

EPA Est. No. (O) 62171-MS-1; (V) 11773-IA-1 - Refer to first letter of lot number for packaging location.

KEEP OUT OF REACH OF CHILDREN DANGER

"PRECAUCION AL USUARIO: Si usted no lee Ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente."

STATEMENTS OF PRACTICAL TREATMENT

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. Call a physician or Poison Control Center.

If in eyes, flush with plenty of water for at least 15 minutes. Call a physician. If on skin, wash with plenty of soap and water. If inhaled, remove victim to fresh air and apply artificial respiration, if indicated.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage. Harmful or fatal if swallowed. Harmful if inhaled or absorbed through the skin. Wear long pants, long-sleeved shirt, shoes and gloves when mixing, loading, or applying this product. Wear goggles or face shield. Wash thoroughly with soap and water after handling. Removes contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS

Drift or runoff may adversely affect non-target plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources.

Groundwater contamination: Most cases of groundwater contamination involving MCPA or MCPP herbicides have been associated with mixing/loading and disposal sites. Caution should be exercised when handling pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing and transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination. Apply this product only as specified on this label.

RE-ENTRY STATEMENT

Do not re-enter or permit workers to re-enter treated areas until spray has dried.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

CHEMIGATION: Do not apply this product through any type of irrigation system.
HOW TO USE

Best results are obtained from LESCO Eliminate 47% DG Herbicide when used on weeds that are young and actively growing. Applications of lower rates will control susceptible annual weeds but use higher rates for control of perennial weeds or under conditions where weed kill is difficult. Repeat application may be necessary for some weeds that are hard to kill.

Net Weight:
8 Lbs.

#033505

BEST AVAILABLE COPY

Manufactured for
LESCO, Inc.
20005 Lake Road
Rocky River, Ohio 44116

Rev 07/94WP
6x8 lbs

#033520

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store product in its original labeled container in a cool, dry, locked place out of reach of children. Store in a separate area for herbicides away from seeds, feeds, fertilizers, insecticides, and fungicides.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of bag in a sanitary landfill or by incineration or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

WEEDS CONTROLLED

Betelnut	Docks	Oxalis	Smartweed
Black Medic	Ground Ivy	Peppergrass	Speedwell
Blackthorn	Heart-All	Pigweed	Velvetleaf
Burdock	Henbit	Plantain	Wild Carrot
Carpelweed	Knockweed	Purslane	Wild Garlic
Chicory	Lambsquarters	Ragweed	Wild Onion
Clover	Lespedeza	Red Sorrel	Yarrow
Cnicweed	Mallow	Sheep Sorrel	Yellow Rocket
Dandelion	Morning-glory	Shepherd's Purse	and many more broadleaf weeds

Wear goggles or face shield when mixing or loading this product. When applying, safety glasses may be worn—it is recommended that safety glasses include front, brow and temple protection.

HOW TO MIX

Fill spray tank with half the required amount of water, then add the recommended amount of LESCO Eliminate 47% DG Herbicide and continue filling spray tank with the balance of water. Keep agitator running when filling the spray tank and during spray operations.

LESCO Eliminate 47% DG Herbicide may be tank mixed with other pesticides labeled for use on ornamental lawns and turf. Follow all use and compatibility directions on the label for any such pesticides. Add LESCO Eliminate 47% to the tank first, mix thoroughly, then add the other compounds as directed.

HOW TO APPLY

Apply LESCO Eliminate 47% DG Herbicide at the rate of 3 to 4 lbs. in 20 to 240 gallons of water/acre (1 to 1.5 oz./1,000 sq ft). Maximum kill of weeds will be obtained from spring or early fall application when weeds are actively growing. Avoid applying during long, excessively dry or hot periods unless adequate irrigation is available. Do not apply to newly seeded turf until after the second or third mowing. Grass seed can be safely sown at recommended rates, 3 to 4 weeks after application of this product. Do not use on Dichondra, Urtica, etc. Centipede grass, Carpetgrass or St. Augustine grass unless varying degree of foliage injury can be tolerated. Use enough spray volume for uniform coverage by ground application. The amount of water required for low volume applications may vary from 20 to 50 gallons of spray per acre. For high volume applications 25 to 240 gallons/acre, or more, of spray may be necessary for good coverage.

USE PRECAUTIONS

Don't overdo. Do not apply when temperatures exceed 90°F and humidity is high. Do not allow spray drift to cotton, soybeans, tomatoes, tobacco, grapes, fruit trees, flower and vegetable garden crops, ornamental plants, shrubs, trees, and other hormone herbicide sensitive, desirable plants. Do not apply when wind speed is sufficient to cause unacceptable drift. Use coarse sprays and lower nozzle pressure to aid in avoiding spray drift. Do not use nozzles which produce fine spray droplets under high pressure. The use of thickening agents or anti-drift additives and drift-reducing equipment is of value in preventing spray drift. Care should be taken not to make applications where runoff could carry the chemical to non-target areas. See Environmental Hazards section on this label. Local spray conditions will vary. Check local recommendations first.

NOTICE

LESCO, Inc. warrants that this herbicide conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this herbicide is reasonably fit for its intended purpose. Since timing, method of application, weather, plant and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks on any such use.