

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460  <b>NOTICE OF PESTICIDE:</b> <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	EPA REGISTRATION NO. 10404-74	DATE OF ISSUANCE MAY - 1 1982
	TERM OF ISSUANCE Conditional	
	NAME OF PESTICIDE PRODUCT Lesco Pre-M WP	
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)  <div style="border: 1px solid black; padding: 5px; width: fit-content; margin: 0 auto;">           H.R. McLane, Inc.            7210 Red Road, Suite 206            Miami, FL 33143         </div>		
<p><b>NOTE:</b> Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:</p> <ol style="list-style-type: none"> <li>1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4."</li> <li>2. Add the phrase, "EPA Registration No. 10404-74" and submit five (5) copies of your final printed labeling before you release the product for shipment.</li> </ol> <p>If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.</p>		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		DATE

H758C  
HICKS  
4-30-82

Pendimethalin [N-(1-ethylpropyl)-  
3,4-dimethyl-2,6-dinitrobenzamine - - - 60.0%  
INERT INGREDIENTS: - - - 40.0%  
TOTAL 100.0%

One Pound contains 0.6 lbs. Pendimethalin. PRE-M® is a Reg. Trademark of Lesco, Inc.  
EPA Reg. No. 10404- EPA Est. No. 33967-NJ-1

## KEEP OUT OF REACH OF CHILDREN CAUTION

### STATEMENTS OF PRACTICAL TREATMENT

**SWALLOWED:** Do not induce vomiting. Call a physician or Poison Control Center immediately.  
**IN EYES:** Flush eyes with plenty of water. Get medical attention. **IF ON SKIN:** Remove contaminated clothing and wash affected area with soap and water. Get medical attention if irritation occurs.

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** May cause eye and skin irritation. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling and before eating or smoking.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from target areas. Do not contaminate water when disposing of equipment washwaters.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in manner inconsistent with its labeling. Do not apply this product through any type of irrigation system.

### STORAGE AND DISPOSAL

**STORAGE:** Do not contaminate water, food or feed by storage or disposal. Do not store above 120°F. Store product in its original labeled container in a cool, dry, locked place out of reach of children.  
**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Dispose of empty foil lined "outer-bag" in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning if burned stay out of smoke.

### MIXING AND APPLICATION INSTRUCTIONS

Remove the required number of "Water Soluble" (WS) packets of LESCO PRE-M® 60 WP from the foil lined cover-bags which contain 2 x 1.25 lb. packets. Add the Water Soluble packets in their entirety (do not remove PRE-M® 60 WP from the packet since water soluble bag will dissolve in tank) to a partially-filled tank (1/2 to 3/4 full) of water while agitating. Fill the remainder of the tank with water as needed after all PRE-M® 60 WP has been added. Maintain continuous agitation while adding the water soluble packets to water. If the spray mixture is allowed to settle for any period of time, thorough agitation is essential to resuspend the mixture before spraying is resumed. Continue agitation while spraying as needed. Apply with properly calibrated equipment in sufficient water per acre to provide uniform spray distribution. Low pressure (25-50 psi) sprayers are recommended. Nozzle screens must be no finer than 50 mesh. Avoid application when winds may cause spray drift.

Treatments are most effective in controlling weeds when adequate rain fall or overhead irrigation is received within 7 days after application. Avoid contact of spray solution with driveways, stone, wood or other porous surfaces. Rinse immediately to avoid staining.

#### COMPATIBILITY

LESCO PRE-M® 60 WP is compatible with most commonly used herbicides. When tank mixing be sure to add LESCO PRE-M® 60 WP to the partially filled tank first, mix thoroughly, and then add combination products to the mixture as directed or as instructed on its EPA approved label. Do not apply tank mix combinations unless product is approved for such tank-mix use and previous experience indicates the mixture is effective and will not result in application problems or plant injury. Do not attempt to mix LESCO PRE-M® 60 WP directly with liquid fertilizers.

#010010

### GENERAL INFORMATION

LESCO PRE-M® 60 WP treatments will not control established weeds. Applications must be made prior to germination of weed seeds. Three applications per year may be made. Allow at least 2 months between applications except when otherwise indicated on this label.

Use only on well established turfgrass with a dense and uniform stand. Do not use on newly seeded or sprigged turfgrass. Do not use on winter-overseeded turfgrass. Do not use on turfgrass severely thinned by winter stress.

LESCO PRE-M® 60 WP provides effective residual weed control which may affect new turfgrass seedlings or sprigs. Do not reseed or winter over seed treated turfgrass within 4 growing months after application. Do not sprig turfgrass within 5 months after application. Do not use on Bentgrass or Dichondra maintained as desirable turf.

**\*W S PACKETS:** The Foil Lined Cover-Bag bearing the entire EPA LABEL and Directions For Use contains 2 Water Soluble Packets of PRE-M® 60 WP. Each Water Soluble Packet contains 1.25 lb. PRE-M® 60 WP per packet. When adding Packets to spray tank do not remove PRE-M® 60 WP from the packet. Place the entire packet into the tank since the packet cover will dissolve in the spray tank. Follow DISPOSAL instructions for foil bags.

TURF SPECIES	WEEDS CONTROLLED	PRE-M 60 WP RATE / ACRE	COMMENTS
<b>NORTHERN GRASSES</b>			
Fine Fescue Kentucky Bluegrass Perennial Ryegrass Tall Fescue	Barnyardgrass Crabgrass Fall Panicum Foxtail Hairy Clover Prostrate Spurge Yellow Woodsorrel Cudweed	2.5 to 3.75 lbs. (2 - 3 W.S. Packets) per acre	Apply in spring before weeds germinate. Repeat application if necessary in 8 weeks using 2.5 lbs per acre.
	Goosegrass Evening Primrose	5.0 lbs per acre (4 W.S. Packets)	
	Annual Bluegrass Common Chickweed Mooseear Chickweed Henbit	2.5 to 3.75 lbs. (2 - 3 W.S. Packets) per acre	Apply in late summer to early fall, before weeds germinate
<b>SOUTHERN GRASSES</b>			
Bahia Bermudagrass Centipedegrass St. Augustinegrass Tall Fescue Zoysiagrass	Barnyardgrass Crabgrass Fall Panicum Foxtail Prostrate Spurge Yellow Woodsorrel Cudweed	2.5 to 3.75 lbs. (2 - 3 W.S. Packets) per acre	Apply in spring before weeds germinate. Repeat application if necessary in 8 weeks using 2.5 lbs. per acre.
	Crabgrass Goosegrass Hairy Clover Evening Primrose	5.0 lbs. per acre (4 W.S. Packets)	
	Henbit Annual Bluegrass Common Chickweed Mooseear Chickweed	2.5 to 3.75 lbs. (2 - 3 W.S. Packets) per acre	Apply in late summer to early fall, before weeds germinate

## WEED CONTROL IN AND AROUND ORNAMENTAL PLANTINGS

PRE-M® 60 WP is recommended for use on the following established field grown and container ornamentals, plants, trees, and established ground covers. Care must be taken that soil or planting mixes have settled firmly following transplanting and that there are no cracks that would allow direct contact of PRE-M® 60 WP and roots. Directed sprays where soil and media surfaces are uniformly covered will result in best weed control and ornamental tolerance. Sprays can be safely applied over the top of those plants listed below. Plant only those ornamentals listed on this label into soil treated the previous season with PRE-M® 60 WP or injury may occur. Do not apply to seedbeds. PRE-M® 60 WP may be used for the preemergence control of weeds as listed in and around the following established ornamental plants.

### ORNAMENTAL PLANTS

Common Name	Scientific Name
Abelia, Glossy	Abelia grandiflora var. grandiflora
Ash, Red	Fraxinus pennsylvanica
Azalea	Rhododendron Indicum
Barberry	Berberis thunbergii var. atropurpurea
Birch, Weeping	Betula pendula
Birch, River	Betula nigra
Borwick	Cornus florida
Cape Jasmine	Gardenia jasminoides var. mystery
Cedar, Northern white	Thuja occidentalis
Cedar, Red	Juniperus virginiana
Cotoneaster	Cotoneaster horizontalis
Crapemyrtle, Common	Lagerstroemia indica
Dogwood, Flowering	Cornus florida
Dogwood, Silky	Cornus amomum
Euonymus	Euonymus alata var. compacta Abies fraseri
Fir, Fraser	Abies fraseri
Fir, White	Abies concolor
Forsythia, Border	Forsythia intermedia
Hemlock, Eastern	Tsuga canadensis
Holly, American	Ilex Opaca var. hoga
Holly, Chinese	Ilex cornuta
Holly, Japanese	Ilex crenata compacta
Holly, Yaupon	Ilex vomitoria var. chilensis

### WEED SPECIES CONTROLLED

The following grass and broadleaf weeds are controlled by preemergence treatments of PRE-M® 60 WP at the rates as shown under the section entitled APPLICATION RATES FOR ORNAMENTALS.

#### GRASSES CONTROLLED

Common Name	Scientific Name
Barnyardgrass	Echinochloa crus-galli
Bluegrass, Annual	Poa Annua
Crabgrass	Digitaria, spp.
Crowfootgrass	Dactyloctenium aegyptium
Foxtail, Giant	Setaria faberii
Foxtail, Green	Setaria viridis
Foxtail, Yellow	Setaria lunescens
Goosegrass	Echinochloa crus-galli
Ichgrass	Rottboellia exaltata
Johnsongrass (f/seed)	Sorghum halepense
Junglerice	Echinochloa colonum
Lovegrass	Eragrostis spp.
Panicum, Browntop	Panicum fasciculatum
Panicum, Fall	Panicum dichotomiflorum
Panicum, Texas	Panicum texanum
Sandbur, Field	Cenchrus incertus
Signalgrass	Brachiaria platyphylla
Sprangletop, Mexican	Leptochloa uninarvia
Sprangletop, Red	Leptochloa filiformis
Witchgrass	Panicum capillare
Woolly Cupgrass	Eriochloa villosa

Common Name	Scientific Name
Capeweed	Arctotheca calendula
Daisy, Trailing African	Osteospermum fruticosum
Gazania	Gazania splendens
Rose-of-Sharon	Hypericum calycinum
Iceplant, Large Leaf	Carpobrotus edule
Ivy, English	Hedera helix
Ivy, Geranium	Pelargonium peltatum
Myoporum	Myoporum parviflorum
Pachysandra	Pachysandra terminalis
Potentilla spp.	Potentilla jackmanii
	Potentilla verna

Pine, white	Pinus strobus
Privet, California	Ligustrum ovalifolium
Privet, Japanese	Ligustrum japonicum
Robia	Platanus tobin
Sourwood	Oxydendron arboreum
Spiraea	Spiraea vanhouttei
Spruce, Colorado Blue	Picea pungens
Waxmyrtle, Common	Myrica cerifera
Yew	Taxus Media
Yew, Japanese	Taxus cuspidata

Smartweed, Penn	Polygonum pennsylvanicum
Spurge, annual	Euphorbia spp.
Spurge, prostrate	Euphorbia maculata
Woodsorrel, yellow	Oxalis stricta
Velvetleaf	Achillea theophrasti

## PRECAUTION!

Apply only to established plantings. DO NOT apply PRE-M 60 WP in Ornamental Nurseries.

#019010

Net Weight 2.5 Pounds (Two x 1.25 Pound Water Soluble Packets)

LESCO, INC. - 20005 LAKE ROAD - ROCKY RIVER, OHIO 44116

**BEST AVAILABLE COPY**

**WARRANTY** LESCO, INC. warrants that this herbicide conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this herbicide is registered for its intended purposes. Since timing, method of application, weather, plant and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use.

(12-20-91)

**ACCEPTED**  
MAY - 1 1992  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. *71101E-74*

.....  
.....  
.....  
.....  
.....