10404-86 9-	- 15+ 2003	oved. OMB No. 2070-00	)60. Approval expires 2-28-95
United State Environmental Protec Washington, DC 2	* fion Agency	Registration Amendment V Other	OPP Identifier Number
Applica	tion for Pesticide - Secti	on I	
1. Company/Product Number 10404-86	2. EPA Product Manag Joanne Miller	jer 3.	Proposed Classification
4. Company/Product (Name) 0.15% Dimension Plus Fetilizer	<b>РМ#</b> 23		
5. Name and Address of Applicant (Include ZIP Code) LESCO, Inc. 15885 Sprague Road Strongsville, OH 44136-1772	(b)(i), my product is to: EPA Reg. No	similar or identical in o	th FIFRA Section 3(c)(3) composition and labeling
	Product Name		
	Section - II		
Amendment - Explain below. Resubmission in response to Agency letter dated	Final printed Agency letter "Me Too" Ap		NOTIFICATION
Notification - Explain below.	V Other - Exple	in below.	SEP 1 5 2003
FIFRA and I may be subject to enforcement action and penalties	under sections 12 and 14 of FIFRA.		
1. Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging	Water Soluble Packaging	2. Type of Contain	
Yes Yes	Yes	2. Type of Contain Metal Plastic	
No No. per	If "Yes" No, per	Gleas Paper	· ·
* Certification must If "Yes" No. per be submitted		Other	(Specify)
r ri	Reteil Container	Location of Lebel Direct	tione
6. Manner in Which Label is Affixed to Product	ograph Other er glued nciled		
Stor	Section - IV		
1. Contact Point <i>(Complete items directly below for identifice</i>		necessery, to process th	is application.)
Name Frank Vetter	Title Director, Regulatory Affairs	Telepho	ne No, (línclûde Area Code)
Certifi I certify that the statements I have made on this form a I acknowledge that any knowlingly false or misleading a both under applicable law.	nd all attachments thereto are true,	accurate and complete.	8. Dete Application Received
2. signature Suran Espender for Frank Vetter	3. Title Director, Regulatory Affairs		ΠΦΦΟ Π. Ο Ο ΠΟ Ι. Ι. Ο Ο ΠΟ Ι. Ι. Ο Ο ΠΟ Ι.
4. Typed Name Susan Spencer for: Frank Vetter	5. Data 8/19/03		6 e o t



## **DIMENSION\* 0.15% Plus Fertilizer**

#### **ACTIVE INGREDIENT:**

Dithiopyr; 3,5-pyridinedicarbothioic acid, 2-(difluoromethyl)-4-(2-methylpropyl)-	
6-(trifluoromethyl)-S,S-dimethyl ester	0.15%
INERT INGREDIENTS:	100.00% NOTIFICATIO
Product protected by U.S. Patent No. 4,692,184. Other patents pending.	SEP 1.5 200

Read the entire label before using this product. Use only according to label instructions.

### KEEP OUT OF REACH OF CHILDREN

# CAUTION

	FIRST AID
If swallowed	<ul> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
lf in eyes	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
lf on skin or clothing	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
lf inhaled	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
	HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact Chem-Trec at 1-800-424-9300 for emergency medical treatment information.

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes eye irritation. Harmful if inhaled. Avoid contact with eyes or clothing... Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact while handling this material may cause allergic reaction in some individuals.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. Use with care when applying to turf areas adjacent to any body of water. Drift and runoff from treated turf may adversely affect aquatic organisms in adjacent aquatic sites. Do not apply directly to water, or to areas

جد م جد م

........

......

where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment washwaters.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner that is inconsistent with its labeling.

## Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

#### **GENERAL INFORMATION**

This product is a premium quality combination product that provides both weed control and the required nutrients for optimum turfgrass growth all in a single product.

It contains Dimension herbicide that can be applied up to 4 weeks later than other crabgrass preventers, and provides up to 4 months control of crabgrass and other grasses and broadleaf weeds when applied prior to their germination in lawns and ornamental turfgrasses.

Apply to well-established lawns and ornamental turfgrasses listed below. (See "Use on the following Turfgrasses" section for a list of the tolerant turfgrasses). This product will not harm nearby established ornamentals when used according to directions given below.

#### **USE PRECAUTIONS**

This product should only be applied to lawns and ornamental turfgrasses that are well established. Use of this product on lawns and ornamental turfgrasses that are not well established, or have been weakened by stress due to mechanical operations, pests, excessive temperatures, or lack of moisture, may increase the chances for turfgrass injury. Do not apply to lawns or turfgrasses that are under stress.

#### USE ON THE FOLLOWING TURFGRASSES

This product can be applied to the following turfgrasses when used as directed:

<u>Coo</u>	I-Season	Turfgrasses

- Creeping Bentgrass
- Fine Fescue
- Kentucky Bluegrass
- Perennial Ryegrass
- Tall Fescues

- Bahiagrass
- Bermudagrass

Warm-Season Turfgrasses

- Buffalograss
- Carpetgrass
- Centipedegrass
- St. Augustinegrass
- Zoysiagrass

This product should be applied in the spring or fall prior to weed seed germination in established and newly germinated lawns and ornamental turfgrasses.

It can be applied up to 4 weeks later than other crabgrass preventers and still provide season-long weed control. This is due to the dithiopyr herbicide component of this combination product. This product provides preventative (pre-emergence) control of crabgrass and other weeds when applied prior to their germination, and post-emergence control of seedling seedling crabgrass. The post-emergence control provided by this product is limited to crabgrass only and will provide control of crabgrass when applied up to 4 weeks after crabgrass germination. Application of this product later than 4 weeks after crabgrass germination.

For control of other grass and broadleaf weeds, this product must be applied as a preventative greatment before their germination. Only crabgrass will be controlled with delayed applications after germination.

Tips for Improved Weed Control: For best results, apply this product within a few days after moving and delay further mowings after the application until the lawn or ornamental turfgrass has been watered or

received significant rainfall to dissolve the fertilizer granules. Improved weed control may be observed when treated lawn or ornamental turfgrass is watered or receives rainfall within a few days after application of this product.

#### **Reseeding, Overseeding or Sprigging**

Reseeding, overseeding or sprigging of treated areas with this product should be delayed until 12 weeks from the time of application. Reseeding, overseeding or sprigging before 12 weeks after application may prevent establishment of desirable turfgrasses. When reseeding or overseeding, proper cultural practice such as soil cultivation, irrigation and fertilization should be followed.

However, if overseeding with perennial ryegrass in the fall, overseed 8 weeks or later after a single application.

For best results, use mechanical or power seeding equipment (slit seeders) designed to give good seed to soil contact.

To establish a new lawn of Kentucky Bluegrass, Perennial Ryegrass and/or Tall Fescue, this product may be applied 2 weeks after the first sign of germination. For other tolerant turfgrasses listed on this label, wait until the grass is well established (2 mowings) before applying this product.

- · DO NOT apply this product within 8 weeks of seeding.
- DO NOT apply more than 3.82 lb of this product per 1,000 sq ft per application.
- In the State of New York, make only one application per year. In other States do not make more than 3 applications per year spaced at least 2 to 4 months apart according to "Region".
- · DO NOT apply to flowers, vegetables, or fruit trees.
- DO NOT use clippings from treated turf for mulching around flowers, vegetables, or fruit trees.
- · DO NOT apply this product to pastures.
- · Keep people and pets off treated areas until dust has settled.

#### WEEDS CONTROLLED

This product will provide control of crabgrass and other grasses and broadleaf weeds listed below when applied prior to germination in established lawns and ornamental turfgrasses.

#### Grass Weeds:

Annual Bluegrass Annual Ryegrass Barnyardgrass Crabgrass Crowfootgrass Goosegrass Green Foxtail Kikuyugrass (seedling) Perennial Ryegrass Smutgrass (seedling) Yellow Foxtail

#### **Broadleaf Weeds:**

Bittercress Buttercup Oxalis Carolina Geranium Chickweed Common Lespedeza Common Purslane Corn Speedwell Creeping Oxalis Henbit Parsley-piert Pineappleweed Prostrate Spurge Spotted Spurge Yellow Woodsorrel

....

#### WHEN TO APPLY - APPLICATION TIMINGS

This product may be applied either in the spring or in the fall for the control of weeds. When this product is applied in the fall, a sequential or second application should be made the following spring to provide season-long control of weeds.

If this product is applied in the fall, DO NOT reseed, overseed, or sprig turfgrasses before 8 weeks after application of this product due to potential turfgrass injury to the newly reseeded, overseeded, or sprigged turfgrasses.

When establishing a new lawn of Kentucky Bluegrass, Perennial Ryegrass, and/or Tall Fescue, this


product should not be applied prior to 8 weeks before seeding, but may be applied two weeks to 8 weeks after the first sign of grass germination.

#### LENGTH OF WEED CONTROL

This product may provide up to 4 months of weed control if applied according to label directions. The actual length of control will vary depending on use rate, weather conditions, condition of the turfgrass, intensity of weed pressure, and the location or "Region" within the United States where this product is being applied. Please check the map below to determine which "Region" of the U.S. that applies to your particular use area, and find the number of pounds of this product needed in your area based on the length of weed control given in the Recommended Use Rates for This Product.

#### POST-EMERGENCE CRABGRASS CONTROL

For post-emergent crabgrass control, apply this product at the recommended rates when crabgrass is not beyond the 3-4 leaf stage. Applications will control existing crabgrass up to the 4 leaf stage and prevent further growth.



#### North-South Use Regions in the United States:

When to Apply this Product Northern Zone – March to April Southern Zone – January to March

#### HOW TO APPLY - APPLICATION EQUIPMENT AND INSTRUCTIONS

This product can be applied with a rotary or drop type spreader designed to apply granular fertilizers. For best results, apply the product evenly and uniformly over the turfgrass area, avoiding streaking, skips, or overlaps. Avoid the use of spreaders that would apply this product in narrow rows or concentrated bands. Before each application, calibrate the spreader according to the equipment manufacturer's directions. Adjust the spreader settings such that the spreader delivers the appropriate application rates of this product as recommended below.

A more uniform application can be made by spreading one-half of the recommended amount of this product over the turfgrass area and then applying the remaining one-half of this product at a right aright to the previous application direction. Check application equipment frequently to ensure equipment is functioning properly and applying a uniform distribution of product.

<b>.</b>	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			•
RECOMMENDE	D USE RATES FOR TH	IS PRODUCT	6 6 <b>6</b> 6 6 6 6 9 6	0 0 0 0 0 0 0 0 0
			ି କ ତ କ	•
	Len	gth of Weed Control		0
	(Pounds of this produce	ct to apply per 1,000 sq ft o	of turfgrass)	÷
	2-3	3-4	•	
Region of U.S.	Months Control	Months Control	Early Post-Emerge	ence <sup>®</sup> Côntrol
				1 6 0 6 7 6 0

10

North	1.91 (0.125 lb. ai/acre)	2.67 (0.174 lb. ai/acre)	3.82 (0.25 lb. ai/acre)*
South/West	2.94 (0.192 lb. ai/acre)	3.82 (0.25 lb. ai/acre)*	3.82 (0.25 lb. ai/acre)*

SUGGESTED SPREADER SETTINGS\*

\*Use the higher rate in areas of high weed pressure.

When applied at 3.82 lb per 1,000 sq ft, this product will provide XX lb of nitrogen per 1,000 sq ft.

	F	Recommended Rat	es in lb per 1,000 s	sq ft
Spreader	1.91 lb	2.67 lb	2.94 lb	3.82 lb
	XX	XX	XX	XX
bbb	XX	XX	XX	XX
CCC	XX	XX	XX	XX
ddd	XX	XX	XX	XX
fff	XX	XX	XX	XX
<b>333</b>	XX	XX	XX	XX
hhh	XX	XX	XX	XX
iii	XX	XX	XX	XX

\*IMPORTANT: These settings are only approximate. Age, condition of spreader, and operator speed can cause wide variation. Be sure to calibrate your spreader with each application.

. . . .



(OPTIONAL LANGUAGE: MINI, ELITE, NOVEX, PROFESSIONAL TURF FERTILIZER) GUARANTEED ANALYSIS
Total Nitrogen (N)XX%
XX.XX% Ammoniacal Nitrogen
XX.XX% Urea Nitrogen*
XX.XX% Water Insoluble Nitrogen
XX.XX% yyyyyy
Available Phosphate (P2O5)
Soluble Potash (K2O)XXX%
MAGNESIUM (Mg) totalXX.XX%
XX.XX% Water Soluble Magnesium
SULFUR (S) totalXX.XX%
XX.XX% Free Sulfur (S)
XX.XX% Combined Sulfur (S)
COPPER (Cu) totalXX.XX%
XX.XX% Soluble Copper (Cu)
IRON (Fe) totalXX.XX%
XX.XX% Soluble Iron (Fe)
MANGANESE (Mn) total
XX.XX% Water Soluble Manganese
ZINC (Zn) totalXX.XX%
XX.XX% Soluble Zinc (Zn)
DERIVED FROM:XXXX, XXXX, XXXX, XXXX,
CHLORINE (CI) MaxXX.XX%
*X.XX% Slowly available Nitrogen from LESCO® Poly Plus® Sulfur Coated Urea.

#### STORAGE AND DISPOSAL

**Storage**: Store this product only in its original container in a dry, cool, secure storage area. Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

Empty Bag Disposal: Do not reuse bag. Dispose of emptied bag(s) in a sanitary landfill or by incineration.

**Partly Filled Bag Disposal:** Call you local sold waste agency or [1-800-CLEANUP] for disposal instructions. Never place unused product down any indoor or outdoor drain.

Spill: In case of spill, sweep up material and dispose of material according to "Partly Filled Bag Disposal" directions listed above.

**NOTICE:** Before using this product, read the entire Precautionary Statements, Directions for Use, Storage and Disposal Instructions and Warranty Statements. If the Warranty Statements are not acceptable, refurn the product unopened within thirty days of purchase to the place of purchase.



#### WARRANTY

LESCO, Inc. warrants that this product conforms to the chemical description on the label. When used in accordance with label directions under normal conditions, this product is reasonably fit for its intended purposes. Since timing, method of application, weather, plant and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use.

Information concerning the raw materials composing this product can be obtained by writing to: LESCO, Inc., Attn: RA Dept., 15885 Sprague Rd, Strongsville, OH 44138-1772, referring to the item number found on this bag.

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-a1.com.

LESCO and Poly Plus are registered trademarks of LESCO Technologies, LLC. DIMENSION is a registered trademark of Dow AgroSciences.

G:\REGUL\WP\\_\_Label Creations\Dimension - Dow\Dimension021.NC.doc

Created: XX/XX/XX Rev.: 8/19/03 WBW (071003)

Net Weight: XX lb (XX kg)

758073xxxxx

EPA REG. NO. 10404-86 EPA EST. NO. 10404-OH-04 (M), 10404-FL-01 (S) First letter of lot code indicates manufacturing site.



F1406

Manufactured by: LESCO, Inc. 15885 Sprague Road Strongsville, Ohio 44136-1772



#### OPTIONAL LANGUAGE

#### **Optional Marketing Claims**

- Apply to prevent crabgrass and other annual weeds
- Contains fertilizer for greening, plant hardiness and drought tolerance
- Poly Plus<sup>®</sup> SCU Controlled Release Nitrogen for Extended Growth and Color
- Apply to control crabgrass and other broadleaf and grass weeds listed on this label
- Apply for spring greening
- Combines spring green-up with the pre-emergent weed control
- Provides for a wide spectrum of control of weed grasses.
- Controls Crabgrass and Other Annual Weeds
- Wider window of application for Crabgrass control.
- The soil in most areas naturally contains enough phosphorus to support turfgrass growth and development. This product is
  formulated to provide nitrogen (X%) and potash (X%) needed for healthy, green durable turf.
- No Phosphorus blend for the world we live in
- The best defense against weeds, diseases and insects is a vigorous, healthy turf. Many times a grass plant requires more of a nutrient than the soil can supply. If deprived of these nutrients, the turf becomes thin, weak and off color. Turf left in this state is vulnerable to infestation of weeds, disease and insects.

A healthy, property fertilized lawn is less susceptible to weed invasion and will better tolerate cold, heat, drought and traffic. It also has greater recuperative potential from disease and insect damage. There is NO substitute for proper fertilization.

- For Product Assistance call LESCO at 1-800-321-5325
- Information regarding the contents and levels of metals in this product is available on the Internet at <a href="http://www.regulatory-info.al.com">http://www.regulatory-info.al.com</a>.
- Information concerning the raw material composing this product can be obtained by writing to: LESCO, Attn: RA Dept., 15885 Sprague Rd., Strongsville, OH 44136, referring to the item number on this bag.

### Weed Control with Premium Lawn Food

#### **Crabgrass Control**

- A herbicide plus fertilizer combination product that provides control of crabgrass and other listed annual grasses and broadleaf weeds in established lawns, and ornamental turfgrasses.
- Premium granular fertilizer that feeds your lawn, providing the nutrients needed for a beautiful, green and healthy lawn.
- Contains Dimension turf herbicide.
- Can be applied up to 4 weeks later than other crabgrass preventers and controls crabgrass all season long.
- The contents of this bag will treat up to X,XXX sq. ft. of Turfgrass.

#### **Optional Illustrations**



For best results, first apply product to borders of your lawn, then go back and forth with uniform parallel passes.



69776 6



August 19, 2003

Phone: 440.783.9250 800.321.5325 Fax: 440.783.4502 Regulatory Affairs www.lesco.com

Ms. Joanne Miller 7505C USEPA Headquarters Ariel Rios Building 1200 Pennsylvania Avenue, N.W. Washington, DC 20460

SUBJECT: Notification X.XX% Dimension Plus Fertilizer EPA Registration Nos.: 10404-86, 10404-87 Deletion of NY Statement from Non-Commercial Labels

Dear Ms. Miller:

Per your voice mail of August 18, 2003, the following documentation is provided:

- 8570-1: Notification request form for each of the EPA Registration Nos. above.
- Final printed labels removing the NY statement from the front panel of the above Non-Commercial labels only (formerly directly below "Dimension X.XX% Plus Fertilizer").

If you have any questions, or further information is needed, please call me at 1-800-321-5325 ext. 2207.

Analle

Susan E. Spencer Supervisor, Regulatory Affairs

for: Frank Vetter Director, Regulatory Affairs

Enclosures

