

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION. PESTICIDES AND TOXIC SUBSTANCES

MAR 28 2008

Mr. John M. Olzinger Manager, Regulatory Affairs LESCO, Inc. 1301 East 9th Street, Suite 1300 Cleveland, Ohio 44114-1849

RE: Notification for Non-Commercial Labels under: LESCO Dimension 9.15% Plus Fertilizer and LESCO Dimension Crabgrass Pre-emergent plus Fertilizer (ABN) and revised CSF dated February 13. 2008

EPA Registration Number: 10404-86 Date of Submission: February 14, 2008

Dear Mr. Olzinger:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated February 14, 2008, for the product, LESCO Dimension 0.15% Plus Fertilizer and LESCO Dimension Crabgrass Pre-emergent Plus Fertilizer (ABN). The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The Confidential Statement of Formula (CSF) and label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

Please read instructions on reverse before completing form.	Form /	Approved MB No. 20	070-0060	200 Approval expires 2-28-
Environmental Protecti Washington, DC 20	<u> </u>	registrat Amendm ✓ Other		OPP Identifier Number
Applicati	on for Pesticide - Se	ection I		
1. Company/Product Number 10404-86	2. EPA Product M Joanne Miller	lanager	3. Pro	pposed Classification
4. Company/Product (Name) 0.15% Dimension Plus Fertilizer	PM# 23		7 L	None Restricted
5. Name and Address of Applicant (Include ZIP Code) LESCO, Inc. 1301 East 9th Street, Suite 1300 Cleveland, OH 44114-1849 Check if this is a new address	(b)(i), my produc to:	ct is similar or identio	cal in co	FIFRA Section 3(c)(3) mposition and labeling
	Section - II			
Resubmission in response to Agency letter dated Notification - Explain below. Explanation: Use additional page(s) if necessary. (For section Notification: W & D language per Agency Guidance dated 10/17/07 This notification is consistent with the provisions of PR Notice 98-labeling or the confidential statement of formulation of this product statement to EPA. I further understand that if this notification is not violation of FIFRA and I may be subject to enforcement action are	Other - E On I and Section II.) 16; revise spreader listing; delete 10 and EPA regulations at 40 CI t. I understand that it is a violation of the consistent with the terms of PF	FR 152.46, and no other on of 18.U.S.C. Sec. 100 R Notice 98-10 and 40 C	changes 1 to willfu	have been made to the lly make any faise
	Section - III			
Material This Product Will Be Packaged In:		· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·
Child-Resistant Packaging Yes No No No * Certification must be submitted Unit Packaging Yes No No No No No No No. per Container	Water Soluble Packaging Yes No If "Yes" No. po Package wgt Contain		Container Metal Plastic Glass Paper Other (S	pecify)
3. Location of Net Contents Information 4. Size(s) Ro	etail Container	5. Location of Labe	al Directio	ns
6. Manner in Which Label is Affixed to Product Pape Sten	graph Ot r glued ciled	her		
	Section - IV			
1. Contact Point (Complete items directly below for identification	ion of individual to be contacte	ed, if necessary, to pro	cess this	application.)
Name John M. Olzinger	Title Manager, Regulatory Affa	1	-	a No.a(Include Area Code) 9259 ext 2207
Certific I certify that the statements I have made on this form an I acknowledge that any knowlingly false or misleading st both under applicable law.	d all attachments thereto are t	g c rue, accurate and com y fine or imprisonment	plete:	6. Date Application Received (Stamped)

Manager, Regulatory Affairs

1/10/08

5. Date

John M. Olzinger



Phone: 216.706.9250 800.321.5325 www.lesco.com

January 10, 2008

Ms. Joanne Miller, PM 23 Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

SUBJECT:

Notification for Non-Commercial Labels under:

10404-86

LESCO Dimension 0.15% Plus Fertilizer

LESCO Dimension Crabgrass Pre-emergent Plus Fertilizer (ABN)

Dear Ms. Miller:

Enclosed please find Notification for your review and acceptance to address the following:

- Warranty & Disclaimer Statement updated to bring into compliance with Agency 'Guidance on Warranty Statements' dated 10/17/07
- Revision to Suggested Spreader Settings table to streamline spreader type listings
- Deleted '2-3 Months Control' column from Recommended Use Rates.... table control period not referenced on label
- Optional Marketing and Fertilizer Language added KY paragraphs concerning inert fertilizer claimed

The following documentation is provided in support of the above:

- **8570-1**
- One (1) highlighted label noting the above actions
- Five (5) copies of the clean label

If you have any questions, or require further clarification, please feel free to contact me at <u>jolzinger@lesco.com</u> or 216-706-9250 ext 2207.

Thank you for your assistance.

Ophn M. Obzinger

John M. Olzinger

Manager, Regulatory Affairs

Enclosures

DIMENSICN® 0.15% Plus Fertilizer

Dithiopyr; 3,5-pyridinedicarbothioic acid, 2-(difluoromethyl)-4-(2-INERT INGREDIENTS: 99.85% Total: 100.00%

Product protected by U.S. Patent No. 4,692,184. Other patents pending. Read the entire label before using this product. Use only according to label

instructions

KEEP OUT OF REACH OF CHILDREN CAUTION

					
	FIRST AID				
If swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by the poison control center or doctor: Do not give anything by mouth to an unconscious person. 				
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. 				
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 				
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. 				
	HOT LINE NUMBER				

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact CHEMTREC at 1-800-424-9300 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes eye irritation. Harmful if inhaled. Avoid contact with eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact while handling this material may cause allergic reaction in some individuals.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. Use with care when applying to turf areas adjacent to any body of water. Drift and runoff from treated turf may adversely affect aquatic organisms in adjacent aquatic sites. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner that is inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

GENERAL INFORMATION

This product is a premium quality combination product that provides both weed control and the required nutrients for optimum turfgrass growth all in a single product.

It contains Dimension herbicide that can be applied up to 4 weeks later than other crabgrass preventers, and provides up to 4 months control of crabgrass and other grasses and broadleaf weeds when applied prior to their germination in lawns and ornamental turfgrasses.

Apply to well-established lawns and ornamental turfgrasses listed below. (See "Use on the following Turfgrasses" section for a list of the tolerant turfgrasses). This product will not harm nearby established ornamentals when used according to directions given below.



USE PRECAUTIONS

This product should only be applied to lawns and ornamental turfgrasses that are well established. Use of this product on lawns and ornamental turfgrasses that are not well established, or have been weakened by stress due to mechanical operations, pests, excessive temperatures, or lack of moisture, may increase the chances for turfgrass injury. Do not apply to lawns or turfgrasses that are under stress

USE ON THE FOLLOWING TURFGRASSES

This product can be applied to the following turfgrasses when used as directed:

Cool-Season Turfgrasses

- Creeping Bentgrass
- Fine Fescue
- · Kentucky Bluegrass Perennial Ryegrass
- Tall Fescues

- Warm-Season Turfgrasses
- Bahiagrass
- Bermudagrass Buffalograss
- Carpetgrass
- Centipedegrass
- · St. Augustinegrass
- Zovsiagrass

This product should be applied in the spring or fall prior to weed seed germination in established and newly germinated lawns and ornamental

It can be applied up to 4 weeks later than other crabgrass preventers and still provide season-long weed control. This is due to the dithiopyr herbicide component of this combination product. This product provides preventative (pre-emergence) control of crabarass and other weeds when applied prior to their germination, and post-emergence control of seedling seedling crabgrass. The post-emergence control provided by this product is limited to crabgrass only and will provide control of crabgrass when applied up to 4 weeks after crabgrass germination. Application of this product later than 4 weeks after crabgrass germination will result in reduced control of crabgrass.

For control of other grass and broadleaf weeds, this product must be applied as a preventative treatment before their germination. Only crabgrass will be controlled with delayed applications after germination.

Tips for Improved Weed Control: For best results, apply this product within a few days after mowing and delay further mowings after the application until the lawn or ornamental turfgrass has been watered or received significant rainfall to dissolve the fertilizer granules. Improved weed control may be observed when treated lawn or ornamental turfgrass is watered or receives rainfall within a few days after application of this product.

RESEEDING, OVERSEEDING OR SPRIGGING

Reseeding, overseeding or sprigging of treated areas with this product should be delayed until 12 weeks from the time of application. Reseeding, overseeding or sprigging before 12 weeks after application may prevent establishment of desirable turfgrasses. When reseeding or overseeding, proper cultural practice such as soil cultivation, irrigation and fertilization should be followed.

However, if overseeding with perennial ryegrass in the fall, overseed 8 weeks or later after a single application.

For best results, use mechanical or power seeding equipment (slit seeders) designed to give good seed to soil contact.

To establish a new lawn of Kentucky Bluegrass, Perennial Ryegrass and/or Tall Fescue, this product may be applied 2 weeks after the first sign of germination. For other tolerant turfgrasses listed on this label, wait until the grass is well established (2 mowings) before applying this product.

- DO NOT apply this product within 8 weeks of seeding.
- DO NOT apply more than 3.82 lb of this product per 1,000 sq ft per application.
- In the State of New York, make only one application per year. In other States do not make more than 3 applications per year spaced at least 2 to 4 months apart according to "Region".
- DO NOT apply to flowers, vegetables, or fruit trees.
- DO NOT use clippings from treated turf for mulching around flowers, vegetables, or fruit trees.
- DO NOT apply this product to pastures.
- Keep people and pets off treated areas until dust has settled.

WEEDS CONTROLLED 3,,,,,,,

This product will provide control of crabgrass and other grasses and broadleaf weeds listed below when applied priop to commination in established lawns and ornamental turgrasses. ornamental turfgrasses.

Grass Weeds:		Broadleaf Vicedos	
Annual Bluegrass	Goosegrass	Bittercress	Creeping Oxalis
Annual Ryegrass	Green Foxtail	Buttercup Oxalis 💛	Henbit
Barnyardgrass	Kikuyugrass (seedlir.g) /	Carolina Geranium	Parsley-piert
Crabgrass	Perennial Ryegrass	Chickweed	Pineappleweed
Crowfootgrass	Smutgrass (seedling)	Common Lespedeza	Prostrate Spurge
•	Yellow Foxtail	Common Purslane	Spotted Spurge
		Corn Speedwell	Yellow Woodsorre

DIMENSION® 0.15% Plus Fertilizer

WHEN TO APPLY - APPLICATION TIMINGS

This product may be applied either in the spring or in the fall for the control of weeds. When this product is applied in the fall, a sequential or second application should be made the following spring to provide season-long control of weeds

If this product is applied in the fall, DO NOT reseed, overseed, or sprig turfgrasses before 8 weeks after application of this product due to potential turfgrass injury to the newly reseeded, overseeded, or sprigged turfgrasses.

When establishing a new lawn of Kentucky Bluegrass, Perennial Ryegrass, and/or Tall Fescue, this product should not be applied prior to 8 weeks before seeding, but may be applied two weeks to 8 weeks after the first sign of grass germination.

LENGTH OF WEED CONTROL

This product may provide up to 4 months of weed control if applied according to label directions. The actual length of control will vary depending on use rate, weather conditions, condition of the turfgrass, intensity of weed pressure, and the location or "Region" within the United States where this product is being applied. Please check the map below to determine which "Region" of the U.S. that applies to your particular use area, and find the number of pounds of this product needed in your area based on the length of weed control given in the Recommended Use Rates for This Product.

POST-EMERGENCE CRABGRASS CONTROL

For post-emergent crabgrass control, apply this product at the recommended rates when crabgrass is not beyond the 3-4 leaf stage. Applications will control existing crabgrass up to the 4 leaf stage and prevent further growth.

North-South Use Regions in the United States:

■ South



When to Apply this Product Northern Zone - March to April Southern Zone - January to March

HOW TO APPLY - APPLICATION EQUIPMENT AND INSTRUCTIONS

This product can be applied with a rotary or drop type spreader designed to apply granular fertilizers. For best results, apply the product evenly and uniformly over the turfgrass area, avoiding streaking, skips, or overlaps. Avoid the use of spreaders that would apply this product in narrow rows or concentrated bands. Before each application, calibrate the spreader according to the equipment manufacturer's directions. Adjust the spreader settings such that the spreader delivers the appropriate application rates of this product as recommended below.

A more uniform application can be made by spreading one-half of the recommended amount of this product over the turfgrass area and then applying the remaining one-half of this product at a right angle to the previous application direction. Check application equipment frequently to ensure equipment is functioning properly and applying a uniform distribution of product.

RECOMMENDED USE RATES FOR THIS PRODUCT

Length of Weed Control				
	(Pounds of this product to apply per 1,000 sq ft of turfgrass)			
Region of			Early Post-	
U.S.	2-3 Months Control	3-4 Months Control	Emergence Control	
North	1.91 (0.125 lb ai/acre)	(2:67 (0.174 lb ai/acte)	3.82 (0.25 lb ai/acre)*)	
South/West	2.94 (0.192 lb ai/acre)	3.82 (0.25 lb ài/acre)* \	3.82 (0.25 lb ai/acre)*)	

*Use the higher rate in areas of high weed pressure.

When applied at 3.82 lb per 1,000 sq ft, this product will provide XX lb of nitrogen per 1,000 sq ft.

A lawn typically will utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing season. When used as difected, this product will supplement your regular fertilizer program by providing *(X.XX lben Quinds of nitrogen per 1,000 square feet (optional P205 and K20 levels) and herbicide to control listed weeds. Please consult your local extension office for questions regarding a regular fertilizer program. (*Based on Inert Fertilizer claimed)

SUGGESTED SPREADER SETTINGS*			
Rotary Spreaders		Setting	
LESCO Commercial (80 lb hopper and larger)	Calibration Gauge	XX	
Vigoro® 4300		XX	
SCOTTS® Broadcast/Ro		•	
(SCOTTS® Basic®, Stan			
EdgeGuard®, or Speed	yGreen")	XX	
*IMPORTANT: These setting can cause wide variation. Be		condition of spreader, and operator speed ler with each application.	

NET WEIGHT XX lb (XX kg)



Total Nitrogen (N)	XX.XX%
XX.XX% Ammoniacal Nitrogen	
XX.XX% Urea Nitrogen*	
XX.XX% Water Insoluble Nitrogen	
Available Phosphate (P ₂ O ₅)	XX.XX%
Soluble Potash (K2O)	XX.XX%
MAGNESIUM (Mg) Total	XX.XX%
XX.XX% Water Soluble Magnesium	
SULFUR (S) Total	XX.XX%
XX.XX% Free Sulfur (S)	
XX.XX% Combined Sulfur (S)	
COPPER (Cu) Total	XX.XX%
XX.XX% Water Soluble Copper (Cu)	
IRON (Fe) Total	XX.XX%
XX.XX% Water Soluble Iron (Fe)	
MANGANESE (Mn) Total	XX.XX%
XX XX% Water Soluble Manganese	
ZINC (Zn) Total	XX.XX%
XX.XX% Water Soluble Zinc (Zn)	
DERIVED FROM:	
CHLORINE (CI) Max.	XX.XX%
*X.XX% Slowly available Urea Nitrogen from Polyr	mer Coated Sulfur Coated
Urea.	

STORAGE AND DISPOSAL

Storage: Store this product only in its original container in a dry, cool, secure storage area. Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

Empty Bag Disposal: Do not reuse bag. Dispose of emptied bag(s) in a sanitary landfill or by incineration.

Partly Filled Bag Disposal: Call you local sold waste agency or [1-800-CLEANUP] for disposal instructions. Never place unused product down any indoor or outdoor drain.

Spill: In case of spill, sweep up material and dispose of material according to "Partly Filled Bag Disposal" directions listed above.

NOTICE: Before using this product, read the entire Precautionary Statements, Directions for Use, Storage and Disposal Instructions and Warranty Statements. If the Warranty Statements are not acceptable, return the product unopened within thirty days of purchase to the place of purchase.

WARRANTY

LESCO, Inc. warrants that this product conforms to the chemical description on the label. When used in accordance with label directions under normal conditions, this product is reasonably fit for its intended purposes. Since timing, method of application, weather, plant and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use.

CONDITION OF SALE AND LIMITATION OF WARRANTY (AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty, and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be 000000

The Directions for Use of this product must be followed carefully and completely. It is impossible to eliminate all risks inherently associated with the use of this product. Buyer and 50 (1,5%) eye me all risks of ineffectiveness or other unintended consequences or damages that may result from conditions subside or bryand the control of LESCO, Inc. including but not limited to such factors as manner of use or application, weather or weather condition coutside the range considered normal at the application site or for the time period in which the product is another, the presence of or or in interests, incompatible products, or other influencing factors which are beyond the control of LESCO, Inc.. All such risks shall be assumed by Buyer and/or User, and Buyer and/or User agrees to hold LESCO, trib harmless for any delimbinating to such factors

LESCO, Inc. warrants that this product conforms to the chemical disaption on the label grid is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent lists recamed to above, when used in accordance with the Directions for Use under normal use conditions. This warrai by due in a broad to the use of this product contrary to label instructions, or under abnormal conditions or under conditi LESCO, Inc. and Buyer and/or User assume the risk of any such use.

LESCO, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

THE EXCLUSIVE REMEDY OF THE BUYER AND/OR USER AND THE EXCLUSIVE LIABILITY OF LESCO, INC. FOR ANY AND ALL CLAMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF LESCO, INC. REPLACEMENT OF THE PRODUCT, OR IF NOT

ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. IN $\dot{\rm N}$ LIABLE FOR ANY INCIDENTAL CONSEQUENTIAL OR SPECIAL DAMAGES.

)T SHALL LESCO, Inc., BE

LESCO, inc. offers this product, and Buyer and/or User accepts it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duty authorized representative of LESCO, inc.

Information concerning the raw materials composing this product can be obtained by writing to: LESCO, Inc., Attn: RA Dept., 1301 East 9th Street, Suite 1300, Cleveland, Ohio 44114-1849, referring to the item number found on this bag.

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-a1.com.

LESCO and Poly Plus are registered trademarks and Lifeguard and the sweeping design are trademarks of LESCO Technologies, LLC. DIMENSION is a registered trademark of Dow AgroSciences. Poly Plus is comprised of Polymer Coated Sulfur Coated Urea. SCOTTS is a registered trademark of The SCOTT Company. Vigoro is a registered trademark of United Industries.

G:\REGUL\WP\Regul Private\MstrLbi\New EPA Approved\DIMENSION 015 NC FORMATTED.doc (071106) Rev.: 1/10/08

EPA REG. NO. 10404-86 EPA EST. NO. 82757-OH-001 (M), 82757-FL-001 (S) First letter of lot code indicates manufacturing site.

#XXXXXX

F1560
Distributed by:
LESCO, Inc.
1301 East 9th Street
Cleveland, OH 44114-1849

Optional Marketing/Fertilizer Claims/

- Apply to prevent crabgrass and other annual weeds
- Contains fertilizer for greening, plant hardiness and drought tolerance
- Poly Plus® SCU Controlled Release Nitrogen for Extended Growth and Color
- Apply to control crabgrass and other broadleaf and grass weeds listed on this label
- Apply for spring greening
- Combines spring green-up with the pre-emergent weed control
- Provides for a wide spectrum of control of weed grasses.
- Controls Crabgrass and Other Annual Weeds
- Wider window of application for Crabgrass control.
- The soil in most areas naturally contains enough phosphorus to support turfgrass growth and development. This product is formulated to provide nitrogen (X%) and potash (X%) needed for healthy, green durable turf.
- No Phosphorus blend for the world we live in
- The best defense against weeds, diseases and insects is a vigorous, healthy turf. Many times a grass plant requires more of a nutrient than the soil can supply. If deprived of these nutrients, the turf becomes thin, weak and off color. Turf left in this state is vulnerable to infestation of weeds, disease and insects.
 - A healthy, properly fertilized lawn is less susceptible to weed invasion and will better tolerate cold, heat, drought and traffic. It also has greater recuperative potential from disease and insect damage. There is NO substitute for proper fertilization.
- For Product Assistance call LESCO at 1-800-321-5325
- Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info.a1.com.
- Information concerning the raw material composing this product can be obtained by writing to: LESCO, Attn: RA Dept., 1301
 E. 9th Street, Suite 1300, Cleveland, OH 44114-1849, referring to the item number on this bag.
- "Contains LESCO® Poly Plus® Sulfur Coated Urea to provide uniform growth with extended nitrogen feeding."
- "Slowly Available Urea Nitrogen from Polymer Coated Sulfur Coated Urea"
- "Poly Plus is comprised of Polymer Coated Sulfur Coated Urea"
- (The following paragraph is mandatory in Kentucky when the nitrogen analysis does not provide 1 pound of nitrogen/1,000 square feet; otherwise, this information is optional):
 - A lawn typically will utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing season. When used as directed, this product will supplement your regular fertilizer program by providing *(X.XX lbs.) pounds of nitrogen per 1,000 square feet (optional P2O5 and K2O levels) and herbicide to control listed weeds. Please consult your local extension office for questions regarding a regular fertilizer program. (*Based on Inert Fertilizer claimed)

Weed Control with Premium Lawn Food

Crabgrass Control

- A herbicide plus fertilizer combination product that provides control of crabgrass and other listed annual grasses and broadleaf weeds in established lawns, and ornamental turfgrasses.
- Premium granular fertilizer that feeds your lawn, providing the nutrients needed for a beautiful, green and healthy lawn.
- Contains Dimension turf herbicide.
- Can be applied up to 4 weeks later than other crabgrass preventers and controls crabgrass all season long.
- The contents of this bag will treat up to X,XXX sq. ft. of Turfgrass
- Delivers X.Xlb per 1,000 sq ft

(ALTERNATE SPREADER SETTING TABLE):

(ALIENNATE OF NEADEN SETTING TAL	DLLJ.		2020
SUGGESTED	SPREADER SETTINGS		0 + 2 - 0
ROTARY SPREADER	SETTINGS		300330
LESCO Commercial (80 pound hopper and larger) Vigoro® 4300 Scotts® Broadcast/Rotary Spreaders: (Scotts® Basic®, Standard™, Deluxe EdgeGuard® or SpeedyGreen®)	oration Gauge ##	100000	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
 Covers XX,XXX sq ft Apply in late winter through early spring 	ing to prevent annual weeds.)))) () () () () ()

- Prevents Crabgrass and over 20 other annual grass and broadleaf weeds. Crabgrass control made easy
- Same long-lasting formula used by the Pros.
- crabgrass graphic
- Apply to control crabgrass and other annual grassy weeds

Optional Illustrations





For best results, first apply product to borders of your lawn, then go back and forth with uniform parallel passes.