

## **PLEASE NOTE**

**This image contains more than one label approved for this product on this date.**



10404-88

5-6-2003

1/3

Use read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060, Approval expires 2-28-95



United States Environmental Protection Agency Washington, DC 20460

Registration Amendment Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 10404-88
2. EPA Product Manager Joanne I. Miller
3. Proposed Classification None Restricted
4. Company/Product (Name) LESCO Fertilizer w/ 0.20% Barricade Preemergence Herbicide
5. Name and Address of Applicant (Include ZIP Code) LESCO, Inc. 15885 Sprague Road Strongsville, Ohio 44136-1799
6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name

Section - II

Amendment - Explain below. Resubmission in response to Agency letter dated. Notification - Explain below. Final printed labels in response to Agency letter dated "Me Too" Application. Other - Explain below.

NOTIFICATION

MAY 06 2003

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of Alternate Brand Name per PR Notice 98-10: LESCO Stonewall 0.20% Plus Fertilizer. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged in: Child-Resistant Packaging, Unit Packaging, Water Soluble Packaging, 2. Type of Container, 3. Location of Net Contents Information, 4. Size(s) Retail Container, 5. Location of Label Directions, 6. Manner in Which Label is Affixed to Product

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Name: Gloria M. Sieloff, Title: Director, Regulatory Affairs, Telephone No.: 440-783-9250 ext. 2597
Certification: I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete.
2. Signature: Gloria M. Sieloff, 3. Title: Director, Regulatory Affairs, 4. Typed Name: Gloria M. Sieloff, 5. Date: 5/23/03, 6. Date Application Received (Stamped)



3/3



Phone: 440.333.9250  
800.321.5325  
Fax: 440.333.7789  
www.lesco.com  
Nasdaq: LSCO

May 23, 2003

Ms. Joyce Edwards  
7505C  
USEPA Headquarters  
Ariel Rios Building  
1200 Pennsylvania Avenue, N. W.  
Washington, DC 20460

Dear Ms. Edwards:

Please find the enclosed the notifications of Alternate Brand Name for four LESCO products:

EPA Reg. No.	Alternate Brand Name #1	Alternate Brand Name #2
10404-88	LESCO Barricade® 0.20% Plus Fertilizer	LESCO Stonewall® 0.20% Plus Fertilizer
10404-89	LESCO Barricade® 0.43% Plus Fertilizer	LESCO Stonewall® 0.43% Plus Fertilizer
10404-90	LESCO Barricade® 0.68% Plus Fertilizer	LESCO Stonewall® 0.68% Plus Fertilizer
10404-91	LESCO Barricade® 2.0% Plus Fertilizer	LESCO Stonewall® 2.0% Plus Fertilizer

Please do not hesitate to contact me with any questions or concerns you may have when reviewing this notification. Thank you for your assistance on this matter.

Best regards,

Gloria M. Sieloff, Ph.D.  
Director, Corporate Quality Assurance and Regulatory Affairs

**NEXT**

**LABEL**

10404-88

5-6-2003

1/3

Read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0080, Approval expires 2-28-95



United States  
Environmental Protection Agency  
Washington, DC 20460

Registration  
 Amendment  
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 10404-88	2. EPA Product Manager Joanne I. Miller	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) LESCO Fertilizer w/ 0.20% Barricade <sup>®</sup> Preemergence Herbicide	PM#	
5. Name and Address of Applicant (Include ZIP Code) LESCO, Inc. 15885 Sprague Road Strongsville, Ohio 44136-1799 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input checked="" type="checkbox"/> Final printed labels in response to Agency letter dated _____	<b>NOTIFICATION</b> MAY 06 2003
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of Alternate Brand Name per PR Notice 98-10: LESCO Barricade<sup>®</sup> 0.20% Plus Fertilizer. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Metal Plastic Glass Paper Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Gloria M. Sieloff	Title Director, Regulatory Affairs	Telephone No. (Include Area Code) 440-783-9250 ext. 2597
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Director, Regulatory Affairs	
4. Typed Name Gloria M. Sieloff	5. Date 5/23/03	

**WHEN TO OVERSEED AFTER APPLICATION**  
 Barricade will inhibit the germination of turf species if overseeded too soon after application. Follow rates and intervals in the table below for best over-seeding results.

Lesco Fertilizer with 0.20% Barricade Rate (lbs./Acre)	Interval Before Overseeding	North	Transition	South
280 lbs./A	0.50	4 months	4 months	4 months
330 lbs./A	0.66	6 months	4 months	4 months
370 lbs./A	0.74	6 months	6 months	6 months
400 lbs./A	0.80	-	6 months	6 months
500 lbs./A	1.00	-	7 months	7 months
570 lbs./A	1.14	-	-	9 months
650 lbs./A	1.30	-	-	10 months

**ENVIRONMENTAL HAZARDS**  
 This product has low solubility in water. At the limits of solubility, this product is not toxic to fish. However, at concentrations above the level of water solubility, it may be toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters.

**STORAGE AND DISPOSAL**  
 Contaminate water, food, or feed by storage or disposal.  
**ORIGINATION:** Store in original container away from other fertilizer, feed, or food stuffs and separated from other pesticides.  
**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.  
**CONTAINER DISPOSAL:** Paper and Plastic containers: Completely empty container into application equipment. Then dispose of empty container in a sanitary landfill or at an incineration facility, or, if allowed by state and local authorities, by burning locally. If burned, stay out of smoke.

**DIRECTIONS FOR USE**  
 It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is a selective pre-emergence herbicide that provides residual control of many grass and broadleaf weeds in established turf grasses (excluding golf course putting greens) and lawns; landscape ornamentals; and established perennials & wildflower plantings. This product controls susceptible weeds by inhibiting weed seeds germination and root development. Most effective weed control will be obtained when this product is activated by at least 0.5 inch of rainfall or irrigation prior to weed seed germination and within 14 days following application.


**NOT FOR USE ON PLANTS BEING GROWN (1) FOR SALE OR OTHER COMMERCIAL USE, (2) FOR COMMERCIAL SEED PRODUCTION, OR (3) FOR RESEARCH PURPOSES. FOR USE ON PLANTS INTENDED FOR AESTHETIC PURPOSES OR CLIMATIC MODIFICATION AND BEING GROWN IN ORNAMENTAL GARDENS OR PARKS, OR ON GOLF COURSES OR LAWNS AND GROUNDS.**

Do not graze or feed livestock forage cut from areas treated with this product.  
 Do not apply this product through any type of irrigation system.  
 Do not apply aerially.  
 Do not apply to golf course putting greens.

**Application Directions**  
 Apply uniformly through suitable, calibrated commercial application equipment.

**ESTABLISHED TURF**  
 This product is a selective pre-emergence herbicide that, when properly applied, will control certain grass and broadleaf weeds in established turf grasses and lawns. The maximum amount of this product that may be applied per year is given for each turf grass species in the Maximum Annual Rates section of this label.

Most effective weed control in turf grasses will be obtained when this product is activated by at least 0.5 inch of rainfall or irrigation prior to weed seed germination and within 14 days following application. See the map below for approximate crabgrass seed germination dates.



**Use Precautions**  
 The following use precautions apply to the use of this product in turf grasses and lawns; Application of this product may thin emerged annual bluegrass and newly over-seeded grasses.

Do not apply to overseeded turf for 60 days after seeding or until after the second mowing, whichever ever is longer. Injury to desirable seedlings is likely if this product is applied before seedling roots are in the second inch of soil, not thatch plus soil.  
 Do not treat sod before 120 days after application. Do not apply to newly set sod until the following year.  
 Application of this product to turf stressed by drought, low fertility, or pest damage may result in turf injury.  
 Disturbing the herbicide barrier with cultural practices such as disking may result in reduced weed control.  
 Do not apply this product to putting greens or areas where dichondra, colonial bentgrass, velvet bentgrass or annual bluegrass (*Poa annua*) are desirable species.

**Rates of Application**  
 This product may be applied as a single application or in sequential applications to control weeds germinating throughout the year. All applications must be made prior to germination of the target weeds. This product will not control established weeds. Maximum use rate selection should be based on turf species. The length of time of residual weed control provided by this product is related to the rate applied.

**Maximum Annual Rates**  
 This product is recommended for use on the turf grass species listed in the following table. Do not exceed the maximum yearly rate as given in the following table.

Turf Species:	lb. Lesco Fertilizer with 0.20% Barricade / Acre	lb. e.l. per A.
Centipedegrass Seashore Paspalum St. Augustinegrass Tall Fescue (including turf-type) Zoysia	780 lbs./A (= 17.22 lbs./1,000 sq.ft.)	1.5# / Acre
Buffalograss Kentucky Bluegrass Perennial Ryegrass Creeping Red Fescue	500 lbs./A (= 11.48 lbs./1,000 sq.ft.)	1.0 # / Acre
Creeping Bentgrass	370 lbs./A (= 8.49 lbs./1,000 sq.ft.)	0.75 # / Acre
	330 lbs./A (= 7.57 lbs./1,000 sq.ft.)	0.65 # / Acre

1. These are the maximum rates per calendar year by species limitations.  
 2. May be used on newly sprigged or plugged Bermudagrass at rates not to exceed 280 lbs./Acre. Newly sprigged or plugged Bermudagrass stolon rooting may be temporarily retarded. Suppression only of Paspalum, Goosegrass and Rescuegrass due to reduced product rates used in sprigging situations.  
 3. Use at an initial rate of 370 to 500 lbs./acre per application followed by sequential applications at doses that would not exceed the maximum annual application rate of 780 lb./acre/year.  
 Do not apply more than 780 lbs. of this product per calendar year.  
 Use the higher rates of this product to achieve higher levels of fertility and weed control for each turf type.

**LANDSCAPE ORNAMENTALS**  
 (Including Established Perennial and Wildflower Plantings)  
 This product may be applied for residual pre-emergence weed control in ornamentals. Use Rates - Apply this product at 330 to 780 lbs./A in all applications. Use the higher rates of application for longer control periods. Sequential or single applications are allowed so long as the total amount of product applied does not exceed the maximum annual application rate of 780 pounds per acre per year.

**Application Timing and Information**  
 This product may be applied to newly transplanted and established ornamentals as a broadcast, over the top or directed application. Irrigation or rainfall soon after application will wash residues off plant foliage and activate this product in the soil. This product may be applied at any time to established plants. Delay application to allow soil to settle around new transplants and water thoroughly before applying this product. Apply this product after cuttings form roots and become established. Apply before budding/breaking of stem buds/grafts have taken to avoid any inhibition of the tissue union. This product is a pre-emergence herbicide and will not control emerged weeds. Most effective weed control in ornamentals will be obtained when this product is activated by at least 0.5 inch of rainfall or irrigation, or with shallow (1 to 2 inch) mechanical incorporation, prior to weed seed germination and within 14 days following application. Best weed control is obtained when this product is applied to soil free of clods, weeds, and debris such as leaves. Prior to application of this product, control existing vegetation by hand weeding, cultivation or the use of an appropriate post-emergence herbicide.

**Tolerant Ornamental Species**  
 This product will not harm most established ornamental trees, shrubs and flowers. The species listed below are tolerant to this product. Best results will be obtained when this product is uniformly applied to the soil surface; avoid applying to ornamental shoots which may delay the effort to get uniform distribution on the soil surface. This product may be applied over the top of these species without injury.

Scientific name	Common name	Scientific name	Common name
<i>Abies</i> spp.	Fir Species; Balsam, etc.**	<i>Melolontha alba</i>	Common Name "The Flea" Crabapple
<i>Acer palmatum</i>	Japanese Maple	<i>Morus</i> sp.	Morus
<i>A. platanoides</i>	Norway Maple	<i>Nandina domestica</i>	Nandina domestica
<i>Actinidia chinensis</i>	Kiwi* (Ornamental Only)	<i>Olea europae</i>	Olive
<i>Agapanthus africanus</i>	Lily-of-the-Nile	<i>Ophiopogon japonicus</i>	Ophiopogon japonicus
<i>Arctostaphylos densiflora</i>	Vine Hill Manzanita	<i>Oxycarpum fulvicosum</i>	Oxycarpum fulvicosum
<i>Arctostaphylos californica</i>	Cape Weed	<i>Oxymandya arborescens</i>	Sourwood
<i>Aucuba japonica</i>	Japanese Aucuba	<i>Persea americana</i>	Avocado
<i>Barberry glaberrima</i>	Barberry	<i>Photinia fraseri</i>	Fraser's Photinia (RedTip)
<i>B. juliana</i>	Wintergreen Barberry	<i>Pinus</i> spp.	Pinus
<i>B. mentiana</i>	Mertor Barberry	<i>Pinus brutia</i>	Pinus brutia
<i>B. thunbergii</i>	Japanese Barberry	<i>P. oerleanensis</i>	P. oerleanensis
<i>B. verticillata</i>	Warty Barberry	<i>P. strobus</i>	P. strobus
<i>Buxus microphylla</i>	Japanese Boxwood	<i>P. taeda</i>	P. taeda
<i>Callitriche virginiana</i>	Weeping Bottlebrush	<i>P. thurberi</i>	P. thurberi
<i>Calluna vulgaris</i>	Scotch Heather	<i>P. virginiana</i>	P. virginiana
<i>Carpobrotus edulis</i>	Hottentot Fig (Ice Plant)	<i>P. xmasiana</i>	P. xmasiana
<i>Cassia artemisioides</i>	Festive Cassia	<i>P. taeda</i>	P. taeda
<i>Ceanothus rigatus</i>	Wild Lila	<i>P. taeda</i>	P. taeda
<i>Chamaecyparis plecteris</i>	False Cypress	<i>P. taeda</i>	P. taeda
<i>Cleyera japonica</i>	Cleyera	<i>P. taeda</i>	P. taeda
<i>Cissus</i> spp.	Cissus species*	<i>P. taeda</i>	P. taeda
<i>Cornus florida</i>	Flowering Dogwood	<i>P. taeda</i>	P. taeda
<i>C. stolonifera</i>	American Dogwood	<i>P. taeda</i>	P. taeda
<i>Cotyledon orbiculata</i>	Pampas Grass	<i>P. taeda</i>	P. taeda
<i>Colonycotyle apiculata</i>	Cranberry Colonycotyle	<i>P. taeda</i>	P. taeda
<i>C. lucifolia</i>	Colonycotyle	<i>P. taeda</i>	P. taeda
<i>C. dammeri</i>	Bearberry Colonycotyle	<i>P. taeda</i>	P. taeda
<i>C. microphylla</i>	Rockspiny Colonycotyle	<i>P. taeda</i>	P. taeda
<i>Cretaceous</i> spp.	Hawthorn*	<i>P. taeda</i>	P. taeda
<i>Cupressus sempervirens</i>	Italian Cypress	<i>P. taeda</i>	P. taeda
<i>Dalmanella alba</i>	White Trailing Ice Plant	<i>P. taeda</i>	P. taeda
<i>Dodonaea viscosa</i>	Hop Bush	<i>P. taeda</i>	P. taeda
<i>Elaeagnus pungens</i>	Silverberry	<i>P. taeda</i>	P. taeda
<i>Elaeagnus formosensis</i>	Winterrose	<i>P. taeda</i>	P. taeda
<i>E. japonica</i>	Evergreen Euonymus	<i>P. taeda</i>	P. taeda
<i>E. kiautschovic</i>	Spreading Euonymus	<i>P. taeda</i>	P. taeda
<i>Fatsia japonica</i>	Japanese Aralia	<i>P. taeda</i>	P. taeda
<i>Foraythia intermedia</i>	Border Forsythia	<i>P. taeda</i>	P. taeda
<i>F. viridissima</i>	Greenstem Forsythia	<i>P. taeda</i>	P. taeda
<i>Gardenia jasminoides</i>	Gardenia, Cape-Jasmine	<i>P. taeda</i>	P. taeda
<i>Hedera helix</i>	English Ivy	<i>P. taeda</i>	P. taeda
<i>Hibiscus rose-anealis</i>	Chinese Hibiscus	<i>P. taeda</i>	P. taeda
<i>Ilex cornuta</i>	Chinese Holly	<i>P. taeda</i>	P. taeda
<i>I. crenata</i>	Japanese Holly	<i>P. taeda</i>	P. taeda
<i>I. opaca</i>	American Holly	<i>P. taeda</i>	P. taeda
<i>I. parryi</i>	Holly	<i>P. taeda</i>	P. taeda
<i>Jasminum nudiflorum</i>	Winter Jasmine	<i>P. taeda</i>	P. taeda
<i>Jasminum</i> spp.	Yulan*	<i>P. taeda</i>	P. taeda
<i>Juniperus chinensis</i>	Chinese Juniper	<i>P. taeda</i>	P. taeda
<i>J. horizontalis</i>	Shore Juniper	<i>P. taeda</i>	P. taeda
<i>J. procumbens</i>	Creeping Juniper	<i>P. taeda</i>	P. taeda
<i>Junonia grandifolia</i>	Stirling Plant	<i>P. taeda</i>	P. taeda
<i>Lagerströmia indica</i>	Croton sylvia	<i>P. taeda</i>	P. taeda
<i>Liquidambar styraciflua</i>	Amur Privet	<i>P. taeda</i>	P. taeda
<i>L. japonicum</i>	Japanese Privet	<i>P. taeda</i>	P. taeda
<i>L. lucidum</i>	Glossy Privet	<i>P. taeda</i>	P. taeda
<i>Liriodendron muscari</i>	Big Blue Lily Turf	<i>P. taeda</i>	P. taeda
<i>Lonicera japonica</i>	Japanese Honeycuckle	<i>P. taeda</i>	P. taeda
<i>L. xialiensis</i>	Japanese Honeycuckle	<i>P. taeda</i>	P. taeda
<i>L. xialiensis</i>	Japanese Honeycuckle	<i>P. taeda</i>	P. taeda
<i>L. xialiensis</i>	Japanese Honeycuckle	<i>P. taeda</i>	P. taeda

**LIMITATION OF WARRANTY AND LIMITATION OF LIABILITY**  
 NOTICE: Read this Limitation of Warranty and Limitation of Liability before buying or using this product. The law is not applicable. Use the product at once, unopened, and the purchase price will be refunded.  
 It is impossible to eliminate all risks inherently associated with the use of pesticides. Crop injury, pest resistance, or other unintended consequences may result because of such factors as weather conditions, presence of other chemicals, or the manner of use or application, all of which are beyond the control of the manufacturer or seller. All such risks shall be assumed by the user.  
 The manufacturer warrants that this product conforms to the chemical description on the label and is reasonably safe for the purposes stated in the Directions for Use, under normal use conditions, subject to the risks described above. THE MANUFACTURER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. In no event shall the manufacturer or seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. The manufacturer and seller of this product, and buyer and user accept, subject to the foregoing limitations of warranty and limitation of liability, which may not be modified by any oral or written agreement. (22-001-2000-11-1)

SPREADER SETTINGS			
Spreader	Settings for pounds/1,000 sq. ft.		
	7.57 #	8.49 #	11.48 #
LESKO ROTARY	XX	XX	XX
SCOTTS ROTARY	XX	XX	XX

Net Weight: 50 Pounds

EPA Reg. No. 10404-22 EPA Est. No. 10404-OH-1  
 Lesco, Inc. 2005 Lake Road - Rocky River, OH 44116

NOTIFICATION  
 MAY 06 2003

4/3



Phone: 440.333.9250  
800.321.5325  
Fax: 440.333.7789  
www.lesco.com  
Nasdaq: LSCO

May 23, 2003

Ms. Joyce Edwards  
7505C  
USEPA Headquarters  
Ariel Rios Building  
1200 Pennsylvania Avenue, N. W.  
Washington, DC 20460

Dear Ms. Edwards:

Please find the enclosed the notifications of Alternate Brand Name for four LESCO products:

EPA Reg. No.	Alternate Brand Name #1	Alternate Brand Name #2
10404-88	LESCO Barricade® 0.20% Plus Fertilizer	LESCO Stonewall® 0.20% Plus Fertilizer
10404-89	LESCO Barricade® 0.43% Plus Fertilizer	LESCO Stonewall® 0.43% Plus Fertilizer
10404-90	LESCO Barricade® 0.68% Plus Fertilizer	LESCO Stonewall® 0.68% Plus Fertilizer
10404-91	LESCO Barricade® 2.0% Plus Fertilizer	LESCO Stonewall® 2.0% Plus Fertilizer

Please do not hesitate to contact me with any questions or concerns you may have when reviewing this notification. Thank you for your assistance on this matter.

Best regards,

Gloria M. Sieloff, Ph.D.  
Director, Corporate Quality Assurance and Regulatory Affairs