

10404-90

2/9/2011

Jickel 1/7



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON D C 20460

OFFICE OF  
PREVENTION PESTICIDES AND  
TOXIC SUBSTANCES

FEB - 9 2011

Ms Susan Spencer  
Lesco, Inc  
1385 East 36<sup>th</sup> St  
Cleveland, OH 44114-4114

Subject Notification  
EPA Reg no 10404-90  
LESCO Fertilizer with 0 68% Barricade Preemergence Herbicide  
[LESCO Barricade 0 68% Plus Fertilizer (ABN)]  
[LESCO Stonewall 0 68% Plus Fertilizer (ABN)]

Dear Ms Spencert

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 6/21/10 for **EPA Registration 10404-90**. The Registration Division (RD) has conducted a review of this request for applicability under PRN 98-10 and finds that the label change(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions please contact me at 703-305-1243

Sincerely,

A handwritten signature in black ink, appearing to read "Kathryn V. Montague".

Kathryn V. Montague  
Product Manager 23  
Herbicide Branch  
Registration Division (7505P)  
Office of Pesticide Programs



United States  
Environmental Protection Agency  
Washington DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

### Application for Pesticide - Section I

1 Company/Product Number 10404 90	2 EPA Product Manager K Montague	3 Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4 Company/Product (Name) LESCO Fertilizer with 0 68% Barricade Preemergence Herbic	PM# 23	
5 Name and Address of Applicant (Include ZIP Code) LESCO Inc 1385 East 36 Street Cleveland, OH 44114-4114 <input checked="" type="checkbox"/> Check if this is a new address	6 Expedited Review In accordance with FIFRA Section 3(c)(3) (b)(i) my product is similar or identical in composition and labeling to EPA Reg No _____ Product Name _____	

### Section - II

<input type="checkbox"/> Amendment Explain below	<input checked="" type="checkbox"/> Final printed labels in response to Agency letter dated <u>email 5/26/10</u>
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> Me Too Application
<input checked="" type="checkbox"/> Notification Explain below	<input type="checkbox"/> Other Explain below

### Explanation Use additional page(s) if necessary (For section I and Section II)

Notification of label change per PR Notice 2007 4 This notification is consistent with the guidance in PR Notice 2007 4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. This notification is also consistent with the provisions of PR Notice 98 10 and EPA regulations at 40 CFR 152.46. W&D is now compliant with Agency Guidance on Warranty Statements of 10/17/06. No other changes have been made to the labeling or the confidential statement of formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, 156.156, and 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

### Section - III

1 Material This Product Will Be Packaged In				2 Type of Container	
Child Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If Yes Unit Packaging wgt		No per container
* Certification must be submitted		If Yes Package wgt		No per container	
3 Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4 Size(s) Retail Container 50# 1000#		5 Location of Label Directions <input checked="" type="checkbox"/> On label	
6 Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____	

### Section - IV

1 Contact Point (Complete items directly below for identification of individual to be contacted if necessary to process this application)		
Name Susan E. Spencer	Title Regulatory Specialist	Telephone No. (Include Area Code) 216 706 9250 ext 2343
<b>Certification</b> I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6 Date Application Received (Stamped)
2 Signature Susan E. Spencer	3 Title Regulatory Specialist	
4 Typed Name Susan E. Spencer	5 Date 06/21/10	



Phone 216 706 9250  
800 321 5325  
[www.lesco.com](http://www.lesco.com)

June 21 2010

Ms Kathryn Montague PM 23  
Document Processing Desk (NOTIF)  
Office of Pesticide Programs (7504P)  
U S Environmental Protection Agency  
Room S 4900 One Potomac Yard  
Arlington VA 22202 4501

SUBJECT Notifications PRN 2007 4

LESCO® Fertilizer with 0 68% Barricade Preemergence Herbicide EPA Reg No 10404 90  
LESCO® Barricade 0 68% Plus Fertilizer EPA Reg No 10404 90 (ABN)  
LESCO® Stonewall 0 68% Plus Fertilizer EPA Reg No 10404 90 (ABN)

LESCO® Fertilizer with 2 00% Barricade Preemergence Herbicide EPA Reg No 10404 91  
LESCO® Barricade 2 00% Plus Fertilizer, EPA Reg No 10404 91 (ABN)  
LESCO® Stonewall 2 00% Plus Fertilizer EPA Reg No 10404 91 (ABN)

Dear Ms Montague

Enclosed please find Notifications for your review and acceptance to address the following

Administrative error regarding the active percentage for each of the above registrations No other changes have been made to the label

The following documentation is provided in support of the above

- 8570 1 for each registration (covering current ABN)
- One (1) highlighted label copy for each registration noting the above actions
- One (1) clean label copy for each registration for Agency files

Thank you for your assistance in this matter If you should have any questions or require additional information please feel free to contact me at [sspencer@johndeere Landscapes.com](mailto:sspencer@johndeere Landscapes.com) or 216 706 9250 ext 2343

Sincerely

*Susan E Spencer*  
Susan E Spencer  
Regulatory Specialist  
Enclosures

# Stonewall® 0.68% Plus Fertilizer

9/7

Read the entire label before using this product. Use only according to label instructions.

**NOTICE:** Before using this product, read the Directions for Use, Storage and Disposal Instructions, and Warranty Statements. If the Warranty statements are not acceptable, return the product unopened within thirty days of purchase to the place of purchase.

Contains LESCO® Poly Plus® Sulfur Coated Urea to provide a uniform growth with extended nitrogen feeding.

**ACTIVE INGREDIENT**

Prodiamine (N<sup>3</sup> N Di n propyl 2 4 dinitro 6 (trifluoromethyl) m phenylenediamine

0.68 /

**INERT INGREDIENTS**

Total 99.32 / 100.00 /


Do not apply this product to putting greens or areas where dichondra, colonial bentgrass, velvet bentgrass, or annual bluegrass (*Poa annua*) are desirable species.

**APPLICATION DIRECTIONS**

Apply uniformly through suitable calibrated commercial application equipment.

**ESTABLISHED TURF**

This product is a selective pre-emergence herbicide that, when properly applied, will control certain grass and broadleaf weeds in established turf grass and lawns. The maximum amount of this product that may be applied per year is given for each turf grass species in the Maximum Annual Rates section of this label. Most effective weed control in turf grasses will be obtained when this product is activated by at least 0.5 inch of rainfall or irrigation prior to weed seed germination and within 14 days following application. See the information below for approximate crabgrass seed germination dates.



**Reg on Date**  
 Upper North After May 10  
 North After April 20  
 Transition After March 20  
 South Jan 1 - March 20

**RATES OF APPLICATION**

This product may be applied as a single application or in sequential applications to control weeds germinating throughout the year. All applications must be made prior to germination of the target weeds. This product will not control established weeds. Maximum use rate selection should be based on turf species. The length of time of residual weed control provided by this product is related to the rate applied.

**MAXIMUM ANNUAL RATES**

This product is recommended for use on the turf grass species listed below. Do not exceed the maximum yearly rate.

Turf Species	Maximum Application Rate per Calendar Year <sup>1</sup>	
	lb LESCO Stonewall 0.68 / Plus Fertilizer / acre	lb AI pe Acre
Bermudagrass <sup>2</sup>	220 lb/acre (5.05 lb/1,000 sq ft)	1.5
Bahag a s		
Centpedegrass		
Seashore Paspalum		
St. August negrass		
Tall Fescue (ldgr type)		
Zoysa		
B fflag a s	147 lb/acre (3.37 lb/1,000 sq ft)	1.0
Kentcky B egrass		
Perennial Ryegrass		
Creeping Red Fescue	110 lb/acre (2.52 lb/1,000 sq ft)	0.75
Creep g Bentgrass	95 lb/acre (2.18 lb/1,000 sq ft)	0.65

- These are the maximum rates per calendar year by species limitations.
- May be used on newly sprigged or plugged Bermudagrass at rates not to exceed 76.5 lb/Acre. Newly sprigged or plugged Bermudagrass stolon rooting may be temporarily retarded. Suppression only of Foxtail, Goosegrass, and Rescuegrass due to reduced product rates used in sprigging situations.
- Use at an initial rate of 110 to 147 lb/acre per application followed by sequential applications at doses that would not exceed the maximum annual application rate of 220 lb/acre/year.

Do not apply more than 220 lb of this product per acre per calendar year. Use the higher rates of this product to achieve higher levels of fertility and weed control for each turf type.

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**  
 S t h f l l w g c t P t y s t m t H d t H m d D m t A m i f  
 d d t l f m t

**FIRST AID**

If swallowed	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
If on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

**HOT LINE NUMBER**

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact CHEMTREC at 1-800-424-9300 for emergency medical treatment information.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Causes moderate eye injury (irritation). Harmful if inhaled or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Prolonged or frequently repeated skin contact while handling the material may cause allergic reactions in some individuals.

**ENVIRONMENTAL HAZARDS**

This product has low solubility in water. At the limits of solubility, this product is not toxic to fish. However, at concentrations above the level of water solubility, it may be toxic to fish. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters.

**STORAGE AND DISPOSAL**

Do not contaminate water, foodstuffs, feed, or seed by storage or disposal.  
**PESTICIDE STORAGE:** Store this product only in its original container in a dry, cool, secured storage area out of reach of children.  
**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, State, or local procedures. Or call 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.  
**CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling if available or dispose of empty bag in a sanitary landfill or by incineration or if allowed by State and local authorities by burning. If burned, stay out of smoke.  
**SPILL:** In case of spill, sweep up and use according to directions or dispose of according to Pesticide Disposal directions listed above.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is a selective pre-emergence herbicide that provides residual control of many grass and broadleaf weeds in established turf grasses (excluding golf course putting greens) and lawns, landscape ornamentals, and established perennials & wildflower plantings. This product controls susceptible weeds by inhibiting weed seed germination and root development. Most effective weed control will be obtained when this product is activated by at least 0.5 inch of rainfall or irrigation prior to weed seed germination and within 14 days following application.

**Not for use on plants being grown (1) for sale or other commercial use, (2) for commercial seed production, or (3) for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns and grounds.**

Do not graze or feed livestock forage cut from areas treated with this product.

Do not apply this product through any type of irrigation system.

Do not apply aerially.

Do not apply to golf course putting greens.

**USE PRECAUTIONS**

The following use precautions apply to the use of this product in turf grasses and lawns.

Application of this product may thin emerged annual bluegrass and newly overseeded grasses.

Do not apply to overseeded turf for 60 days after seeding or until after the second mowing, whichever ever is longer. Injury to desirable seedlings is likely if this product is applied before secondary roots are in the second inch of soil, not thatch plus soil.

Do not cut treated sod before 120 days after application. Do not apply to newly set sod until the following year.

Application of this product to turf stressed by drought, low fertility, or pest damage may result in turf injury.

Disturbing the herbicide barrier with cultural practices such as disking may result in reduced weed control.



**GUARANTEED ANALYSIS**

<b>Total Nitrogen (N)</b>	XX XX /
XX XX / Ammoniacal Nitrogen	
XX XX / Urea Nitrogen	
XX XX / Water Insoluble Nitrogen	
<b>Available Phosphate (P<sub>2</sub>O<sub>5</sub>)</b>	XX XX /
<b>Soluble Potash (K<sub>2</sub>O)</b>	XX XX /
<b>Magnesium (Mg) Total</b>	XX XX /
XX XX / Water Soluble Magnesium (Mg)	
<b>Sulfur (S) Total</b>	XX XX /
XX XX / Free Sulfur (S)	
XX XX / Combined Sulfur (S)	
<b>Copper (Cu) Total</b>	XX XX /
XX XX / Water Soluble Copper (Cu)	
<b>Iron (Fe) Total</b>	XX XX /
XX XX / Water Soluble Iron (Fe)	
<b>Manganese (Mn) Total</b>	XX XX /
XX XX / Water Soluble Manganese (Mn)	
<b>Zinc (Zn) Total</b>	XX XX /
XX XX / Water Soluble Zinc (Zn)	
Derived From	
<b>Chlorine (Cl) Max</b>	XX XX /
X XX / Slowly available Urea Nitrogen from Polymer Coated Sulfur Coated Urea	

**SUGGESTED SPREADER SETTINGS**

Spreader	R mm d r t		
	2.18 lb	2.52 lb	3.37 lb
LESCO c lb t G g	XX	XX	XX
SCOTT'S® RBA	XX	XX	XX
Cyclone® or Spyker®	XX	XX	XX
LESCO Pendulum	XX	XX	XX

IMPORTANT Th tt g ly pp mt Ag dt fth p d d pe t  
 p d wd t B t lb t y p d with h ppl t

5/7

#XXXXXX

# Stonewall® 0.68% Plus Fertilizer

## APPLICATION TIMING AND INFORMATION

This product may be applied to newly transplanted and established ornamentals as a broadcast over the top or directed application. Irrigation or rainfall soon after application will wash residues off plant foliage and activate this product in the soil. This product may be applied at any time to established plants. Delay application to allow soil to settle around new transplants and water thoroughly before applying this product. Apply this product after cuttings form roots and become established. Apply before budding/grafting or after buds/grafts have taken to avoid any inhibition of the tissue union. This product is a pre emergence herbicide and will not control emerged weeds. Most effective weed control in ornamentals will be obtained when this product is activated by at least 0.5 inch of rainfall or irrigation or with shallow (1 to 2 inch) mechanical incorporation prior to weed seed germination and within 14 days following application. Best weed control is obtained when this product is applied to soil free of clods, weeds and debris such as leaves. Prior to application of this product, control existing vegetation by hand weeding, cultivation or the use of an appropriate post emergence herbicide.

## TOLERANT ORNAMENTAL SPECIES

This product will not harm most established ornamental trees, shrubs and flowers. The species listed below are tolerant to this product. Best results will be obtained when this product is uniformly applied to the soil surface, avoid applying to ornamental shoots which may defeat the effort to get uniform distribution on the soil surface. This product may be applied over the top of these species without injury.

S t f N m	C m m N m	S t f N m	C m m N m
Ab pp	F Sp Bl m	M l p h r a i t l	I P l t
A p l m t m	J p M pl	M l p	C b p p l
A p l t d	N w y M pl	N d d m l	H l y B m b
A t d h	K w (O m t l O ly)	O l	O l (O m t l C ly)
A g p t h r	L y l y (t h N l)	O p h p g j p	M d G
A l l p h y l	V H I M t	O l p m m	T l g A f D y
A l t h a l d l	C p W d	O x y d d r u m b m	S n w d
A b j p	J p A b a	P r s m	A d
A r b g l d w y s u	B b r y	P h t l	F r P h t (R d i p)
B j l	W t g B b r y	P p	C l d B l N w y t
B t	M t B b r y	P j p	L y o f t h V l l y S h b
B t h b r g	J p B b y	P b r u t	C l b p
B w l	W r y B b y	P	C n y l l g p
B m p h y l l	J p B b w d	P l l t	S l h P
C a t m v m l	W p g B t l b h	P h t p	A l p p P
C p l g	S t h t h	P g	A t B l k P
C p b t d l	H t t i f g (l P l t)	P d l	M t y p
C r t m d	F t h r y C	P p l t	L g l P
C t h g d	W l d L l	P s t b	E t W h t P
C h m y p	F l C y p	P y l l	S t h P
C l y j p	C l y	P t d	L b l l y P
C l r u p p	C t S p	P t h b g	J p B l k P
C m f d	F l w g D g w d	P t h p	P t h
C t t f r a	A m D g w d	P t p n u m	C l d
C r d l l	P m p G	P t b	J p P r t p m
C t t p l l	C m r y C t t	P d p	P d p p
C b f l	C t t	P r u l	E g l h L l
C d m m	B b r y C t t	P r u p p	A l m d A p t N t P h P l m d P u
C m r o p h y l l	R k p y	C t t	P l m d P u
C i g p p	H w h	P d t g m z	D g l F (O S t)
C p m p r v	I l l C y p	P y r a t h c o a	F t h (S c a r t l)
D t p m l b	W h t T l g l P l t	P r t k d m	F t h p p
D d	H p B h	P y r u p p	B d f d m p p
E l g p p g	S v b r y	O p p	O k p p
E y m f r t	W t p	R p h l p d	I d H w h
E l p	E g E y m	R h d d d	O B l l F m
E k u t h	S p d g E y m	( d d g l )	4 m I P J M
F t j p	J p A l		R m E l g
F r s y t h t m d	B d F y t h	R b k	L d y B k R
F w d m	G t m F y t h	R m f f c a l	R m y
G d j m d	G r d C p	S t l v	S t l
H d h l	E g l h v y	S d m l b m	S t h p
H b	Ch H b	S y y g m p l t m	J p B h r y
H t	Ch H l y	T p d t	J p Y w
I t t	J p H l y	T m d	Y w v
I p	A m H l y	T h j c d t l	A m A b r v t
I p y	H l y	T j p m m	S t J m
J m m d f l m	W t J m	T g d	C m m H m l k
J g l p	W l t	V b m m j p m	J p V b m
J p h s v	Ch J p	V d t m m	w V b m
J f r t	Sh J p	V p l t m	J p S w b l l
J h z l l	C p l g d u p	V g d m	C r y l l d V b m
J t b d g	Sh m p l t	V l	L r u t
L g t m d	C p M y r l	V t l b m	C b r y B h
L g t r u m	A m P v t	V w g h t	L t h l V b m
L j p m	J p P v t	V m	D w r P w k l
L l d m	G l y p t	V t	G p
L p m	B g B l l y t r	W g l f d	O l d F h d W g l
L j p	J p H y k l	Y l l l	S p h B y t
L l l	T t H y s k l	Y f l m t	Y A d m N d l
O m l l p	l y d t t f d p d g t		
F l d p	m l t t		

## WEEDS CONTROLLED

When used in accordance with this label, this product will provide control of the following weeds:

B y d g	G g	L g	Sp dw ll
Bl g	H b t	P m	Sp g l p
A l (P )	(T F l l B w T p)		
C p t w d	H g	P g w d	Sp g P t t
Ch k w d	J h g	P l C m m	W h t h g
C m m	(f m d)		
(l g m th)	J g l	P l y F l d	W d l y l w (f m d)
C w f g	K w d	R g z	
C p g W l y	K h	Sh p h d P z	
F x t l A n l	L m b q r t C m m	S g l g B d l f	

- In many areas a single application of 95 to 220 lb/acre of this product will control the above listed weeds and goosegrass. However, under heavy goosegrass pressure and/or an extended growing season, most effective weed control can be obtained by making an initial application of 95 to 147 lb/acre followed after 60 to 90 days by a second application at doses that would not exceed those given in the Maximum Annual Rate Table. Do not exceed the maximum rate for turf grass species listed in the Maximum Annual Rate Table above.
- Suppression only. Sequential applications may be made so long as the total amount of product applied does not exceed the maximum annual application rates recommended for each turf species. All applications must be made prior to germination of weed seeds.
- Applications for this weed should be made in late summer, fall or winter prior to germination.

## WHEN TO APPLY AFTER OVERSEEDING

Do not apply to overseeded turf within 60 days after seeding or until after the second mowing, whichever is longer. Injury to desirable seedlings is likely if this product is applied before seeding. Secondary roots are in the second inch of soil not thatch plus soil.

## WHEN TO OVERSEED AFTER APPLICATION

This product will inhibit the germination of turf species if overseeded too soon after application. Follow rates and intervals in the table below for best overseeding/reseeding results.

Product	LESCO Stonewall 0.68 / Plus Fertilizer Rate (lb/Acre)	Interval Before Overseeding		
		North	Transition	South
74 lb/acre	0.50 lb/acre	4 months	4 months	4 months
95 lb/acre	0.66 lb/acre	5 months	4 months	4 months
110 lb/acre	0.74 lb/acre	6 months	5 months	5 months
118 lb/acre	0.80 lb/acre		6 months	6 months
147 lb/acre	1.00 lb/acre		7 months	7 months
168 lb/acre	1.14 lb/acre			9 months
191 lb/acre	1.30 lb/acre			10 months

## LANDSCAPE ORNAMENTALS

(Including Established Perennial and Wildflower Plantings)

This product may be applied for residual pre emergence weed control in ornamentals.

**Use Rates** - Apply this product at 95 to 220 lb/acre in fall and/or spring. Use the higher rates of application for longer control periods. Sequential or single applications are allowed so long as the total amount of product applied does not exceed the maximum annual application rate of 220 pounds per acre per year.

## CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire directions for use and limitations of sale and liability before using this product. If there are any discrepancies between the printed directions on the product label and the directions on this label, the printed directions on the product label shall prevail.

This product is for use on turf grasses and other lawn areas. It is not to be used on other plants or crops. It is not to be used on areas where it may cause injury to desirable plants or crops. It is not to be used on areas where it may cause injury to animals or humans. It is not to be used on areas where it may cause injury to the environment. It is not to be used on areas where it may cause injury to property. It is not to be used on areas where it may cause injury to the public. It is not to be used on areas where it may cause injury to the state. It is not to be used on areas where it may cause injury to the nation. It is not to be used on areas where it may cause injury to the world.

LESCO warrants that this product conforms to the chemical analysis and label directions for use and limitations of sale and liability. It does not warrant that this product will control all weeds or that it will not cause injury to desirable plants or crops. It does not warrant that it will not cause injury to animals or humans. It does not warrant that it will not cause injury to the environment. It does not warrant that it will not cause injury to property. It does not warrant that it will not cause injury to the public. It does not warrant that it will not cause injury to the state. It does not warrant that it will not cause injury to the nation. It does not warrant that it will not cause injury to the world.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE BUYER AND/OR USER AND THE EXCLUSIVE LIABILITY OF LESCO INC. FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF LESCO INC., REPLACEMENT OF THE PRODUCT OR IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY TO THE EXTENT CONSISTENT WITH APPLICABLE LAW IN NO EVENT SHALL LESCO INC. BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES.

LESCO Inc. warrants the product and its use and/or user accepts liability for the registration conditions of sale and limitations of sale and liability. It does not warrant that this product will control all weeds or that it will not cause injury to desirable plants or crops. It does not warrant that it will not cause injury to animals or humans. It does not warrant that it will not cause injury to the environment. It does not warrant that it will not cause injury to property. It does not warrant that it will not cause injury to the public. It does not warrant that it will not cause injury to the state. It does not warrant that it will not cause injury to the nation. It does not warrant that it will not cause injury to the world.

LESCO Inc. warrants the product and its use and/or user accepts liability for the registration conditions of sale and limitations of sale and liability. It does not warrant that this product will control all weeds or that it will not cause injury to desirable plants or crops. It does not warrant that it will not cause injury to animals or humans. It does not warrant that it will not cause injury to the environment. It does not warrant that it will not cause injury to property. It does not warrant that it will not cause injury to the public. It does not warrant that it will not cause injury to the state. It does not warrant that it will not cause injury to the nation. It does not warrant that it will not cause injury to the world.

LESCO Inc. warrants the product and its use and/or user accepts liability for the registration conditions of sale and limitations of sale and liability. It does not warrant that this product will control all weeds or that it will not cause injury to desirable plants or crops. It does not warrant that it will not cause injury to animals or humans. It does not warrant that it will not cause injury to the environment. It does not warrant that it will not cause injury to property. It does not warrant that it will not cause injury to the public. It does not warrant that it will not cause injury to the state. It does not warrant that it will not cause injury to the nation. It does not warrant that it will not cause injury to the world.

LESCO Inc. warrants the product and its use and/or user accepts liability for the registration conditions of sale and limitations of sale and liability. It does not warrant that this product will control all weeds or that it will not cause injury to desirable plants or crops. It does not warrant that it will not cause injury to animals or humans. It does not warrant that it will not cause injury to the environment. It does not warrant that it will not cause injury to property. It does not warrant that it will not cause injury to the public. It does not warrant that it will not cause injury to the state. It does not warrant that it will not cause injury to the nation. It does not warrant that it will not cause injury to the world.

LESCO Inc. warrants the product and its use and/or user accepts liability for the registration conditions of sale and limitations of sale and liability. It does not warrant that this product will control all weeds or that it will not cause injury to desirable plants or crops. It does not warrant that it will not cause injury to animals or humans. It does not warrant that it will not cause injury to the environment. It does not warrant that it will not cause injury to property. It does not warrant that it will not cause injury to the public. It does not warrant that it will not cause injury to the state. It does not warrant that it will not cause injury to the nation. It does not warrant that it will not cause injury to the world.

LESCO Inc. warrants the product and its use and/or user accepts liability for the registration conditions of sale and limitations of sale and liability. It does not warrant that this product will control all weeds or that it will not cause injury to desirable plants or crops. It does not warrant that it will not cause injury to animals or humans. It does not warrant that it will not cause injury to the environment. It does not warrant that it will not cause injury to property. It does not warrant that it will not cause injury to the public. It does not warrant that it will not cause injury to the state. It does not warrant that it will not cause injury to the nation. It does not warrant that it will not cause injury to the world.

LESCO Inc. warrants the product and its use and/or user accepts liability for the registration conditions of sale and limitations of sale and liability. It does not warrant that this product will control all weeds or that it will not cause injury to desirable plants or crops. It does not warrant that it will not cause injury to animals or humans. It does not warrant that it will not cause injury to the environment. It does not warrant that it will not cause injury to property. It does not warrant that it will not cause injury to the public. It does not warrant that it will not cause injury to the state. It does not warrant that it will not cause injury to the nation. It does not warrant that it will not cause injury to the world.

LESCO Inc. warrants the product and its use and/or user accepts liability for the registration conditions of sale and limitations of sale and liability. It does not warrant that this product will control all weeds or that it will not cause injury to desirable plants or crops. It does not warrant that it will not cause injury to animals or humans. It does not warrant that it will not cause injury to the environment. It does not warrant that it will not cause injury to property. It does not warrant that it will not cause injury to the public. It does not warrant that it will not cause injury to the state. It does not warrant that it will not cause injury to the nation. It does not warrant that it will not cause injury to the world.

EPA REG NO 10404 90  
EPA EST NO 82757 FL 001(S) 82757 OH 001 (M)  
82757 MA 002 (H)  
F t t t t t d d t m t t g t

F1560  
Distributed by **LESCO Inc**  
1301 East 9<sup>th</sup> Street  
Cleveland OH 44114 1849

#XXXXXX

# Barricade® 0.68% Plus Fertilizer

NOTIFICATION 6/7

FEB 09 2011

Read the entire label before using this product Use only according to label instructions

NOTICE Before using this product read the Directions for Use Storage and Disposal Instructions and Warranty Statements If the Warranty statements are not acceptable return the product unopened within thirty days of purchase to the place of purchase

Contains LESCO® Poly Plus® Sulfur Coated Urea to provide a uniform growth with extended nitrogen feeding

**ACTIVE INGREDIENT**

Prodimamine (N<sup>3</sup> N<sup>3</sup> Di n propyl 2 4 dinitro 6 (trifluoromethyl) m phenylenediamine

0 68 /

**INERT INGREDIENTS**

Total 99 32 / 100 00 /

Do not apply this product to putting greens or areas where dichondra colonial bentgrass velvet bentgrass or annual bluegrass (*Poa annua*) are desirable species

**APPLICATION DIRECTIONS**

Apply uniformly through suitable calibrated commercial application equipment

**ESTABLISHED TURF**

This product is a selective pre emergence herbicide that when properly applied will control certain grass and broadleaf weeds in established turf grass and lawns The maximum amount of this product that may be applied per year is given for each turf grass species in the Maximum Annual Rates section of this label Most effective weed control in turf grasses will be obtained when this product is activated by at least 0 5 inch of rainfall or irrigation prior to weed seed germination and within 14 days following application See the information below for approximate crabgrass seed germination dates

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

S t h f l w g t P t r y S t i m t H d t H m d D m t A m l f  
d d t i f m t

FIRST AID	
If swallowed	Call a poison control center or doctor immediately for treatment advice Have person sip a glass of water if able to swallow Do not induce vomiting unless told to by the poison control center or doctor Do not give anything by mouth to an unconscious person
If in eyes	Hold eye open and rinse slowly and gently with water for 15 20 minutes Remove contact lenses if present after the first 5 minutes then continue rinsing Call a poison control center or doctor for treatment advice
If on skin or clothing	Take off contaminated clothing Rinse skin immediately with plenty of water for 15 20 minutes Call a poison control center or doctor for treatment advice
If inhaled	Move person to fresh air If person is not breathing call 911 or an ambulance then give artificial respiration preferably mouth to mouth if possible Call a poison control center or doctor for further treatment advice

**HOT LINE NUMBER**  
Have the product container or label with you when calling a poison control center or doctor or going for treatment You may also contact CHEMTREC at 1 800 424 9300 for emergency medical treatment information


**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**CAUTION** Causes moderate eye injury (irritation) Harmful if inhaled or absorbed through the skin Avoid contact with skin eyes or clothing Avoid breathing dust Wash thoroughly with soap and water after handling Prolonged or frequently repeated skin contact while handling the material may cause allergic reactions in some individuals

**ENVIRONMENTAL HAZARDS**  
This product has low solubility in water At the limits of solubility this product is not toxic to fish However at concentrations above the level of water solubility it may be toxic to fish Do not apply directly to water to areas where surface water is present or to intertidal areas below the mean high water mark Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites Do not contaminate water when disposing of equipment washwaters

**STORAGE AND DISPOSAL**  
Do not contaminate water foodstuffs feed or seed by storage or disposal  
**PESTICIDE STORAGE** Store this product only in its original container in a dry cool secured storage area out of reach of children  
**PESTICIDE DISPOSAL** Pesticide wastes are toxic Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal State or local procedures Or call (1 800 CLEANUP) for disposal instructions Never place unused product down any indoor or outdoor drain  
**CONTAINER DISPOSAL** Nonrefillable container Do not reuse or refill this container Completely empty bag into application equipment Then offer for recycling if available or dispose of empty bag in a sanitary landfill or by incineration or if allowed by State and local authorities by burning If burned stay out of smoke  
**SPILL** In case of spill sweep up and use according to directions or dispose of according to Pesticide Disposal directions listed above

**DIRECTIONS FOR USE**  
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling  
This product is a selective pre emergence herbicide that provides residual control of many grass and broadleaf weeds in established turf grasses (excluding golf course putting greens) and lawns landscape ornamentals and established perennials & wildflower plantings This product controls susceptible weeds by inhibiting weed seed germination and root development Most effective weed control will be obtained when this product is activated by at least 0 5 inch of rainfall or irrigation prior to weed seed germination and within 14 days following application  
**Not for use on plants being grown (1) for sale or other commercial use (2) for commercial seed production or (3) for research purposes For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks or on golf courses or lawns and grounds**  
Do not graze or feed livestock forage cut from areas treated with this product  
Do not apply this product through any type of irrigation system  
Do not apply aenally  
Do not apply to golf course putting greens

**USE PRECAUTIONS**  
The following use precautions apply to the use of this product in turf grasses and lawns  
Application of this product may thin emerged annual bluegrass and newly over seeded grasses  
Do not apply to overseeded turf for 60 days after seeding or until after the second mowing which ever is longer Injury to desirable seedlings is likely if this product is applied before seedling secondary roots are in the second inch of soil not thatch plus soil  
Do not cut treated sod before 120 days after application Do not apply to newly set sod until the following year  
Application of this product to turf stressed by drought low fertility or pest damage may result in turf injury  
Disturbing the herbicide barrier with cultural practices such as disking may result in reduced weed control



Region	Date
Upper North	After May 10
North	After April 20
Transition	After March 20
South	Jan 1 - March 20

**RATES OF APPLICATION**


This product may be applied as a single application or in sequential applications to control weeds germinating throughout the year All applications must be made prior to germination of the target weeds This product will not control established weeds Maximum use rate selection should be based on turf species The length of time of residual weed control provided by this product is related to the rate applied

**MAXIMUM ANNUAL RATES**

This product is recommended for use on the turf grass species listed below Do not exceed the maximum yearly rate

Turf Species	lb LESCO Barricade 0 68 / Plus Fertilizer / ac e (5 05 lb/1 000 sq ft)	lb AI per Ac e
Berm dagrass <sup>1</sup>	220 lb/ac e	1 5
Bah agrass		
Centpedegrass		
Seashore Paspalum		
St Augustinegrass		
Tall Fescue ( i d g t f t y p )		
Zoysia		
Buffalograss	147 lb/acre (3 37 lb/1 000 sq ft)	1 0
Kentucky Bluegrass		
Perennial Ryegrass		
Creeping Red Fescue	110 lb/acre (2 52 lb/1 000 sq ft)	0 75
Creeping Bentgrass	95 lb/acre (2 18 lb/1 000 sq ft)	0 65

- These are the maximum rates per calendar year by species limitations
  - May be used on newly sprigged or plugged Bermudagrass at rates not to exceed 76 5 lb/Acre Newly sprigged or plugged Bermudagrass stolon rooting may be temporarily retarded Suppression only of Foxtail Goosegrass and Rescuegrass due to reduced product rates used in sprigging situations
  - Use at an initial rate of 110 to 147 lb/acre per application followed by sequential applications at doses that would not exceed the maximum annual application rate of 220 lb/acre/year
- Do not apply more than 220 lb of this product per acre per calendar year Use the higher rates of this product to achieve higher levels of fertility and weed control for each turf type



**GUARANTEED ANALYSIS**

<b>Total Nitrogen (N)</b>	XX XX /
XX XX / Ammoniacal Nitrogen	
XX XX / Urea Nitrogen	
XX XX / Water Insoluble Nitrogen	
<b>Available Phosphate (P<sub>2</sub>O<sub>5</sub>)</b>	XX XX /
<b>Soluble Potash (K<sub>2</sub>O)</b>	XX XX /
<b>Magnesium (Mg) Total</b>	XX XX /
XX XX / Water Soluble Magnesium (Mg)	
<b>Sulfur (S) Total</b>	XX XX /
XX XX / Free Sulfur (S)	
XX XX / Combined Sulfur (S)	
<b>Copper (Cu) Total</b>	XX XX /
XX XX / Water Soluble Copper (Cu)	
<b>Iron (Fe) Total</b>	XX XX /
XX XX / Water Soluble Iron (Fe)	
<b>Manganese (Mn) Total</b>	XX XX /
XX XX / Water Soluble Manganese (Mn)	
<b>Zinc (Zn) Total</b>	XX XX /
XX XX / Water Soluble Zinc (Zn)	
Derived From	
<b>Chlorine (Cl) Max</b>	XX XX /
X XX / Slowly available Urea Nitrogen from Polymer Coated Sulfur Coated Urea	

**SUGGESTED SPREADER SETTINGS**

Spreader	R mm d d R t			
	2 18 lb	2 52 lb	3 37 lb	5 05 lb
LESCO c i b t g g	XX	XX	XX	XX
SCOTTS® R8A	XX	XX	XX	XX
Cyclone® or Spyker®	XX	XX	XX	XX
LESCO Pendulum	XX	XX	XX	XX

IMPORTANT Th tt g ly pp mt Ag dt fth p d d p t  
p d wd t B t i b t y pr d with n ppl t

#XXXXXX

7/7

# Barricade® 0.68% Plus Fertilizer

## APPLICATION TIMING AND INFORMATION

This product may be applied to newly transplanted and established ornamentals as a broadcast over the top or directed application. Irrigation or rainfall soon after application will wash residues off plant foliage and activate this product in the soil. This product may be applied at any time to established plants. Delay application to allow soil to settle around new transplants and water thoroughly before applying this product. Apply this product after cuttings form roots and become established. Apply before budding/grafting or after buds/grfts have taken to avoid any inhibition of the tissue union. This product is a pre emergence herbicide and will not control emerged weeds. Most effective weed control in ornamentals will be obtained when this product is activated by at least 0.5 inch of rainfall or irrigation or with shallow (1 to 2 inch) mechanical incorporation prior to weed seed germination and within 14 days following application. Best weed control is obtained when this product is applied to soil free of clods, weeds, and debris such as leaves. Prior to application of this product control existing vegetation by hand weeding, cultivation, or the use of an appropriate post emergence herbicide.

## TOLERANT ORNAMENTAL SPECIES

This product will not harm most established ornamental trees, shrubs, and flowers. The species listed below are tolerant to this product. Best results will be obtained when this product is uniformly applied to the soil surface, avoid applying to ornamental shoots which may defeat the effort to get uniform distribution on the soil surface. This product may be applied over the top of these species without injury.

Scientific Name	Common Name	Scientific Name	Common Name
Abutilon	F. Sp. Bl. m.	M. ph. l. l. l.	I. Pl. t.
A. p. m. t. m.	J. p. M. pl.	M. l. p.	C. b. ppt.
A. pl. t. d.	N. rw. y. M. pl.	N. d. d. m. t.	H. ly. B. mb.
A. t. d. h.	Kw. (O. m. t. l. O. ly.)	O. l. rop.	O. l. v. (O. m. t. l. O. ly.)
Ag. p. th. f.	L. y. l. th. N. l.	O. ph. p. g. j. p.	M. d. G.
A. t. t. phyl. d. n.	V. H. l. M. t.	O. t. p. m. m.	T. l. g. A. l. D. y.
Arct. th. l. d. l.	C. p. W. d.	O. yd. drum. b. m.	S. rw. d.
A. b. j. p.	J. p. A. b.	P. m.	A. v. d.
B. r. b. gl. dwy. s.	B. b. ry.	P. h. t. fr.	F. r. Ph. t.
B. j. l.	W. t. g. B. b. y.	P. pp.	C. l. d. Bl.
B. m. l.	M. t. B. b. ry.	P. j. p.	L. y. of. th. V. l. y. Shrub.
B. th. b. g.	J. p. B. b. ry.	P. brut.	C. l. b. P.
B. ru. l.	W. r. y. B. b. ry.	P.	C. r. y. l. d. P.
B. m. rophyll.	J. p. B. x. w. d.	P. l. l. t.	S. l. h. P.
C. h. t. m. m. l.	W. p. g. B. t. l. b. h.	P. h. l. p.	A. l. p. p. P.
C. h. l. g.	t. h. h. th.	P. gra.	A. t. B. l. k. P.
C. p. brot. d. l.	H. t. t. l. f. g. (l. P. t. t.)	P. d. t.	M. t. y. P.
C. s. i. r. m. o. d.	F. th. ry. C.	P. p. l. t. r. v.	L. g. l. f. P.
C. th. g. d.	W. h. l. l.	P. l. o.	E. t. W. h. l. P.
Ch. m. y. p. a. psif.	F. l. Cyp.	P. y. t.	S. t. h. P.
C. l. y. j. p.	C. l. y.	P. t. d.	L. b. l. y. P.
C. l. p. p.	C. l. Sp.	P. th. b. r. g.	J. p. B. l. k. P.
C. m. fl. d.	F. l. w. g. D. gw. d.	P. t. h. p.	P. t. h.
C. l. l. i.	A. m. D. gw. d.	P. l. l. p. r. u. m.	Q. l. d.
C. n. d. l. l.	P. m. p. G.	P. l. b.	J. p. P. r. t. p. m.
C. t. l. p. l. i.	C. b. ry. C. t. t.	P. d. p.	P. d. p. p.
C. b. l. l.	C. t. t.	P. r. u. l. r. a.	E. g. l. h. l. i.
C. d. m. m.	B. b. ry. C. t. t.	P. r. u. s. p. p.	A. l. m. d. A. p. t.
C. m. rophyll.	R. k. p. y.	C. t. t.	N. t. p. h.
C. l. g. p. p.	H. w. th.	P. d. l. g. m. z.	D. g. l. F. (O. S. l.)
C. p. mp. r. v.	I. t. l. Cyp.	P. y. th. co.	F. th. m. (S. l. t.)
D. l. p. m. l. b.	W. h. t. T. l. g. l. P. l. t.	P. f. r.	F. th. pp.
D. d.	H. p. B. h.	P. r. u. p.	B. d. f. d. P. p.
E. l. g. p. g.	S. l. b. y.	Q. k. pp.	O. k. pp.
E. y. m. f. r. t.	W. t. p.	R. p. h. l. p. d.	I. d. H. w. th.
E. j. p.	E. g. E. y. m.	R. h. d. d. d.	C. B. l. l. F. m.
E. k. t. h. l.	S. p. d. g. E. y. m.	( l. d. g. z. e. l. )	H. m. IP. J. M.
F. l. j. p.	J. p. A. l.	R. m. E. l. g.	R. m. E. l. g.
F. y. l. h. t. m. d.	B. d. F. y. h.	R. b. k.	L. d. y. B. k. R.
F. d. m. p.	G. d. t. m. F. y. h.	R. m. f. f. l.	R. m. y.
G. d. j. m. o. d.	J. m.	S. t. l. v. i.	S. t. l.
H. d. h. l.	E. g. l. h. y.	S. d. m. l. b. m.	S. t. p.
H. b. r. o.	Ch. H. b.	S. y. y. g. m. p. l. t. m.	J. p. B. h. ry.
H. c. o. m. i.	Ch. H. l. y.	T. p. d. l.	J. p. Y. w.
I. t. l.	J. p. H. l. y.	T. m. d.	Y. w. v.
I. p.	A. m. H. l. y.	T. h. j. d. l. l.	A. m. A. b. r. v. l.
I. p. y. i.	H. l. y.	T. h. l. p. r. m. m.	S. t. J. m.
J. m. m. d. fl. r. u. m.	W. t. J. m.	T. g. d.	C. m. m. H. m. l. k.
J. g. l. p.	W. l. t.	V. b. m. m. j. p. m.	J. p. V. b. m.
J. p. r. u. h.	Ch. J. p.	V. d. t. m. m.	S. w. T. V. b. m.
J. f. r. t.	Sh. J. p.	V. p. l. t. m.	J. p. S. w. b. l. l.
J. h. t. e. l.	C. p. g. J. l. p.	V. g. d. m.	C. y. l. l. d.
J. i. b. d. g.	Sh. m. P. l. t.	V. l. t.	V. b. m.
L. g. r. s. l. r. o. m. d.	C. p. Myr. t.	V. l. l. b. m.	C. b. ry. B. h.
L. u. g. l. r. u. m. e.	A. m. P. v. t.	V. w. g. h. l.	L. th. fl. I. V. b. m.
L. j. p. m.	J. p. P. v. t.	V. m.	D. w. a. r. P. w. k. l.
L. d. s. d. m.	G. l. y. p. t.	V. p. m.	G. s. p.
L. u. p. m.	B. g. B. l. L. y. r. f.	W. g. l. fl. d.	O. l. d. F. h. d.
L. r. a. j. p.	J. p. H. y. k. l.	Y. l. f. o. l.	S. p. h. B. y. t.
L. l. i.	T. t. H. y. k. l.	Y. fl. m. t.	Y. A. d. m. N. d. l.
O. m. t. l. p.	l. y. D. t. l. f. d. p. d. g. t.		
F. i. d. p.	m. t. l. t.		

## WEEDS CONTROLLED

When used in accordance with this label this product will provide control of the following weeds:

Bi. y. s. d. g. r. a.	G. g.	L. g.	Sp. dw. ll.
Bl. g.	H. b. t.	P. cum.	Sp. gl. t. p.
A. l. (P.)	(T. F. l. B. w. t. p.)		
C. p. t. w. d.	l. t. h. g.	P. g. w. d.	Sp. g. P. t. r. a. t.
Ch. k. w. d.	J. h. g.	P. l. C. m. m.	W. l. h. g.
C. m. m.	(f. m. d.)		
C. b. g.	J. g. l.	P. l. y. F. l. d.	W. d. I. Y. l. l. o. w.
(l. g. m. th.)			(f. m. d.)
C. w. f. t. g.	K. t. w. d.	R. g.	
C. p. g.	W. l. y.	K. h.	Sh. p. h. d. P.
F. x. t. l. A. l.	L. m. b. q. r. t.	S. g. l. g. B. d. l. f.	
	C. m. m.		

- In many areas a single application of 95 to 220 lb/acre of this product will control the above listed weeds and goosegrass. However, under heavy goosegrass pressure and/or an extended growing season, most effective weed control can be obtained by making an initial application of 95 to 147 lb/acre followed after 60 to 90 days by a second application at doses that would not exceed those given in the Maximum Annual Rate Table. Do not exceed the maximum rate for turf grass species listed in the Maximum Annual Rate Table above.
- Suppression only. Sequential applications may be made so long as the total amount of product applied does not exceed the maximum annual application rates recommended for each turf species. All applications must be made prior to germination of weed seeds.
- Applications for this weed should be made in late summer, fall or winter prior to germination.

## WHEN TO APPLY AFTER OVERSEEDING

Do not apply to overseeded turf within 60 days after seeding or until after the second mowing, whichever is longer. Injury to desirable seedlings is likely if this product is applied before seedling secondary roots are in the second inch of soil, not thatch plus soil.

## WHEN TO OVERSEED AFTER APPLICATION

This product will inhibit the germination of turf species if overseeded too soon after application. Follow rates and intervals in the table below for best overseeding/reseeding results.

Product	Rate (lb/Acre)	Interval Before Overseeding		
		North	Transition	South
74 lb/acre	0.50 lb/acre	4 months	4 months	4 months
95 lb/acre	0.66 lb/acre	5 months	4 months	4 months
110 lb/acre	0.74 lb/acre	6 months	5 months	5 months
118 lb/acre	0.80 lb/acre		6 months	6 months
147 lb/acre	1.00 lb/acre		7 months	7 months
168 lb/acre	1.14 lb/acre			9 months
191 lb/acre	1.30 lb/acre			10 months

## LANDSCAPE ORNAMENTALS

(Including Established Perennial and Wildflower Plantings)

This product may be applied for residual pre emergence weed control in ornamentals.

Use Rates - Apply this product at 95 to 220 lb/acre in fall and/or spring. Use the higher rates of application for longer control periods. Sequential or single applications are allowed so long as the total amount of product applied does not exceed the maximum annual application rate of 220 pounds per acre per year.

## CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read this label and User Acceptance, subject to the registration conditions. Sales and Limitation of Warranty and Liability which may not be modified except by written agreement signed by duly authorized representatives of LESCO Inc.

THE PRODUCT IS SOLD AS IS, WITHOUT WARRANTY, EXPRESS OR IMPLIED, INCLUDING MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE BUYER AND/OR USER AND THE EXCLUSIVE LIABILITY OF LESCO INC. FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR AT THE ELECTION OF LESCO INC. REPLACEMENT OF THE PRODUCT OR IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY TO THE EXTENT CONSISTENT WITH APPLICABLE LAW. IN NO EVENT SHALL LESCO INC. BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES.

LESKO Inc. (hereinafter "LESKO") and Buyer and/or User, accept, subject to the registration conditions, Sales and Limitation of Warranty and Liability which may not be modified except by written agreement signed by duly authorized representatives of LESKO Inc.

LESKO Inc. (hereinafter "LESKO") and Buyer and/or User, accept, subject to the registration conditions, Sales and Limitation of Warranty and Liability which may not be modified except by written agreement signed by duly authorized representatives of LESKO Inc.

Poly-S-S-M-p-s-d-P-lyme-Co-tes-Sulf-C-t-d-U  
LESKO d.P.ly.PI-g-t-d-t-d-m-k-d-th-w-p-g-d-g-t-d-m-k-LESKO  
T-h-l-g-LLC-B-r-i-d-t-d-m-k-f-Sy-g-t-G-p-C-M-p-y-SCOTTs-g-t-d  
t-d-m-k-f-Th-SCOTT-C-m-y-Cy-l-d-Spyk-g-t-d-t-d-m-k-f-Spyk-g-t-d  
Sp-d-LLC

G-REGUL-W-P-R-g-I-P-t-W-t-L-b-N-w-E-P-A-App-d-B-d-0.68%  
(071506) 061010

Net Weight XX lb (XX kg)

EPA REG NO 10404 90  
EPA EST NO 82757 FL 001(S) 82757 OH 001 (M)  
82757 MA 002 (H)  
F-ll-t-l-l-d-d-t-m-f-t-g-t

F1560  
Distributed by LESCO Inc  
1301 East 9th Street  
Cleveland, OH 44114 1849

#XXXXXX