104-99





UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Susan Spencer LESCO, Inc. 15885 Sprague Road Strongsville, OH 44136

Subject: Label Amendment EPA Reg. No.: 10404-95, 10404-39, 10404-96, 10404-94

Dear Ms. Spencer:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided you make the following label changes.

Atrazine 0.45% Plus Fertilizer

1. Under the heading "Storage and Disposal" change "Storage" to "Pesticide Storage".

Atrazine 0.76% Plus Fertilizer

1. Under the heading "Storage and Disposal" change "Storage" to "Pesticide Storage".

Atrazine 0.92% Plus Fertilizer

1. Under the heading "Storage and Disposal" change "Storage" to "Pesticide Storage".

Atrazine 1.05% Plus Fertilizer

1. Under the heading "Storage and Disposal" change "Storage" to "Pesticide Storage".

Amended labeling will supercede all previous accepted ones. A stamped copy of labeling is enclosed for your records. Submit one (1) copy of final printed labeling before you release the product for shipment. If you have any questions please call Erik Kraft at 703-308-9358.

1

{

Sincerely James A. Tompkins

Product Manager 25 Herbicide Branch Registration Division (7505C)

2/4

CAUTION

| | FIRST AID |
|---------------------------|--|
| If swallowed | Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by the poison control center or doctor. Do not give anything by mouth to an unconscious person. |
| If in eyes | Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. |
| lf on skin or clothing | Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. |
| Jaled | Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. |

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact Chem-Trec at 1-800-424-9300 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin or inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Loaders, applicators, and other handlers must wear long-sleeved shirt, long pants, shoes and socks.

Do not apply granular lawn products by hand. Avoid contact with hands or skin.

Broadcast applications must NOT be made using hand-held devices, such as a belly grinder or handheld rotary applicator. Such equipment may only be used for spot treatments.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Loaders, applicators and other handlers must wear long-sleeved shirt and long pants, shoes and socks; waterproof gloves. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

*ers should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. ars should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Atrazine can travel (seep or leach) through soil and can enter ground water which may be used as drinking water. Atrazine has been found in ground water. Users are advised not to apply Atrazine to sand and loamy sand soils where the water table (ground water) is close to the surface and where these soils are very permeable; i.e., well-drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water.

This pesticide is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

Do not apply this product through any type of irrigation system. When tank-mixing or sequentially applying Atrazine or products containing Atrazine, the total pounds of Atrazine applied (lbs al/A) must not exceed the specific seasonal rate limits as noted in the use directions

Turfgrass at Residential Sites (including homes, daycare facilities, schools, playgrounds, parks, recreational areas, and sports fields.

This product must be watered in immediately after application. Watering-in must be performed by the commercial applicator or the commercial applicator must provide the following instructions to the resident or owner in writing:

-This product must be watered in immediately

- Do not enter or allow others (including children or pets) to enter the treated areas (except

those involved in the watering) until the watering-in is complete and the surface is dry. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

ANY USE OF THIS PRODUCT IN AN AREA WHERE USE IS PROHIBITED IS A VIOLATION OF FEDERAL LAW. Before using this product, you must consult the Atrazine Watershed information Center (AWIC) to determine whether the use of this product is prohibited in your watershed. AWIC can be accessed through www.atrazine-watershed.info or 1-866-365-3014. If use of this product is prohibited in your watershed, you may return this product to your point of purchase or contact LESCO for a refund.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 Use this produce only in accordance with its ladewing and with the vorker indection standard, et CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, shoes plus socks, and chemical resistant gloves, such as any waterproof material.

WHEN TO APPLY

Best weed control will result if applied before weeds sprout since the product acts as a "preemergent" and also as a "post-emergent" herbicide. Established weeds are harder to kill and may require an additional application in the fall or spring. For newly seeded centipede, wait until grass has been mowed at least once. Do not plant "sprigs" within one month after application, or seed within 6 months after application. For broadleaf weeds apply anytime the weeds are present and actively growing. Early spring application is recommended for best control such as January 1st up to March 1st, otherwise it may be applied up to June 15th with good weed control.

For pre-emergence weed control (see above) apply before seeds germinate. A fall application will be needed for control of certain annuals such as Chickweed, Henbit, Rabbit Tobacco, Florida Betony and Evening Primrose. In case of heavy weed infestation or low soil moisture, a repeat application may be necessary. Wait 2 months for a repeat application. Apply when air is calm to prevent particle wind drift. Apply this product only when grass blades are dry. To verify proper application timing consult your State Agricultural Extension Service, Turfgrass Specialist.

HOW TO APPLY

Apply 7.65 lb to 10 lb uniformly over 1,000 sq ft of lawn area. (equivalent to the required 1.5 – 2.0 lb Atrazine per acre). Use the lower rate for average weed problems; the higher rate for heavy weed population. Do not exceed recommended rates. Do not apply more than 4 lb a.t. Atrazine (2 applications at 10 lb product) per acre per year. Apply to dry grass. This product must be watered in immediately after application

SUGGESTED SPREADER SETTINGS*

| (Recommended Rates in 15 per 1,000 sq ft) | | | | |
|---|---------|---------|--|--|
| Spreader | 7.65 lb | 10.00lb | | |
| LESCO Rotary | XX | XX | | |
| LESCO Pendulum | XX | XX | | |
| Cyclone [®] or Spyker [®] | XX | XX | | |
| Scotts [®] Speedy Green [®] | XX | XX | | |
| SCOTTS [®] R8-A | XX | XX | | |
| Lely® | XX | XX | | |
| Vicon® | XX | ХХ | | |

"Settings are approximate. Age, condition of spreader and operator speed can cause variations. Be sure to calibrate your spreader with each application

USE PRECAUTIONS

Sweep product off walks and painted surfaces following application to avoid possible discolorations. Do not apply this product on or over the root zone of ornamental trees and shrubs, nor to bedding plants, flowers, or garden plants since injury to these plants may result. Do not apply to lawns containing grasses or mixtures of grasses other than St. Augustine or Centipede grasses, since injury to those other grasses of mixtures of grasses of the function of the regulation of centropede grasses, since injury to those other grasses may result, no short the regulation of the regulation of the second of the seco ARO NHE SERENCE IS DES-

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. <u>PESTICIDE STORAGE</u>: Store product in original labeled container in a cool, dry, locked place out of reach of children.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pasticide disposal or in accordance with applicable Federal, State or local procedures. Or call (1-800-CLEANUP) for disposal instructions. Never place unused product down any indoor or outdoor drain. EMPTY CONTAINER DISPOSAL: Do not reuse bag. Dispose of emptied bag(s) in a sanitary

landfill approved for pesticide disposal, or by incineration

SPILL: In case of spill, sweep up material and dispose of material according to "product disposal" directions listed above.



(OPTIONAL LANGUAGE: MINI, ELITE, NOVEX, PROFESSIONAL TURF FERTLIZER)

| | GUARANTEED ANALYSIS | |
|---------------|---|--------|
| TOTAL NITR | OGEN (N) | |
| XX.XX% | Ammoniacal Nitrogen | |
| XX.XX% | Urea Nitrogen* | |
| XX.XX% | Water Insoluble Nitrogen | |
| XX.XX% | Water Soluble Controlled Release Nitrogen | |
| AVAILABLE | PHOSPHATE (P2Os) | XX.XX% |
| SOLUBLE PC | DTASH (K2O) | |
| MAGNESIUM | (Mg) total | XX.XX% |
| | Water Soluble Magnesium | |
| SULFUR (S) | iotal | XX XX% |
| XX XX% | Free Sulfur (S) | |
| XX.XX% | Combined Sutfur (S) | |
| COPPER (Cu |) total | |
| XX XX% | Soluble Copper (Cu) | |
| IRON (Fe) tot | al | XX.XX% |
| XX.XX% | | |
| MANGANES | E (Mn) total | XX.XX% |
| XX.XX% | Water Soluble Manganese | |
| ZINC (Zn) tot | al | XX XX% |
| | Soluble Zinc (Zn) | |

Annual Bluegrass

WEEDS CONTROLLED OR SUPPRESSED Cutleaf Evening Primrose

Oxalis (Common and

(Poa annua) Annual Sowthistle Clover Black Medic Blue Toadflax Bull Paspalum Buckhorn Plantain Bur Clover Carolina Geranium (Cranesbill) Chickweed (Common and Mouse Ear) Cocklebur Common Dandelion Common Purslane Crabgrass Crowfoot Grass Cudweed

Dichondra Dichondra Dollarweed Florida Beggarweed Florida Betony (Rattlesnake Weed) Florida Pusley Fragrant Cudweed (Rabbit Tobacco) Henbit Knotweed Lambsquarter Lespedeza Lippia (Matchweed) Moneywort Morning Glory Narrowleaf Vetch Parsley-Piert

Yellow Woodsorrel) Pigweed Purslane Ragweed Red Sorrel Rescuegrass Sandspur Sheperds Purse Sicklepod Spotted Spurge Spurweed Stinging Nettle Swinecrest Venus Looking Glass Virginia Creeper Wild Mustard Wood Sorrel

DERIVED FROM: XXXX, XXXX, XXXX, CHLORINE (CI) Max.

X.XX% Slowly available Nitrogen from LESCO Poly Plus* Sulfur Coated Urea



44

XX.XX%

WARRANTY LESCO, Inc. warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label directions under normal conditions of use. LESCO MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES EITHER OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE. Handling, storage and use of the product by Buyer or User are beyond the control of LESCO and Selfer. Risks such as crop injury, ineffectiveness or other unintended consequences resulting from, but not limited to, weather or soil conditions, presence of other materials, disease, pest, drift to other crops or property or failure to follow label directions will be assumed by the Buyer or User. IN NO CASE WILL LESCO OR SELLER BE HELD LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE, OR USE OF THIS PRODUCT.

Information concerning the raw materials composing this product can be obtained by writing ta: LESCO, Inc., Attn: RA Dept., 1301 East 9" Street, Suite 1300, Cleveland, OH 44114-1849, referring LESCO, Inc., Alth. RX Dept., 1301 East 9 Street, Suite 1300, Geveland, OH 44114-1649, referring to the item number found on this bag. Information regarding the contents and levels of metals in this product is available on the Internet at

http://www.regulatory-info-a1.com

LESCO and Polv Plus are registered trademarks and the sweeping design is a trademark of LESCO Technologies, LLC. GNREGULI/Product Labels/Masters/EPA Documents/ATRAZ045, DOC Created: XX/XX/XX (091101) Rev. XX/XX/XX XXX

Net Weight: XX lb (XX kg)

NON-AGRICULTURAL REQUIREMENTS The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses. <u>Do not enter</u> or allow others to enter the treated area until dusts have settled. If soil incorporation is required after the application, do not enter or allow others to enter the treated area (except those persons involved in the incorporation) until the incorporation is complete. If the incorporation is accomplished by watering-in, do not enter or allow others to enter the treated area until the surface is dry after the watering-in. after the watering-in

NON-AGRICULTURAL REQUIREMENTS

EPA REG. NO. 10404-95

EPA EST. NO. 10404-OH-04 (M), 10404-FL-01 (S) First letter of lot code in na site



F526 Manufactured by: LESCO, Inc. 722 Webster Turn Drive Sebring, FL 33870

> ACCEPTED with COMMENTS in EPA Letter Dated 1117 29 2004

Under the Pederal Insection Fungicide, and Rodenticide Act as amended, for the prantide registered under EPA Rog No.

10404-95

