

## UNITED STATES INVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVINTION PESTICIDES AND TOXIC SUBSTANCES

Mr John M Olzinger Product Registration LESCO, Inc 1301 East Ninth Street, Suite 1300 Cleveland, OH 44114-1849

FEB 2 2 2008

Subject Notification(s) for Label Revisions under PRN 98-10 and PRN 2007-4 (Storage & Disposal and Other Changes)

Dear Registrant

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notices (PRN) 98-10 and 2007-4 dated January 29, 2008 for

### EPA Registration 10404-95 "LESCO Atrazine 0 45% Plus Fertilizer"

The Registration Division (RD) has conducted a review of the request(s) for applicability under PRN 98-10 and PRN 2007-4 and finds that the label changes requested fall within the scope of PRN-98-10 and PRN-2007-4 The label has been date-stamped "Notification" and will be placed in our records

Please be reminded that 40 CFR Part 156 140(a)(4) requires that a batch code, lot number, or other code identify the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself

If you have any questions, please contact me directly at 703-305-6249 or Owen F Beeder of my staff at 703-308-8899

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

Please read instructions on reverse bef	ore mpleting form		Form /	Apr <u>ved</u>	OMB No	2070-0060	Approvel expires 2 28 9
SEPA Environ	United States  nmental Protection  Washington DC 204	_	: <b>y</b>		Registra Amenda Other		OPP Identifier Number
	Application	on for Pe	sticide - Se	ection	1		
1 Company/Product Number 10404 95		l l	EPA Product M Tompkins	lanager		3 Pro	posed Classification  None Restricted
4 Company/Product (Name) LESCO Atrazine 0 45% Plus Fei	rtılızer	i i	vi# !5				
5 Name and Address of Applicant <i>linci</i> LESCO Inc 1301 East 9th Street Suite 13 Cleveland OH 44114-1849  Check if this is a new a	300	(t	)(i) my produ	ct is sim	ilar or ident	tical in cor	FIFRA Section 3(c)(3) nposition and labeling
		Section	n - II				
Amendment Explain below  Resubmission in response to Ag  Notification Explain below	ency letter dated		Agency Me Too	nted label letter date Applica Explain be	ition	e to	
Explanation Use additional page(s) if necessary (For section I and Section II)  Notification of label change per PR Notice 2007 4. This notification is consistent with the guidance in PR Notice 2007 4 nd the requirements of EPA's regulations at 40 CFR §§ 156 10 156 140 156 144 156 146 and 156 156. This notification is also consistent with the provisions of PR Notice 98 10 and EPA regulations at 40 CFR 152 46 No other changes have been made to the labeling or the confidential statement of formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156 10. 156 140. 156 144. 146 146. 156 156 and 152 46 this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.							
		Sectio	n - III				
1 Material This Product Will Be Packag	jed in						
Yes No No If Yes No per If Yes		Ye No	No po		2 Type of	Container  Metal Plastic Glass Paper Other (Sp	pecify)
be submitted	<u></u>						
3 Location of Net Contents Information 4 Size(s) Retail Container 5 Location of Label Directions  [ Label							
6 Manner in Which Label is Affixed to Product Lithograph Other Other Stenciled							
		Section	<del></del>				
1 Contact Point (Complete items direct	tly below for identification	on of individu	al to be contacte	ed if nece	essary to pr	ocess this	apples ion )
Name Title John M Olzinger Manag			er Regulatory Affairs		Telephone Nຄ (Inch de Area Code) 216 706 9250 ext 2207		
i certify that the statements i have a statement in a lacknowledge that any knowling both under applicable law		all attachme			mprisonmen	r piéte C	6 De <sup>c</sup> é Application R3Cutved ccd(Stamped)
2 Signature		3 Title				(	(
Jahn M Olzinge	N	Manager R	egulatory Affairs				( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( (
4 Typed Name		5 Date				Ì	`( `(
John M Olzinger			1/29/08				



Phone 216 706 9250 800 321 5325 www lesco com

January 29, 2008

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U S Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

PRNs 98-10 and 07-4

SUBJECT

Notifications for Commercial Labels

LESCO Atrazine 0 76% Plus Fertilizer, EPA Reg No 10404-39 LESCO Atrazine 1 05% Plus Fertilizer, EPA Reg No 10404-94 LESCO Atrazine 0 45% Plus Fertilizer, EPA Reg No 10404-95 LESCO Atrazine 0 92% Plus Fertilizer, EPA Reg No 10404-96

Dear Mr Tompkins

Enclosed please find Notifications for your review and acceptance to address the following

- Warranty & Disclaimer Statement updated to bring into compliance with Agency 'Guidance on Warranty Statements dated 10/17/07
- Storage & Disposal Statement updated to bring into compliance with PRN 2007 4, 'Standards for Pesticide Containers and Containment dated 10/29/07
- Optional Marketing and Fertilizer Language updated to add optional use of turf in place of 'lawn to address FL Urban Turf Rule definitions

The following documentation is provided in support of the above

- 8570 1 for each registration
- One (1) highlighted label copy for each registration noting the above actions
- Five (5) copies of the clean label for each registration

Thank you for your assistance in this matter. If you have any questions, or require additional information, please feel free to contact me at <a href="mailto:jolzinger@lesco.com">jolzinger@lesco.com</a> or 216-706 9250 ext 2207

Sincerely,

John M Olzinger

John M Olzinger

Manager, Regulatory Affans

enclosures

# Atrazıne 0.45% Plus Fertilizer

### Weed Control with Premium Lawn/Turf Food

50 Pounds covers up to 6 535 Sq Ft of Turfgrass

Prevents Crabgrass Paspalums and Spotted Spurge Controls Dollarweed Florida Pusley Lippia Pigweed

Over Forty Five More Weeds as Listed

WEED & FEED FOR ST **AUGUSTINEGRASS** AND **CENTIPEDEGRASS LAWNS/TURF** 

Contains LESCO Poly Plus® Sulfur Coated Urea to provide uniform growth with extended nitrogen feeding

**ACTIVE INGREDIENTS** 

Atrazine 2 chloro-4 ethylamino 6 isopropylamino s triazine

Related active triazine compounds

OTHER INGREDIENTS

0 45% 0 01% 99 54%

100 00% Total

### **KEEP OUT OF REACH OF CHILDREN** CAUTION

FIRST AID			
if swallowed	Call a poison control center or doctor immediately for treatment advice Have person sip a glass of water if able to swallow Do not induce vomiting unless told to by the poison control center or doctor Do not give anything by mouth to an unconscious person		
If in eyes	Hold eye open and rinse slowly and gently with water for 15 20 minutes     Remove contact lenses if present after the first 5 minutes then continue rinsing     Call a poison control center or doctor for treatment advice		
lf on skin or clothing	Take off contaminated clothing Rinse skin immediately with plenty of water for 15 20 minutes  Call a poison control center or doctor for treatment advice		
If inhaled	Move person to fresh air  If person is not breathing call 911 or an ambulance then give artificial respiration preferably mouth to mouth if possible  Call a poison control center or doctor for further treatment advice		

Have the product container or label with you when calling a poison control center or doctor or going for treatment You may also contact Chem Trec at 1 800 424 9300 for emergency medical treatment information

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION Harmful if swallowed or absorbed through skin or inhaled Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing dust Wash thoroughly with soap and water after handling Loaders applicators and other handlers must wear long sleeved shirt long pants shoes and socks. Do not apply granular lawn/turf products by hand Avoid contact with hands or skin Broadcast applications must NOT be made using hand held devices such as a belly grinder or handheld rotary applicator. Such equipment may only be used for

#### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Loaders applicators and other handlers must wear long sleeved shirt and long pants shoes and socks. Follow manufacturer's instructions for cleaning/maintaining PPE If no such instructions for washables exist use detergent and hot water. Keep and wash PPE separately from other laundry

This pesticide is toxic to aquatic invertebrates. Do not apply directly to water to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash

### #XXXXXX

(Front)



GUARANTEED ANALYSIS	
TOTAL NITROGEN (N)	XX XX%
XX XX% Ammoniacal Nitrogen	
XX XX% Urea Nitrogen	
XX XX% Water Insoluble Nitrogen	
AVAILABLE PHOSPHATE (P2O5)	XX XX%
SOLUBLE POTASH (K₂O)	XX XX%
MAGNESIUM (Mg) Total	XX XX%
XX XX% Water Soluble Magnesium (Mg)	
SULFUR (S) Total	XX XX%
XX XX% Free Sulfur (S)	
XX XX% Combined Sulfur (S)	
COPPER (Cu) Total	XX XX%
XX XX% Water Soluble Copper (Cu)	
IRON (Fe) Total	XX XX%
XX XX% Water Soluble Iron (Fe)	
MANGANESE (Mn) Total	XX XX%
XX XX% Water Soluble Manganese (Mn)	
ZINC (Zn) Total	XX XX%
XX XX% Water Soluble Zinc (Zn)	
DERIVED FROM	
CHLORINE (CI) Max	XX XX%
XXX% Slowly available Nitrogen from LESCO Poly Plus® S	ulfur Coated
Urea	

#### **DIRECTIONS FOR USE**

This product has different N P K fertilizer ratios to meet the needs for different

geographies varieties and temperatures

It is a violation of Federal law to use this product in a manner inconsistent with its labeling Do not apply this product in a way that will contact workers or other persons either directly or through drift. Only protected handlers may be in the area

When applying multiple products containing atrazine the total pounds of atrazine applied in pounds of atrazine per acre may not exceed 4 pounds of atrazine from all applications made in a year

Turfgrass at Residential Sites (including homes daycare facilities schools playgrounds parks recreational areas and sports fields)

### CAUTION

L				
FIRST AID				
If swallowed	Call a poison control center or doctor immediately for treatment advice			
	Have person sip a glass of water if able to swallow			
	Do not induce vomiting unless told to by the poison control center or doctor			
	Do not give anything by mouth to an unconscious person			
lf in eyes	Hold eye open and rinse slowly and gently with water for 15 20 minutes			
	Remove contact lenses if present after the first 5 minutes then continue rinsing			
	Call a poison control center or doctor for treatment advice			
lf on skin or	Take off contaminated clothing			
clothing	Rinse skin immediately with plenty of water for 15-20 minutes			
	Call a poison control center or doctor for treatment advice			
if inhaled	Move person to fresh air			
	If person is not breathing call 911 or an ambulance then give artificial respiration preferably mouth-to-mouth if possible			
	Call a poison control center or doctor for further treatment advice			
Have the prod	uct container or label with you when calling a poison control center or			

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact Chem Trec at 1 800-424 9300 for emergency medical treatment information

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION Harmful if swallowed or absorbed through skin or inhaled Causes moderate eye irritation Avoid contact with eyes skin or clothing Avoid breathing dust Wash thoroughly with soap and water after handling Loaders applicators and other handlers must wear long sleeved shirt, long pants shoes and socks Do not apply granular lawn/turf products by hand Avoid contact with hands or skin Broadcast applications must NOT be made using hand held devices such as a belly grinder or handheld rotary applicator. Such equipment may only be used for spot treatments.

#### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Loaders applicators and other handlers must wear long sleeved shirt and long pants shoes and socks Follow manufacturer's instructions for cleaning/maintaining PPE If no such instructions for washables exist use detergent and hot water. Keep and wash PPE separately from other laundry.

#### **User Safety Recommendations**

Users should wash hands before eating drinking chewing gum using tobacco or using the tollet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing As soon as possible wash thoroughly and change into clean clothing.

#### **ENVIRONMENTAL HAZARDS**

Atrazine can travel (seep or leach) through soil and can enter ground water which may be used as drinking water. Atrazine has been found in ground water. Users are advised not to apply Atrazine to sand and loamy sand soils where the water table (ground water) is close to the surface and where these soils are very permeable i.e. well-drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water.

Product must not be mixed or loaded within 50 feet of intermittent streams and nivers natural or impounded takes and reservoirs. Product must not be applied within 66 feet of points where field surface water runoff enters perennial or intermittent streams and rivers or within 200 feet of natural or impounded takes and reservoirs. If this product is applied to highly erodible land, the 66 foot buffer or setback from runoff entry points must be planted to crop or seeded with grass or other suitable crop.

Product must not be mixed or loaded or used within 50 feet of all wells including abandoned wells drainage wells and sink holes

Additional State imposed requirements regarding well-head setbacks and operational area containment must be observed

One of the following restrictions must be used in applying atrazine to tile outletted fields containing standpipes

Do not apply within 66 feet of standpipes in tile-outletted fields

Apply this product to the entire tile-outletted field and immediately incorporate it to a depth of 2 – 3 inches in the entire field

Apply this product to the entire tile-outletted field under a no-till practice only where a high crop residue management practice is practiced. High crop residue management is described as a crop management practice where little or no crop residue is removed from the field during and after crop harvest.



GUARANTEED ANALYSIS	
TOTAL NITROGEN (N)	XX XX%
XX XX% Ammoniacal Nitrogen	
XX XX% Urea Nitrogen	
XX XX% Water Insoluble Nitrogen	
AVAILABLE PHOSPHATE (P2O5)	XX XX%
SOLUBLE POTASH (K2O)	XX XX%
MAGNESIUM (Mg) Total	XX XX%
XX XX% Water Soluble Magnesium (Mg)	
SULFUR (S) Total	XX XX%
XX XX% Free Sulfur (S)	
XX XX% Combined Sulfur (S)	
COPPER (Cu) Total	XX XX%
XX XX% Water Soluble Copper (Cu)	
IRON (Fe) Total	XX XX%
XX XX% Water Soluble Iron (Fe)	
MANGANESE (Mn) Total	XX XX%
XX XX% Water Soluble Manganese (Mn)	
ZINC (Zn) Total	XX XX%
XX XX% Water Soluble Zinc (Zn)	
DERIVED FROM	
CHLORINE (CI) Max.	XX XX%
X XX% Slowly available Nitrogen from LESCO Poly Plus®	Suffur Coated
Urea	
This product has different N P K fertilizer ratios to meet the	needs for different
geographies vaneties and temperatures	

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons either directly or through drift. Only protected handlers may be in the area during application.

When applying multiple products containing atrazine the total pounds of atrazine applied in pounds of atrazine per acre may not exceed 4 pounds of atrazine from all applications made in a year

Turfgrass at Residential Sites (including homes daycare facilities schools playgrounds parks recreational areas and sports fields)

This product must be watered in immediately after application. Watering-in must be performed by the commercial applicator or the commercial applicator must provide the following instructions to the resident or owner in writing.

This product must be watered in immediately

Do not enter or allow others (including children or pets) to enter the treated areas (except those involved in the watering) until the vizitering in is complete and the surface is dry

For any requirements specific to our Size or Tribe consult the agency responsible for pesticide regulation

ANY USE OF THIS PRODUCT IN AN APFA WHERE USE SPROHIBITED IS A

ANY USE OF THIS PRODUCT IN AN APFA WHERE USE SPROHIBITED IS A VIOLATION OF FEDERAL LAW Before using this product you must consult the Atrazine Watershed information Center (AWIC) to determine the use of this product is prohibited in your watershed of AWIC can be accessed through <a href="https://www.atrazine-watershed-info">www.atrazine-watershed info</a> or 1 866-36x 3014 If use of this product is prohibited in your watershed you may return this product to your point of purchase or contact LESCO for a refund

WEEDS	CONTROLLED	OR	SUPPRES3EJ°	

*****	DO COMINGEEED CIT COLL	1120020
Annual Bluegrass	Cutteaf Evening Primrose	O alis (Common and
(Poa annua)	Dichondra	<ul> <li>Ye low Woodsorrel)</li> </ul>
Annual Sowthistle	Dollarweed	Prgweea
Clover	Flonda Beggarweed	Purslane
Black Medic	Florida Betony	Ragweed
Blue Toadflax	(Rattlesnake Weed)	Red Sorrel
Bull Paspalum	Florida Pusley	Rescuegrass
Buckhorn Plantain	Fragrant Cudweed	Sandspur
Bur Clover	(Rabbit Tobacco)	Shepherds Purse
Carolina Geranium	Henbit	Sicklepod
(Cranesbill)	Knotweed	Spotted Spurge
Chickweed (Common	Lambsquarter	Spurweed
and Mouse Ear)	Lespedeza	Stinging Nettle
Cocklebur	Lippia (Matchweed)	Swinecrest
Common Dandelion	Moneywort	Venus Looking Glass
Common Pursiane	Morning Glory	Virginia Creeper
Crabgrass	Narrowleaf Vetch	Wild Mustard
Crowfoot Grass	Parstey Piert	Wood Sorrel
Curhwood		

5/6

## Atrazine 0.45% Plus Fertilizer

#### NON AGRICULTURAL REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms torests nurseries or greenhouses <u>Do not enter</u> or allow others to enter the treated area until dusts have settled if soil incorporation is required after the application do not enter or allow others to enter the treated area (except those persons involved in the incorporation) until the incorporation is complete if the incorporation is accomplished by watering-in do not enter or allow others to enter the treated area until the surface is dry after the watering in

IMPORTANT In addition to providing turfgrass with required plant nutnents this product will control both "weeds that are present" and 'weeds germinating from

Seeds
FOR WEEDS THAT ARE PRESENT Includes broadleaf weeds from the list such as Chickweed Creeping Charlie Dandelion Evening Primrose Flonda Betony Florida Pusley Lippia Oxalis Pigweed Plantain Rabbit Tobacco and Toadflax FOR WEEDS GERMINATING FROM SEEDS, Applied before weed seeds germinate includes grassy weeds from the list such as Crabgrass Paspalum and

#### WHERE TO USE

FOR CONTROL of weeds in St. Augustine and Cent pede grass in or on residential lawns/turf corporate lawns/turf parks recreational areas golf course cemeteries and athletic fields

NOT FOR USE on burl being grown for sale or other commercial use as sod or for commercial seed production or for research purposes NOT FOR USE on Bluegrass Fescue Bentgrass Bahiagrass Ryegrass Bermudagrass or Dichondra tawnsturf

#### WHEN TO APPLY

Best weed control will result if applied before weeds sprout since the product acts as a pre-emergent and also as a post-emergent herbicide Established weeds as a pre-triespent and also as a post-triespent includer Examinate Weets are harder to kill and may require an additional application in the fall or spring For newly seeded centipede wart until grass has been mowed at least once. Do not plant springs within one month after application or seed within 8 months after application. For broadleaf weeds apply anytime the weeds are present and actively growing. Early spring application is recommended for best control such as January 1st up to March 1st otherwise it may be applied up to June 15th with good weed.

For pre-emergence weed control (see above) apply before seeds germinate. A fall application will be needed for control of certain annuals such as Chickweed. Henbit apprication will be interested for control or certain annuals such as Chickweed. Heribit Rabbit Tobacco: Flonda Betony and Evening Primrose. In case of heavy weed infestation or low soil moisture a repeat application may be necessary. Wait 2 morths for a repeat application. Apply when air is calm to prevent particle wind drift Apply this product only when grass blades are dry. To venty proper application timing consult your State Agricultural Extension Service. Turfgrass Specialist

#### USE PRECAUTIONS

Sweep product off walks and painted surfaces following application to avoid possible discolorations. Do not apply this product on or over the root zone of ornamental trees and shrubs nor to bedding plants flowers or garden plants since rijury to these plants may result. Do not apply to lawns/furf containing grasses or mixtures of grasses other than St. Augustine or Centipede grasses since injury to those other grasses may result

DO NOT APPLY THIS PRODUCT IN A WAY THAT WILL CONTACT ANY PERSON OR PET EITHER DIRECTLY OR THROUGH DRIFT KEEP PEOPLE AND PETS OUT OF THE AREA DURING APPLICATION THIS PRODUCT MUST BE WATERED IN IMMEDIATELY AFTER APPLICATION DO NOT ENTER OR ALLOW OTHERS (INCLUDING CHILDREN OR PETS) TO ENTER THE TREATED AREAS (EXCEPT THOSE INVOLVED IN THE WATERING) UNTIL THE WATERING IN IS COMPLETE AND THE SURFACE IS DRY

Apply 7,65 is to 10 ib uniformly over 1,000 sq ft of lawn/turf area (equivalent to the required 15 - 20 lb Atrazine per acre) Use the lower rate for average weed problems the higher rate for heavy weed population. Do not exceed recommended rates Do not apply more than 4 lb at 1 Atrazine (2 applications at 10 lb product) per acre per year Apply to dry grass. This product must be watered in immediately after application

#### SUGGESTED SPREADER SETTINGS

(Recommended Rates in ib per 1 000 sq ft)

Spreader		7.65 lb	10,00lb
LESCO	C 1b to Gaug	#XX	#XX
SCOTTS RE	B A	XX	XX
Cyclone® or S	Spyker®	XX	XX
Lely*		XX II	XX II

Settings are ppro imat Ag ondition of preader and operator peed can cause aristi s. Be ret calibrat you spre der with ach pplicati n.

### STORAGE AND DISPOSAL

Do not contaminate water food or feed by storage or disposal <u>PESTICIDE STORAGE</u> Store product in original labeled container in a cool dry locked place out of reach of children

PESTICIDE DISPOSAL Wastes res iting from the use of this prod of that cannot be used or chemically reprocessed should be disposed of n a landfill approved for pesticide disposal or in accordance with applicable Federal State or local procedures Or call (1-800-CLEANUP) for disposal instructions Never place

procedures Or call (1-300-ZEANOP) to disposal instructions were place unused product down any indoor or outdoor drain 
<u>EMPTY CONTAINER DISPOSAL</u> Nonrefillable container Do not reuse or refill this 
container Offer for recycling if available <del>Do not rouse bag. Dispose of emptied 
bag(e) in a sanitary landfill approved for pesticide disposal or by incinoration 
<u>SPILL</u> in case of spill sweep up material and dispose of material according to 
product disposal directions tisted above</del>

#### WARRANTY

LESCO\_Inc. warrants that this product conforms to its chemical description and its reasonably fit for the purpose stated on the label only when used in accordance with label directions under normal conditions of use LESCO\_MAKES\_NO\_OTHER\_EXPRESS\_OR IMPLIED\_WARRANTIES\_STRIPER\_OF\_MERCHANTABILITY\_OR\_FITNESS\_FOR\_ADATICILIAR\_VISS\_HORDING\_ctorage\_and used of the product by Buyer or User\_are beyond the control of LESCO\_and Seller\_Risks\_such as crop\_injun\_instructions control to the united states of the product by control of the states of the product by survey or User\_are beyond the control of LESCO\_and\_Seller\_Risks\_such as crop\_injun\_instructions control of the such as crop\_injun\_instructions are controlled to the such as crop\_injun\_instructions. beyond the control of LESCO and Select Hiske such as crop injury instrictiveness or other unitroded consequences resulting from, but not Immade to weather or got conditions, presence of other materials, disease pect, drift to other crops or property or failure to follow label directions will be assumed by the Buyer or User. IN NO CASE WILL IESCO OR SELLER. BE HELD LUNBLE FOR CONSECUENTIAL, SPECAL—OR INDIRECT DAMAGES RESULTING FROM THE HANDLING STORAGE, OR USE OF

#### CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Wartanty and Liability before buying or using this product. If the terms are not ecoephicial, return the product at once, uniquened, and the purchase price will be much and once.

The Directors for Use of the product must be followed carefully and completely it impossible to elements at his inherently associated with the use of this product. To the extent consistent with explicitate taw Buyer and/or User assume at ricks of inefloctveness or other unintended consequences or damages that may result from confidence outside or beyond the control of LESCO the including but not brased to, such factors is meaning of use or application, weather or weather conditions outside the range consistent required as application, but not brased to a such factors is recompatible producting or other influencing factors which he begund the control of LESCO Inc. If the extent consistent with applicable law of such risks that be essured by Buyer and/or User and Buyer and/or User agrees to had LESCO the harmisess for any dama relating to such factors.

agrees to half LESCO. The harmless for any clears reteting to such teatons. LESCO has warriant feet the product conforms to the chemical description on the label and is responsibly it for the purposes stated in the Dreatons for Use, authed to the inherent risks reterned to above when used in accordance with the Dreatons for Use under normal use conditions. The section consister with applicable law this werrany does not extend to the use of this product contrary to label instructions or under abnormal conditions or under conditions or under conditions or under conditions or under conditions and responsibly breakespeakle for the product the charge of under abnormal conditions or under abnormal to their conditions of under conditions or under abnormal to their conditions or under abnormal to their conditions of the condit

STATED ABOVE.

TO THE EXPERT CONSISTENT WITH APPLICABLE LAW THE EXCLUSIVE REMEDY OF THE BUYER AND OR USER AND THE EXCLUSIVE LABILIT TO ACSO INC. FOR ANY AND ALL CLAIMS LOSSES INJURIES OR DAMAGES (INCLUDIES CLAIMS BASED ON BEPACH OF WARRANTY CONTRACT, INCLUDIES, TORT STRICT LIABILITY OR OT MERCHOSE FROM THE USE OR HANDLING OF THIS PRODUCT OS SHALL BETTY "GISJIEN OF THE PUBLICAGE FRICE OF THE PRODUCT OR AT THE BLECTION OF LISEO INC. REPSECHEMENT OF THE PRODUCT OR IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCHOLAMITTY TO THE PRODUCT OR IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCHOLAMITTY TO THE PRODUCT OR IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCHOLAMITTY TO THE PRODUCT OR IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCHOLAMITTY TO THE PRODUCT OR IN THE PRODUCT ON THE PRODUCT OR IN TH

LESCO Inc. offers the product, and Buyer and/or Uking accepts it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Lestify, which may not be modified except by Antah agreement signed by a duly sufficient expresentative of LESCO Inc.

Information co cerning the raw materials composing this product can be obtained by writing to LESCO inc. Attn RA Dept 1301 East  $9^n$  Street Suite 1300 Cie eland Ohio 44114-1849 referring to the item number found on this bag

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory.info-a1.com

LESCO and Poly Plus are registered trademarks and the sweeping design is a trademark of LESCO Technologies LLC SCOTTS I a registered trademark of The SCOTT Company Cyclone and Spyker are registered trademarks of Spyker Spreaders LLC Lely is a registered trademark of C Van Der Lely N V

G \text{REGUL\WP\Regul Private\WstrLb\\\_ER\text{EV\text{IEW}} ADDRESS\text{Now EPA} Approved\text{Ap

Net Weight XX lb (XX kg)

EPA REG NO 10404-95 EPA EST NO 82757-OH-001 (M) 82757-FL-001 (S)

(



F1560 Distributed by LESCO, Inc 1301 East 9th Street Cleveland OH 44114 1849