

10404-96

03/12/2004

374 3-2

1/3

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 10404-96	2. EPA Product Manager Jim Tompkins	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) LESCO Atrazine 0.92% Plus Fertilizer	PM# 25	
5. Name and Address of Applicant (Include ZIP Code) LESCO, Inc. 15885 Sprague Road Strongsville, Ohio 44136-1772 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

Amendment - Explain below. **NOTIFICATION** Final printed labels in response to Agency letter dated _____

Resubmission in response to Agency letter dated MAR 12 2004 "Me Too" Application.

Notification - Explain below. Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of Alternate Brand Name per PR Notice 98-10: The Bushel Stop Atrazine 0.92% Plus Fertilizer
This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
		If "Yes" Package wgt.	No. per container	<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/>	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Frank Vetter	Title Director, Regulatory Affairs	Telephone No. (Include Area Code)
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Frank Vetter</i>	3. Title Director, Regulatory Affairs	
4. Typed Name Frank Vetter	5. Date 2/19/04	



Phone: 440.783.9250
800.321.5325
Fax: 440.783.4502
Regulatory Affairs
www.lesco.com

February 20, 2004

Mr. Jim Tompkins PM 25
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504C)
USEPA Headquarters
Ariel Rios Building
1200 Pennsylvania Avenue, N. W.
Washington, DC 20460

SUBJECT: Alternate Brand Name
LESCO Atrazine 0.92% Plus Fertilizer
EPA Registration No. 10404-96

Dear Mr. Tompkins:

Enclosed please find a Notification of an Additional Brand Name for our subject product and a copy of the proposed label. No other label changes have been made. The additional name is:

The Bushel Stop Atrazine 0.92% Plus Fertilizer

Thank you for your assistance. If you have any questions, please contact me at 440/783-9250 ext 2207 or email at sspencer@lesco.com.

Sincerely,

Susan E. Spencer
Supervisor, Regulatory Affairs

for
Frank Vetter
Director, Regulatory Affairs



**KEEP OUT OF REACH OF CHILDREN
CAUTION**

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.
IF ON SKIN: Wash with plenty of soap and water. Get medical attention.
IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMAN AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Avoid inhalation or contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Remove clothing and wash clothing before reuse. Keep away from feed or food products.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear long-sleeved shirt and long pants; waterproof gloves; and shoes plus socks and a Dust/Mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C). Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Atrazine can travel (seep or leach) through soil and can enter ground water which may be used as drinking water. Atrazine has been found in ground water. Users are advised not to apply Atrazine to sand and loamy soils where the water table (ground water) is close to the surface and where these soils are very permeable, i.e. well-drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water. This product is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters. **If product is spilled;** while wearing a dust mask, sweep up product and use as this label instructs (as a Weed & Feed) or dispose of in accordance with the STORAGE AND DISPOSAL section on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. **Do not enter** or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours. **PPE required for early entry** to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, waterproof gloves and shoes and socks.

WEEDS CONTROLLED OR SUPPRESSED

- | | | |
|---|-----------------------------|--|
| Annual Bluegrass
(<i>Poa annua</i>) | Cutleaf Evening Primrose | Oxalis (<i>Common and Yellow Woodsorrel</i>) |
| Annual Sowthistle | Dichondra | Pigweed |
| Clover | Dollarweed | Purslane |
| Black Medic | Florida Beggarweed | Ragweed |
| Blue Toadflax | Florida Betony | Red Sorrel |
| Bull Paspalum | (<i>Rattlesnake Weed</i>) | Rescuegrass |
| Buckhorn Plantain | Florida Pusley | Sandspur |
| Bur Clover | Fragrant Cudweed | *Sedge |
| Carolina Geranium | (<i>Rabbit Tobacco</i>) | Shepherd's Purse |
| (<i>Cranesbill</i>) | Henbit | Sicklepod |
| Chickweed (<i>Common and Mouse Ear</i>) | Knotweed | Spotted Spurge |
| Cocklebur | Lambsquarter | Spurweed |
| Common Dandelion | Lespedeza | Stinging Nettle |
| Common Purslane | Lippia (<i>Matchweed</i>) | Swinecrest |
| Crabgrass | Moneywort | Venus Looking Glass |
| Crowfoot Grass | Morning Glory | Virginia Creeper |
| Cudweed | Narrowleaf Vetch | Wild Mustard |
| | Parsley-Plant | Wood Sorrel |

This material can be used on St. Augustinegrass and Centipede grass grown in home and corporate lawns, parks and recreational areas, golf courses, cemeteries, athletic fields, and sod farms. Do not plant any crop (flowers or vegetables) to treated areas for 18 months since plant injury may result.

DO NOT USE ON ANY VARIETIES OF BLUEGRASS, FESCUE, BENTGRASS, BAHIA GRASS, RYEGRASS, BERMUDAGRASS, OR DICHONDRA LAWNS.

WHEN TO APPLY

Best weed control will result if applied before weeds sprout since the product acts as a "pre-emergent" and also as a "post emergent" herbicide. Established weeds are harder to kill and may require an additional application in the fall or spring. For newly seeded centipede, wait until grass has been mowed at least once. Do not plant "sprigs" within one month after application, or seed within 6 months after application. For broadleaf weeds apply anytime the weeds are present and actively growing. Early spring application is recommended for best control such as January 1st up to March 1st, otherwise it may be applied up to June 15th with good weed control.

For pre-emergence weed control (see above) apply before seeds germinate. A fall application will be needed for control of certain annuals such as Chickweed, Henbit, Rabbit Tobacco, Florida Betony and Evening Primrose. In case of heavy weed infestation or low soil moisture, a repeat application may be necessary. Wait 2 months for a repeat application. Apply when air is calm to prevent particle wind drift. Apply this product only when grass blades are dry. To verify proper application timing consult your State Agricultural Extension Service, Turfgrass Specialist.

HOW MUCH TO APPLY

This product may be applied with a broadcast rotary type spreader. Apply 3.74 lbs. to 5 lbs uniformly over 1,000 sq ft of lawn area. (equivalent to the required 1.5 lb to 2.0 lbs Atrazine active ingredient per acre). This is also equal to 18 3/4 pounds of this product to treat 3,750 sq ft up to 5,000 sq ft. Use the lower rate for average weed problems; the higher rate for heavy weed population. Do not exceed recommended rates. Apply to dry grass. For best results, rainfall or watering is necessary within 7 to 10 days after treatment to activate the herbicide and fertilizer by washing the product off the grass blades down to the soil surface.

USE PRECAUTIONS

Sweep product off walks and painted surfaces following application to avoid possible discolorations. Do not apply this product on or over the root zone of ornamental trees and shrubs, nor to bedding plants, flowers, or garden plants since injury to these plants may result. Do not apply to lawns containing grasses or mixtures of grasses other than St. Augustine or Centipede grasses, since injury to those other grasses may result.

16-2-8

GUARANTEED ANALYSIS

TOTAL NITROGEN (N)	16.00%
11.20% Ammoniacal Nitrogen	
4.80% Urea Nitrogen	
AVAILABLE PHOSPHATE (P ₂ O ₅)	2.00%
SOLUBLE POTASH (K ₂ O)	8.00%
SULFUR (S) Total	11.30%
1.50% Free Sulfur (S)	
9.80% Combined Sulfur (S)	
IRON (Fe) Total	2.00%
MANGANESE (Mn) Total	1.00%
0.14% Water Soluble Manganese	
DERIVED FROM: Polymer Coated Sulfur Coated Urea, Ammonium Sulfate, Ammonium Phosphate, Muriate of Potash, Iron Oxide, Manganese Sulfate.	
CHLORINE (Cl) MAX.	6.00%
*4.30% Slowly available Nitrogen from LESCO® Poly Plus® Sulfur Coated Urea.	
Made in U.S.A.	F1406

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
STORAGE: Store product in original labeled container in a cool, dry, locked place out of reach of children.
PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

WARRANTY

NOTICE: The seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in the Directions For Use, subject to the inherent risks referred to above. The seller makes no other express or implied warranty of fitness or merchantability nor any other express or implied warranty. In no case shall the seller be liable for consequential, special, or indirect damages resulting from the use or handling of this product.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-a1.com>
Information concerning the raw materials composing this product can be obtained by writing to: LESCO, Inc., Attn: RA Dept, 15885 Sprague Rd, Strongsville, OH 44136-1772, referring to the item number found on this bag.
LESCO and Poly Plus are registered trademarks of LESCO Technologies, LLC.
G:\REGULWP\STRONGSV\Aprvd Lbl - Word\Control Products\Atrazine\083008.doc
Rev: 2/6/04 WBW (091001)

Net Weight 50 lb (22.7 kg)



EPA REG. NO. 10404-96
EPA EST. NO. 10404-FL-01(S)
First letter of lot code indicates manufacturing site.

#083008

F1406
Manufactured by: LESCO, Inc.
15885 Sprague Road
Strongsville, OH 44136-1772