# 07/05/2005 Atrazine 0.92% Plus Fertilizer

# Weed Control with Premium Lawn Food

50 Pounds covers up to 13,370 Sq.Ft. of Turfgrass Prevents Crabgrass Paspalums and Spotted Spurge Controls Dollarweed, Florida Pustey, Lippia, Proweed Over Forty-Five More Weeds as Listed

A WEED & FEED FOR ST. AUGUSTINEGRASS AND CENTIPEDEGRASS LAWNS

Atrazine, 2-chloro-4-ethylamino-b-isopropylamino-s-triazine Related active triazine compound: OTHER INGREDIENTS.

# KEEP OUT OF REACH OF CHILDREN CAUTION

	FIRST AID
If swallowed	Call a poison control center of doctor immediately for treatment advice have person sip. glass of water flable to swallow Do not induce womiting unvess told to by the poison control center or doctor Do not give anything by mouth to an unconscious person.
If in eyes	Hold eye open and nose slowly and gently with water for 15-20 minutes     Remove contact Holses of present, after the first 5 minutes, then continue rinsing     Casi a poison control center or doctor for treatment advice.
lf on skin or dething	Take off contaminated diotning     Rinse skin immediately with prenty of water for 15-20 minutes     Call a poison control center or dioctor for treatment advice
lf inhaled	Move person to fresh ar     In person is not breathing, call \$31 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible.     Call a poison control center or doctor for further treatment advice.

Have the product container or later with you when calling a poison control center or doctor or going for treatment. You may also contact Chem-Tree at 1-800-424-9300 for emergency medical

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

AAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION Harmful if swallowed or as other through skin or inhaled Causes moderate eye
intation. Avoid contact with eyes sail in bothing. Avoid breathing dust. Wash thoroughly with soap,
and water after handing. Loaders landicates and other handlers must wear long-sleeved shirt,
tong parts shoes and socks.
Do not apply granutar lawn products turn and Avoid contact with hands or skin.
Broadcast applications must NOT be handle vising hand-held devices such as a belly grinder or
handheld notary application. Such exacting the polytic part may only be used for spot treatments.

# PERSONAL PROTECTIVE EQUIPMENT (PPE)

Loaders, applicators and other handers must wear long-seeved shirt and long pants, shoes and socks. Follow manufacturers instant to the amignificant annual PPE, I no such instructions for wissnables build use detergent and in water seet, and wash PPE separately from other laundry.

### User Safety Recommendations

Users should wash hands before eating tames of chewing gum using tobacco or using the tollet. Users should remove dothing/PE immediately it besticate gets inside. Then wish thoroughly and but on clean orbiting. Users should relieve FPE immediately after handling this product. Wash the outside of gloves before removing a larger accessible, wash thoroughly and change into clean

# ENVIRONMENTAL HAZARDS

Afriszine can travel (seep or reachiting upons of and can enter ground water which may be used as dinking water. Atrazine has been to indirect more water. Users are advised not to apply Afrizzine on sand and loamy sand soils when the charer fable (ground water) is close to the surface and where these soils are very permeking and were drained. Your local agricultural agencies can provide further information on the type of soil is your area and the location of ground water.

This petitiode is toxic to aquabic invertebilities. Du not apply directly to water, to areas where surface water is present or to intent on about a terminal high water main. Do not apply when weather conditions favor drift from theated areas. Hunch and drift from treated areas may be hazardous to aquatic organisms in helphocring areas. Do not contaminate water when disposing of

# DIRECTIONS FOR USE

It is a violation of Federal tawing users in critical and a manner inconsistent with its labeling. Do not apply this product in a way that will be not to keep on their persons, either directly or through drift. Only protected handlers may be in the wiew of magnipplication.

When applying multiple products contailing ottach is the total pounds of atracine applied in pounds of atracine may not exceed 40 June 1, of atracine from all applications made in a year Turfignase at Residential Sites (not contain medicaycare facilities, schools, playgrounds, parks recreational areas, and sports fertis-

This product must be watered in mineral form after application. Waterings in must be performed by the commercial application of the commercial application or the commercial application or which is supported to the product must be watered. In mineral activities the material of the commercial applications to the resident or owner in writing.

This product must be watered to the control of the those involved in the watering the For any requirements specific for any requirements.

ANY USE OF THIS PRODUCT IN A Liver I MEET SHOULD BE AUGUST BY A VIOLATION OF LESCO for a retuno

# WEEDS CONTROLLED OR SUPPRESSED

	ILED 3 CONTROCLED ON SOFFI	KEGGED
Annual Bluegrass	Correction and Phintips 4	Oxalis (Common and
(Poe ennue)	Dear on pro-	rellow Woodsorrell
Annual Sowthistic	The graphical transfer of the control of the contro	Piaweed
Clover	Fig. 12 in Eq. (at week)	Pursiane
Black Medic	For an Early	Ragweed
Blue Toadflax	t at 1. de Ness	Red Sorrel
Bult Paspalum	Eurorae J	Rescuedrass
Buckhorn Plantain	Fig. 2 and advised to	Sandspur
Bur Clover	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Sheperds Purse
Carolina Geranium	mer '	Sicklepod
(Cranesbill)	Knctwee :	Spotted Spurge
Chickweed (Comman	car to the first	Spurweed
and Mouse Ear)	28.0	Stinging Nettle
Cocklebus	it hweed:	Swinecrest
Common Dandelion	1	venus Looking Glass
Common Purstane	Marin James	Virginia Creeper
Crabgrass	i de la companya de	And Mustard
Crowfool Grass		a pod Sorrel
Cudweea		100 30HE

IMPORTANT: In addition to providing turfigrass with required plant nutrients this product will control both "weeds that are present" and "weeds germinating from seeds."

FOR WEEDS THAT ARE PRESENT: Includes broadleaf weeds from the list such as Chickweed Creeping Charle Dandeline Evering Princise. Flood Bettony Flooda Pusitey Lippia Oxars Pigweed Plantian Rabbit Tobacco and Toadflas.

FOR WEEDS GERMINATING FROM SEEDS; Applied before weed seeds germinate includes grassy weeds from the list such as Crabgrass. Paspakan, and Spotted Spurge.

#### WHERE TO USE

FOR CONTROL of weeds in St. Augustine and Centipede grass in or on residential lawns

comporte lawns parks, recreational areas, golf course, comidents, and athletic felials NOT FOR USE on turl being grown for safe or other commercial use as sod or for commercial seed production or for research purposes.

NOT FOR USE on Bullegrass. Fescue. Bentgrass. Bahagrass, Ryegrass. Bermudagrass.

#### WHEN TO APPLY

WHEN TO APPLY

Best weed control will result if applied before weeds aprout since the product acts as a "preemergent" and also as a "post-emergent" herbinde. Established weeds are harder to kill and may
require an additional application in the fall or spring. For newly seeded certispede, want until grass
has been mowed at least once. Do not plant spring: within one morth after application, or seed
within 6 morths, after application. For broadlest weeds apply anytime the weeds are present and
actively growing. Early spring application is recommended for best control such as sharkary 1st up
to March 1st otherwise it may be applied up to June 15th with good weed control.

For pre-emergence weed control (see above) apply before seeds germinate. A fall application will
be needed for control of certain annuals such as Chickweed, Henbit, Rabbit Tobacco. Flonda

pe needed for control of certain annuals such as Chickweed, Henbit, Rabbit Tobacco. Floridal Betony and Evening Primose in case of heavy weed infestion or low sort moisture a repeat application may be necessary. Wast 2 months for a repeat application Apply when are is calm to prevent particle wind drift. Apply this product only when grass blades are dry. To verify proper application bring consult your State Agricultural Extension Service. Turfgrass Specialist

#### HOW TO APPLY

Apply 3.74 to 10.50 to unformly over 1,000 sq & of lawn area, (equivalent to the required 1.5 – 2.0 to Arrazine per acre). Use the lower rate for avarage weed problems, the higher rate for heavy weed population 0 not exceed recommended rates. Do not apply more than 4 to a 1.4 bazerie (2 applications at 5.0 to product) per acre per year. Apply to day grass. This product must be watered. in immediately after application

··	3053150	٩r	N.	~		J.	,		
(R	econsnende	d R	ate s	n k	per	1.0	100	sq	ñ

3.74 lb	5 OID
XX	XX
XX	XX
XX	
XX	XX
	XX XX XX XX XX

\*Settings are approximate. Age: condition of spreader and operator speed can cause variations. Be sure to calibrate your screader with each applicate

## LISE PRECAUTIONS

Sweep product off walks and parieted surfaces following application to avoid possible discolorations. Do not apply this product on or over the root zone of omariental trees and shoulds not to bedding prants flowers or garden plants since injury to these plants may result. Do not apply to lawns containing grasses or motures of grasses other than St. Augustine or Certipede grasses since injury to those other grasses may result. Do this product of the second plants are plants and the second plants are plants. 480 per 1 mai 1 mil 1186 1186 ili 1888 (1888) (1883) (1883) (1884) (1884) (1884) (1884) (1884) Lingua de Vinnero, l'adronina desarente verset (1884) (1884) (1886) (1884) L'entre l'adronina (1884) (1884) (1884) (1884) (1884) (1884) (1884) (1884) (1884) (1884) (1884) (1884) (1884)

# STORAGE AND DISPOSAL

Do not contaminate water food, or feed by storage or disposal <u>PESTICIDE STORAGE</u> Store product in original labeled container in a cool, dry, locked place out

PESTICIDE STORMS state product rings and the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal State or local procedures. Or call (1-800-CLEANUP) for disposal instructions. Never place unused product down any indoor or outdoor drain EMPT - CONTAINER DISPOSAL. Do not reuse bag. Dispose of emphasible bags(s) in a sandary transfer procedure or the personal for pestions disposed or by incontention.

landfill approved for pesticide disposal or by incineration.

<u>SPILL</u> In case of spill, sweep up material and dispose of material according to product disposal.



### AND LABOURAGE MINE BUILD NOVEX PROFESSIONAL TURE FERTILIZERS

	GI	JARANTEED A	NALYSIS	
TOTAL NITRO	DGEN (N)			XX XX%
XX XX%	Ammoniacal Nitrogen	1		
XXXX%	Urea Nitrogen*			
XX XX%	Water Insoluble Nitro	gen		
XX XX%	Water Soluble Contro	led Release Niti	rogen	
AVAILABLE I	PHOSPHATE (P2Os)			XX.XX%
SOLUBLE PO	TASH (K;O)			XX.XX%
MAGNESIUM				XX.XX%
XXXXX%	Water Soluble Magne	:SUM		
SULFUR (S)	otal			XX XX%
<b>3.3.3.4%</b>	Free Sulfur (S)			
AA AA %	Combined Sulfur (S)			
COPPER (Cu.	tota			XX.XX%
XXXX%	Soluble Copper (Cu)			
IRON (Fe) tot	al			XX.XX%
* A 5 (%)	would ron (Fe)			
MANGANESE	(Mn) total			XX.XX%
8.5.58%	Arate Soluble Manga	nese		
ZINC (Zn) tota	ıl .			XX.XX%
AA 2 A 76	Sulptile Zinc (Zn)			

The requirements in this box applied the Worker Protection Standard applies when this product is a nurseries or greenhouses <u>Donated</u> dusts have settled if soil incompliance to enter the treates. until the incorporation is compi-not enter or allow other: 10 :

watering-ir

NON-AGP.CULTURAL REQUIREMENTS
us box app. To doubt of this product that are NOT within the scope on Standar's a incultural postedidos (40 GPF Part 170. The WPS oddet is a size of produce agricultural plants on trains Torests uses. Determined the about the solid area units solid incert. The about the solid area units required after the solid incert of the treated. The solid is the solid area of the treated of the solid incert of the solid incert. The solid incertifies the solid in

IDERIVED FROM THE CASE A CASE

CHLORINE (CI) Max

"X XX% Slown available Nitrogen from LESCO\* Poly Ptus\* Suffur Coated Urea

WARRANTY

WARRANTY

LESC, inc. warrants to at this product conforms to fix chemical description and is reasonably fit for the particular state; on the label dirty when used in accordance with label directors under normal conditions. Take 1.25. 3 MANES NO OTHER EMPRESS OR IMPLIED WARRANTIES ETHER (of MET CHATLER). TO EFTIMES FOR A PARTICULAR USE Handling storage and use of the product to power or user are beyond the control of LESCO and Seller Risks such as cropingly, we forecome control of LESCO and Seller Risks such as cropingly on the control of th

Information concerning the rew materials cograposing this product can be obtained by writing to LESCO Inc. Atm. RA Dept. 1301 East 9" Street, Suite 1300. Cleveland. OH 44:114-1849 referring to the Hern number found on this bag.

7013105

XX XX%

Net Weight: XX lb (XX kg)

FPA REG NO 10404-96 EPA EST. NO. 10404-0H-04.77, 1 H-04-FL-01 (S.

**#XXXX**XX

F526 Manufactured by: LESCO, Inc. 722 Webster Turn Drive Sebring, FL 33870

ACCEPTED

7-05-05 Under the Federal Insecticide Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

