



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Mr. John M. Olzinger Product Registration LESCO, Inc. 1301 East Ninth Street, Suite 1300 Cleveland, OH 44114-1849

SEP 2 6 2008

SUBJECT:

Application for Pesticide Notification (PRN 98-10)

Request Warranty Statement Changes and Directions for Use

EPA Reg. No. 10404-100 Application Dated July 1, 2008

Dear: Registrant,

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 07/01/08 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

\$EPA	United States Environmental Protection Washington, DC 20460	Agency		√	Registrat Amendm Other		OPP Identifier Number
	Application	for Pesticide	- Secti	on	l		
1. Company/Product Number 10404-100		2. EPA Produ Jim Tomp		ger		3. Pr	oposed Classification
4. Company/Product (Name) LESCO PRE-M 0.86%	Crabgrass Pre-emergent Plus Po	tash 25					
5. Name and Address of Apple LESCO, Inc. 1301 East 9th Street, Cleveland, OH 44114	Suite 1300	I	roduct is	sim	ilar or identic	al in co	FIFRA Section 3(c)(3) imposition and labeling
		Section - II	aine		<u>\$</u>	Eb &	s 71118
Notification - Explain Explanation: Use addition Notification: W & D language This notification is consistent labeling or the confidential st to EPA. I further understand	below. hal page(s) if necessary. (For section I are per Agency Guidance dated 10/17/06; reviewith the provisions of PR Notice 98-10 and attement of formulation of this product. I unthat if this notification is not consistent with to enforecement action and penalties under	nd Section II.) rised spreader listing; d EPA regulations at derstand that it is a vi	40 CFR 15 olation of ce 98-10 a	in be 52.46	i, and no other o	to willfu	illy make any false stateme
		Section - III					
1. Material This Product Wil							
Child-Resistant Packaging Yes No * Certification must be submitted	Yes No If "Yes" No per 1		ging lo. per ontainer			Metal Plastic Glass Paper	Specify)
3. Location of Net Contents Label C 6. Manner in Which Label is	Container		Other	5. Lo	cation of Label	Direction	ons
		Section - IV					
Name	items directly below for identification of	0		nece	Т	elephon	e Nòะ (include Area Code)
	Certification ments I have made on this form and all by knowlingly false or misleading statem	attachments thereto	ere true,		urate and curing	Juca _{ji}	9250 ext 2207 6. Date Application Received (Stamped)

3. Title

5. Date

Manager, Regulatory Affairs

7/1/08

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

both under applicable law.

2. Signature

4. Typed Name

John M. Olzinger

White - EPA File Copy (original)

Yellow - Applicant Copy

(Stamped)



Phone: 216.706.9250 800.321.5325 www.lesco.com

July 1, 2008

Mr. Jim Tompkins, PM 25 Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

SUBJECT:

Notification for Non-Commercial Label under:

10404-100

LESCO PRE-M 0.86% Crabgrass Pre-emergent Plus Potash (ABN)

Dear Mr. Tompkins:

Enclosed please find Notification for your review and acceptance to address the following:

- Warranty & Disclaimer Statement updated to bring into compliance with Agency 'Guidance on Warranty Statements' dated 10/17/06
- Revision to Suggested Spreader Settings table to streamline spreader type listings

The following documentation is provided in support of the above:

- **8570-1**
- One (1) highlighted label noting the above actions
- Five (5) copies of the clean label

If you have any questions, or require further clarification, please feel free to contact me at <u>jolzinger@lesco.com</u> or 216-706-9250 ext 2207.

Thank you for your assistance.

John M. Olzinger

Manager, Regulatory Affairs

Enclosures



IESCO Crabgrass Pre-emergent

GUARANTEED ANALYSIS

Soluble Potash (K2O). Derived from: Muriate of Potash. Chlorine (CI) Max.

7.00% 5.25%

Made in U.S.A. Produced under the following U.S. Patent 5,750,130

PRE-EMERGENT WEED CONTROL For Use on Turfgrasses

Not for use on turf being grown for sale or for other commercial use as sod, or for commercial seed production, or for research purposes.

KEEP OUT OF REACH OF CHILDREN

CAUTION PRECAUCIÓN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes eye irritation, Harmful if absorbed through skin, Avoid contact with eyes, skin, or

FIRST AID				
If swallowed	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by the poison control center or doctor. Do not give anything by mouth to an unconscious person.			
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. 			
If on skin or clothing	Take off contaminated clothing. Hinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.			
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment adivce. 			

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact CHEMTREC at 1-800-424-9300 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. DO NOT apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. DO NOT contaminate water by cleaning of equipment or disposal of equipment washwaters or rinsate.

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in possession of the user at time of pesticide application.
- · Observe all cautions and limitations in this leaflet and on the labels of products used in combination with this product. Do not use this product other than in accordance with the instructions set forth on this label. The use of this product not consistent with this label can result in injury to turf, animals, or persons. Keep container closed to avoid spills and contamination.
- DO NOT apply this product through any type of irrigation system.
- · Do not enter or allow others to enter the treated area until dusts have settled.
- · Do not apply this product in a way that will contact any person or pets, either directly or by drift.
- · Do not allow dust to drift from the application site and contact people, structures people occupy at the time and the associated property, parks and recreation areas, nontarget crops, aquatic and wetland areas, woodlands, pastures, rangelands, or animals.

APPICATION RATES

RATE AND APPLICATION CHART

Turfgrass	w	Rates of PRE-M 0.86%	
Species	Weeds	Crabgrass Pre-emergent Plus Potash	Comments:

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store this product only in its original container in a dry, cool, secured storage area. Do not contaminate water, foodstuffs, feed or seed by storage or disposal,

PESTICIDE DISPOSAL: Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, State or local procedures. Or call [1-800-CLEANUP] for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL: Do not reuse bag. Dispose of emptied bag(s) in a sanitary landfill approved for pesticide disposal, or by incineration.

SPILL: In case of spill, sweep up material and dispose of material according to "pesticide disposal" directions listed above.

GENERAL INFORMATION

PRE-M 0.86% Crabgrass Pre-emergent Plus Potash is a combination pre-emergent herbicide and fertilize formulated to provide control of most annual grasses and certain broadleaf weeds found in turfgrass. PRE-M 0.86% Crabgrass Pre-emergent Plus Potash is labeled for use on the following turfgrass species: Kentucky bluegrass, perennial ryegrass, fine fescue, tall fescue, bentgrass, Poa annua (except putting greens and tees) bermudagrass, St. Augustinegrass, bahiagrass, centipedegrass, and zoysiagrass.

PRE-M 0.86% Crabgrass Pre-emergent Plus Potash controls weeds as they germinate but will not control

Unusually cold, excessively wet, or hot and dry conditions that delay germination or extend germination over a long period of time can reduce weed control.

Applied according to label directions and under normal growing conditions, PRE-M 0.86% Crabgrass Pre-emergent Plus Potash will not cause turf injury. Over-application can result in turf stand loss, turf injury, or soil residues. Uneven application can decrease weed control or cause turf injury.

Seedling diseases, cold weather, excessive moisture, high soil pH, high soil salt concentration, or drought can weaken turfgrass and increase the possibility of turf damage from PRE-M 0.86% Plus Potash.

APPLICATION

Apply product uniformly at the recommended rate using a properly calibrated spreader. The efficacy of PRE-M 0.86% Crabgrass Pre-emergent Plus Potash will be improved if the application is followed by one-half inch. of rainfall or its equivalent in sprinkler irrigation. This will remove the product from the turfgrass foliage and establish a pre-emergent herbicide barrier in the soil.

Avoid contact of product with porous surfaces such as driveways, stone, or wood, Removing particles will help prevent staining.

Recommended Rates in lbs per 1,000 sq f

					•
Spreader	Ground Speed	Spreading Width	2.7#	4.0#*	5.3#*
LESCO Commercial	3 mph	9 ft.			
(80 pound hopper or larger)	LESCO Calibration Gauge		#13	#15	#17
Vigoro [®] 4300			3	3.5	4
Scotts [®] Broadcast/Rotary : (Scotts [®] Basic [®] , Standard EdgeGuard [®] or SpeedyG		5	5.5	7	

IMPORTANT: Spreader settings are only approximate. Age, condition of spreader, and operator speed can cause wide variation in application rate. Spreader should be calibrated prior to each application by the operator.

The efficacy of this product will be improved if the application is followed by one-half inch of rainfall or its equivalent in sprinkler inigation. If this product is not activated by rainfall or irrigation within 14 days, erratic weed control may result.

PRECAUTIONS

Use only on well established turigrass with a dense and uniform stand. On newly planted areas, application should not be made until the turfgrass has filled in and has been mowed at least four times On turf that has been thinned or damaged due to winter injury, excessive moisture, etc., allow for turf recovery prior to making an application.

Applications made to overseeded warm-season turfgrasses may cause thinning or injury of the overseeded species.

Do not use on bentgrass or Poa annua (greens and tees) or injury may occur.

Delay reseeding or winter overseeding treated turfgrass for at least 2 months following application. Do not sprig turfgrass for 3 months after application.

II swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
If on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment adivce.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact CHEMTREC at 1-800-424-9300 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. DO NOT apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. DO NOT contaminate water by cleaning of equipment or disposal of equipment washwaters or rinsate.

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in possession of the user at time of pesticide application.
- Observe all cautions and limitations in this leaflet and on the labels of products used in combination
 with this product. Do not use this product other than in accordance with the instructions set forth on
 this label. The use of this product not consistent with this label can result in injury to turf, animals, or
 persons. Keep container closed to avoid spills and contamination.
- · DO NOT apply this product through any type of irrigation system.

SOUTHERN GRA

- · Do not enter or allow others to enter the treated area until dusts have settled.
- . Do not apply this product in a way that will contact any person or pets, either directly or by drift.
- Do not allow dust to drift from the application site and contact people, structures people occupy at the time and the associated property, parks and recreation areas, nontarget crops, aquatic and wetland areas, woodlands, pastures, rangelands, or animals.

APRICATION RATES

RATE AND APPLICATION CHART

Turfgrass		Rates of PRE-M 0.86%	
Species	Weeds	Crabgrass Pre-emergent Plus Potash	Comments:
NORTHERN GRASSES Kentucky bluegrass Perennial ryegrass Fine fescue Tall lescue	crabgrass foxtail Poa annua barnyardgrass fall panicum oxalis prostrate spurg purslane knotweed evening primro hop clover	•	Apply a repeat application of 2.7 to 4.0 lbs/1,000 sq it after a minimum of 4 weeks for extended control or where heavy weed infestations are expected.
·	goosegrass	4.0 to 5.3 lbs/1,000 sq ft in the spring prior to weed germination.	Apply a repeat application of 4.0 lbs/1,000 sq ft
·	cudweed Poa annua chickweed lawn burweed henbit corn speedwel	4.0 to 5.3 lbs/1,000 sq ft.	Apply in late summer or early fall prior to weed germination.
Bentgrass and established Poa annua' (1/2 inch height or taller)	crabgrass foxtail Poa annua banyardgrass fall panicum oxalis prostrate spurq purstane knotweed evening primro hop clover		Apply a repeat application of 2,7 to 4,0 lbs/1,000 sq ft after a minimum of 4 weeks for extended control or where heavy weed infestations are expected.
	goosegrass	4.0 lbs/1,000 sq ft prior to weed germination in the spring.	Apply a repeat application of 4.0 lbs/1,000 sq ft after a minimum of 4 weeks.
	cudweed Poa annua chickweed lawn burweed henbit corn speedwel	4.0 lbs/1,000 sq ft.	Apply in late summer or early fall prior to weed germination.

or soil residues. Uneven application can decrease weed control or cause turt injury.

Seedling diseases, cold weather, excessive moisture, high soil pH, high soil salt concentration, or drought can weaken turigrass and increase the possibility of turf damage from PRE-M 0.86% Plus Potash.

APPLICATION

Apply product uniformly at the recommended rate using a property calibrated spreader. The efficacy of PRE-M 0.85% Crabgrass Pre-emergent Plus Potash will be improved if the application is followed by one-half inch of rainfall or its equivalent in sprinkler irrigation. This will remove the product from the turfgrass (oliage and establish a pre-emergent herbicide barrier in the soil.

Avoid contact of product with porous surfaces such as driveways, stone, or wood. Removing particles will help prevent staining.

SUGGESTED SPREADER SETTINGS

Recommended Rates in lbs per 1,000 sq ft

Spreader	Ground Speed	Spreading Width	2.7#	4.0#*	5.3#**
LESCO Commercial	3 mph	9 ft.			
(80 pound hopper or larger)	LESCO Calibration Gauge		#13	#15	#17
Vigoro® 4300	·		3	3.5	4
Scotts [®] Broadcast/Rotary (Scotts [®] Basic [®] , Standard EdgeGuard [™] or SpeadyG		5	5.5	7	

*Delivers 1.5 lb ai/A **Delivers 2.0 lb ai/A

IMPORTANT: Spreader settings are only approximate. Age, condition of spreader, and operator speed can cause wide variation in application rate. Spreader should be calibrated prior to each application by the operator.

The afficacy of this product will be improved if the application is followed by one-half inch of rainfall or requivalent in sprinkler irrigation. If this product is not activated by rainfall or trigation within 14 days, erratic weed control may result.

PRECAUTIONS

Use only on well established turfgrass with a dense and uniform stand. On newly planted areas, application should not be made until the turfgrass has filled in and has been moved at least four times.

On turf that has been thinned or damaged due to winter injury, excessive moisture, etc., allow for turf recovery prior to making an application.

Applications made to overseeded warm-season turfgrasses may cause thinning or injury of the overseeded species.

Do not use on bentgrass or Poa annua (greens and tees) or injury may occur.

Delay reseeding or winter overseeding treated turfgrass for at least 2 months following application. Do not sprig turfgrass for 3 months after application.

CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase prize will be retunded.

The Directions for Use of this product must be followed carefully and completely. It is impossible to eliminate all risks inherently associated with the use of this product. To the extent consistent with applicable law, Buyer and/or User assume all risks of ineffectiveness or other unintended consequences or damages that may result from conditions outside or beyond the control of LESCO, Inc. including but not limited to, such factors as manner of use or application, weather or weather conditions outside the range considered normal at the application site or for the time period in which the product is applied, the presence of other materials, incompatible products, or other influencing factors which are beyond the control of LESCO, Inc.. To the extent consistent with applicable law, all such risks shall be assumed by Buyer and/or User, and Buyer and/or User agrees to hold LESCO, Inc. harmless for any claims relating to such factors.

LESCO, Inc., warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent disks referred to above, when used in accordance with the Directions for Use under normal use conditions. To the extent consistent with applicable law, this warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foresceable to or beyond the control of LESCO, Inc. and Buyer and/or User assume the risk of any such use. To THE EXTENT CONSISTENT WITH APPLICABLE LAW, LESCO, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE BUYER AND/OR USER AND THE EXCLUSIVE LIABILITY OF LESCO, INC. FOR ANY AND ALL CLAIMS, LOSSES, INURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE, RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF LESCO, INC. REPLACEMENT OF THE PRODUCT, OR IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY, TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL LESCO, INC., BE LIABLE FOR ANY INCIDENTAL. CONSEQUENTIAL OR SPECIAL DAMAGES.

LESCO, Inc. offers this product, and Buyer and/or User accepts it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of LESCO, Inc.

Information regarding the contents and levels of metals in this product is available on the internet at http://www.regulatory-info-a1.com

Information concerning the raw materials composing this product can be obtained by writing to: LESCO, Inc., Attn., RA Dept., 1301 East 9th Street, Suite 1300. Cleveland, Ohio 44114-1849, referring to the number found on this bag.

LESCO and PRE-M are registered tradomarks and the sweeping design is a tradomark of LESCO Technologies, LLC. Vigoro is a registered trademark of United Industries Corporation. Scotts, Scotts Basic, Deluxe EdgeGuard and Speedy Gross are registered trademark and Scotts Standard is a trademark of the Section Scotts.

	oxalis prostrate spurge purslane knotweed evening primrose hop clover	are spring.	expected.
	goosegrass	4.0 to 5.3 lbs/1,000 sq ft in the spring prior to weed germination.	Apply a repeat application of 4.0 lbs/1,000 sq ft
	cudweed Poa annua chickweed lawn burweed henbit corn speedwell	4.0 to 5.3 lbs/1,000 sq ft.	Apply in late summer or early fall prior to weed germination.
Bentgrass and established Poa annua' (1/2 inch height or taller)	crabgrass foxtatl Poa annua barnyardgrass fall panicum oxalis prostrate spurge purslane knotweed evening primrose hop clover	4.0 lbs/1,000 sq ft in the spring prior to weed germination.	Apply a repeat application of 2.7 to 4.0 lbs/1,000 sq ft after a minimum of 4 weeks for extended control or where heavy weed infestations are expected.
	goosegrass .	4.0 lbs/1,000 sq ft prior to weed germination in the spring.	Apply a repeat application of 4.0 lbs/1,000 sq ft after a minimum of 4 weeks.
	cudweed Poa annua chickweed lawn burweed henbit corn speedwell	4.0 lbs/1,000 sq ft.	Apply in late summer or early fall prior to weed germination.
SOUTHERN GRASSES Bermudagrass' St. Augustinegrass Bahiagrass Zoysiagrass Centipedegrass Tall fescue	crabgrass foxtail Poa annua barnyardgrass tall panicum oxalis prostrate spurge purslane knottweed evening primrose hop clover	4.0 to 5.3 lbs/1,000 sq ft prior to weed germination in the spring.	Apply a repeat application of 2.7 to 4.0 lbs/1,000 sq ft after a minimum of 4 weeks if necessary
	goosegrass	4,0 lbs/1,000 sq ft prior to weed germination in the spring. Apply a repeat application 4.0 to 5.3 lbs/ 1,000 sq ft after a minimum of 4 weeks.	An additional application of 4.0 lbs/1,000 sq ft may be applied for extended goosegrass control a minimum of 4 weeks after the second application.
	cudweed Poa annua chickweed lawn burweed henbit corn speedwell	4.0 to 5.3 lbs/1,000 sq ft	Apply in late summer or early fall prior to weed germination.

The Directions for Use of this product must be followed carefully and completely. It is impossible to eliminate all risks inherently associated with the use of this product. To the extent consistent with applicable law, Buye and/or User assume all risks of ineffectiveness or other unintended consequences or damages that may result from conditions outside or beyond the control of LESCO, Inc. including but not limited to, such factors as manner of use or application, weather or weather conditions outside the range considered normal at the application site or for the time period in which the product is applied, the presence of other materials, incompatible products, or other influencing factors which are beyond the control of LESCO, Inc.. To the extent consisten with applicable law, all such risks shall be assumed by Buyer and/or User, and Buyer and/or User agrees to hold LESCO, Inc. harmless for any claims relating to such factors.

LESCO, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fil for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used it accordance with the Directions for Use under normal use conditions. To the extent consistent with applicable law, this warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of LESCO, Inc. and Buyer and/or User assume the risk of any such use. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, LESCO, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE. .

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE BUYER AND/OF USER AND THE EXCLUSIVE LIABILITY OF LESCO. INC. FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OF DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF LESCO, INC. REPLACEMENT OF THE PRODUCT, OR IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL LESCO, INC., BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES.

LESCO, Inc. offers this product, and Buyer and/or User accepts it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of LESCO, inc.

Information regarding the contents and levels of metals in this product is available on the internet at http://www.regulatory-info-a1.com

Information concerning the raw materials composing this product can be obtained by writing to; LESCO, Inc., Attn. RA Dept., 1301 East 9th Street, Suite 1300, Cleveland, Ohio 44114-1849, referring to the number found on this bag.

LESCO and PRE-M are registered tradernarks and the sweeping design is a tradernark of LESCO Technologies, LLC, Vigero is a registered tradernark of United Industries Corporation. Scotts, Scotts Basic, Deluxe EdgeGuard and Speedy Green are registered tradernarks and Scotts Standard is a tradernark of The Scott Company.

Covers 12,500 Sq. Ft. Net Wt. 50 lb (22.7 kg)

EPA REG. NO. 10404-100 EPA EST. NO. 82757-FL-001 (S), 82757-OH-001 (M) First letter of lot code indicates manufacturing site

Rev. 2/27/08 KY #052388

F1560 Distributed by LESCO, Inc. 1301 East 9th Street Cleveland, OH 44114-1849



FOR PRODUCT ASSISTANCE, CALL LESCO AT 1-800-321-5325

www.lesco.com

FREIGHT SHIPPING BAG Meeting Requirements of APPLICABLE FREIGHT CLASSIFICATION Guaranteed by HOOD PACKAGING CORPORATION TYLER, TEXAS



052388

LESCO°

Crab

n° 0.86% Pre-emergent Potah

PRE-M° 0.86% Crabgrass Pre-emergent Plus Potash







Pre-emergent control of crabgrass, goosegrass, foxtail, chickweed, oxalis, spurge, knotweed and *Poa annua*.

PREVENTS ANNUAL GRASSY AND BROADLEAF WEEDS







Pre-emergent control of crabgrass, goosegrass, foxtail, chickweed, oxalis, spurge, knotweed and Poa annua.

PREVENTS ANNUAL GRASSY AND BROADLEAF WEEDS



CAUTION PRECAUCIÓN

Net Wt. 50 lb (22.7 kg)



PRE-M° 0.86% LESCO° Crabgrass Pre-emergent

