404-100

10/02/20



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Susan E. Spencer LESCO, Inc. 1301 East 9th Street, Ste., 1300 Cleveland, OH 44114-1849

OCT 2 2009

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4 and 98-10 1. Updated warranty statement

Dear Ms. Spencer:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 and 98-10 dated August 28, 2009 for:

EPA Registration 10404-102	LESCO PRE-M 0.75% Plus Fertilizer
EPA Registration 10404-100	LESCO PRE-M 0.86% Plus Fertilizer
EPA Registration 10404-101	LESCO PRE-M 1.00% Plus Fertilizer
EPA Registration 10404-82	LESCO PRE-M 1.31% Plus Fertilizer
EPA Registration 10404-98	LESCO PRE-M 1.50% Plus Fertilizer

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and 98-10 and finds that the label change(s) requested falls within the scope of PRN-2007-4 and 98-10. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>nonrefillable</u> containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-5551.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

	, ,	<u> </u>				-		2/
	ں Environmenta	Inited States				Registra Amenda Other	ation	0. Approvel expires 2-28-95 OPP Identifier Number
		Applicatio	on for Pest	icide - Sec	tion	1		
1: Company/Product Numb 10404-100				3. Pr	3. Proposed Classification			
4. Company/Product (Name LESCO PRE-M 0.869			РМ 25	ŧ				
5. Name and Address of Ap LESCO, Inc. 1301 East 9th Street Cleveland, OH 4411	, Suite 1300 4-1849	ode)	(b)(i to: EP), my product A Reg. No	is simi	ilar or iden		FIFRA Section 3(c)(3) mposition and labeling
	is is a new address		Section	oduct Name			······································	
	ponse to Agency letter	dated 9/2	<u>23/09</u>	✓ Final printe Agency let "Me Too"	tter dete Applica	tion.	NOTI	FICATION - 2 2009
Notification - Explain	n Delow.	· · · · · · · · · · · · · · · · · · ·		Other - Exp	plain be	10 w .	001	<u> </u>
labeling or the Confidential to EPA. I further understan 156.146, and 156.156, this	d that if the amended lab	el is not consis	stent with the req ad I may be subje	uirements of PR ect to enforcement	Notice 9	98-10 and 40) CFR §§ 1	
•	<u></u>		Section	-				
1. Material This Product W	Т							
Child-Resistant Packaging	Unit Packaging		Water Solub	le Packaging		2. Type of	Container	
V No	No	·	V No				Plastic	
* Certification must	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wg	No. per t containe			Glass Paper Other (S	Specify)
be submitted				1	-	ation of La		
B. Location of Net Contents		4. Size(s) Re	50 - 1000#			- on label		ກຮ
. Manner in Which Label i	Container s Affixed to Product	Lithog Paper		Othe) <u> </u>			······
	· <u>··</u> ·		Section	- IV				
1. Contact Point <i>(Complet</i>	e items directly below i	for identificatio			, if nece	ossary, to pi	rocess this	application.)
Name Title			Title Regulatory S			e No. (Include Area Code) 9250 ext 2343		
	ements I have made on my knowlinglly false or e law.		all attachments					6. Date Application Received (Stamped)
2. signature Susan E. Spence	Digitally injured by Sector L. Spencer DB: Conflictual E. Spencer, in-John Den's Londscoper, investinged Affers, montemporory Systematicidadespectrum, cold S User: Networks in a Jain - Orion		3. Title Regulatory Spo	ecialist				
. Typed Name Susan E. Spencer			5. Date	9/25/09	- <u></u>		<u> </u>	

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

.



Phone: 216.706.9250 800.321.5325 www.lesco.com

August 28, 2009

Document Processing Desk (NOTIF) Office of Pesticide programs (7504P) Mr. Jim Tompkins, PM25 U. S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

SUBJECT:

Notifications for <u>Commercial</u> Labels: LESCO PRE-M 0.75% Plus Fertilizer, EPA Reg. No. 10404-102 LESCO PRE-M 0.86% Plus Fertilizer, EPA Reg. No. 10404-100 LESCO PRE-M 1.00% Plus Fertilizer, EPA Reg. No. 10404-101 LESCO PRE-M 1.31% Plus Fertilizer, EPA Reg. No. 10404-82 LESCO PRE-M 1.50% Plus Fertilizer, EPA Reg. No. 10404-98

Dear Mr. Tompkins:

Enclosed please find Notifications for your review and acceptance to address the following:

 Storage & Disposal Statement – updated to bring into compliance with PRN 2007-4, 'Standards for Pesticide Containers and Containment' dated 10/29/07 and revised 4/29/08

In addition, we have taken this opportunity to ensure our updated Warranty and Disclaimer Statement is in compliance with Agency 'Guidance on Warranty Statements' dated 10/17/06.

The following documentation is provided in support of the above:

- 8570-1 for each registration
- One (1) highlighted label copy for each registration noting the above actions
- Five (5) clean label copies for each registration for Agency files

Thank you for your assistance in this matter. If you should have any questions, or require additional information, please feel free to contact me at <u>sspencer@johndeerelandscapes.com</u> or at 216.706.9250; ext 2343.

Sincerely,

Spencer

Susan E. Spencer Regulatory Specialist enclosures

Corporate Office: 1301 East Ninth Street, Suite 1300 • Cleveland, Ohio • 44114-1849

Not for use on turf being grown for sale or for other commercial use as sod, or for commercial seed production, or for research purposes. For control of specified weeds in or on residential lawns, corporate lawns, parks, recreational areas, golf courses, cemeteries, and athletic fields.

- · Preemergent control of crabgrass, goosegrass, foxtail, chickweed, oxalis, spurge, knotweed, and Poa annua.
- Provides quick green-up from soluble nitrogen.


 \mathbf{x}_{i}

NOTIFICATION Prevents annual grassy and broadleaf weeds.
 Contains LESCO[®] Poly Plus[®] Sulfur Coated Urea to provide a uniform growth with extended nitrogen feeding. Active Ingredient:

Pendimethalin, N-(1-ethyloropyl)-3.4-dimethyl-

2,6-dinitrobenzenamine*	 0.86%
Other Ingredients:	
Total	

*Licensed under one or more of the following U.S. Patents: 3.920,742; 4.066,441.



GUARANTEED ANALYSIS

TOTAL NITROGEN (N)	XX.XX%
XX.XX% Ammoniacal Nitrogen (N)	
XX.XX% Urea Nitrogen (N)*	
XX.XX% Water Insoluble Nitrogen (N)	
XX.XX% Water Soluble Controlled Release Nitrogen (N)	
AVAILABLE PHOSPHATE (P2O5)	
SOLUBLE POTASH (K2O)	XX.XX%
MAGNESIUM (Mg) Total	
XX.XX% Water Soluble Magnesium (Mg)	
SULFUR (S) Total	XX.XX%
XX.XX% Free Sulfur (S)	
XX.XX% Combined Sulfur (S)	
COPPER (Cu) Total	XX.XX%
XX.XX% Water Soluble Copper (Cu)	
IRON (Fe) Total	XX.XX%
XX.XX% Water Soluble Iron (Fe)	
MANGANESE (Mn) Total	XX.XX%
XX.XX% Water Soluble Manganese (Mn)	
ZINC (Zn) Total	XX.XX%
XX.XX% Water Soluble Zinc (Zn)	
DERIVED FROM:	
CHLORINE (CI) Max	
*X.XX% Slowly available Urea Nitrogen from Polymer Coated St Urea.	Ifur Coated

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes eye irritation. Harmful if absorbed through skin. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling. Avoid breathing dust.

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID				
If swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. 			
Į				
	 Do not induce vomiting unless told to by the poison control center or doctor. 			
	 Do not give anything by mouth to an unconscious person. 			
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. 			
	 Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. 			
	Call a poison control center or doctor for treatment advice.			
If on skin or	Take off contaminated clothing.			
clothing	Rinse skin immediately with plenty of water for 15-20 minutes.			

PRE-M[®] Q.86% Plus Fatilizer

doctor or going	uct container or label with you when calling a poison control center or g for treatment. You may also contact Chem-Trec at 1-800-424-9300 medical treatment information.
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further-treatment advice.
	Call a poison control center or doctor for treatment advice.
and the second s	

ENVIRONMENTAL HAZARDS

This product is toxic to fish. DO NOT apply directly to water, to areas where surface OCT - 2 2003 water is present, or to intertidal areas below the mean ingle water many end areas areas may be hazardous to aquatic organisms in adjacent aquatic areas may be hazardous to aquatic organisms in adjacent aquatic water is present, or to intertidal areas below the mean high water mark. Drift and sites. DO NOT contaminate water by cleaning of equipment or disposal of equipment washwaters or rinsate.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear: long-sleeved shirt and long pants, chemical resistant gloves made of any waterproof materials, such as butyl rubber > 14 mils, nitrile rubber >14 mils, or neoprene rubber > 14 mils, shoes plus socks. Follow manufacturers' instructions for changing/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry:

User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. Remove contaminated clothing and wash separately before reuse.

DIRECTIONS FOR USE

- · It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at time of pesticide application.
- Observe all cautions and limitations in this leaflet and on the labels of products used in combination with this product. Do not use this product other than in accordance with the instructions set forth on this label. The use of this product not consistent with this label can result in injury to turf, animals, or persons. Keep container closed to avoid spills and contamination.
- DO NOT apply this product through any type of irrigation system.
- Do not enter or allow others to enter the treated area until dusts have settled.
- Do not apply this product in a way that will contact any person or pets, either directly or by drift.
- Do not allow dust to drift from the application site and contact people, structures people occupy at the time and the associated property, parks and recreation areas, nontarget crops, aquatic and wetland areas, woodlands, pastures, rangelands, or animals.

GENERAL INFORMATION

This product is a combination pre-emergent herbicide and fertilizer formulated to provide control of most annual grasses and certain broadleaf weeds found in turfgrass. This product is labeled for use on the following turfgrass species: Kentucky Bluegrass, Perennial Ryegrass, Fine Fescue, Tall Fescue, Bentgrass, Poa annua (except putting greens and tees), Bermudagrass, St. Augustinegrass, Bahiagrass, Centipedegrass, and Zoysiagrass.

This product controls weeds as they germinate but will not control established weeds. Unusually cold, excessively wet, or hot and dry conditions that delay germination or extend germination over a long period of time can reduce weed control.

Applied according to label directions and under normal growing conditions, this product will not cause turf injury. Over-application can result in turf stand loss, turf injury, or soil residues. Uneven application can decrease weed control or cause turf injury.

Seedling diseases, cold weather, excessive moisture, high soil pH, high soil salt concentration, or drought can weaken turfgrass and increase the possibility of turf damage from this product.

APPLICATION

Apply product uniformly at the recommended rate using or, properly calibrated spreader (see table below for approximate settings). The efficacy of this product will be improved if the application is followed by one-half inch of rainfail or its equivalent in sprinkler irrigation. This will remove the product from theotal grass foliage and establish a pre-emergent herbicide barrier in the soil. Avoid contact of product with porous surfaces such as driveways, stc.ae, cr wood. Removing particles will help prevent staining.



0000

PRE-M° C86% Plus Fctilizer

APPLICATION RATES: RATE AND APPLICATION CHART					
		PRE-M Plus			
Turfgrass Species	Weeds	Fertilizer	Comments:		
NORTHERN GRASSES					
Kentucky Bluegrass Perennial Ryegrass Fine Fescue Tall Fescue	crabgrass foxtail <i>Poa annua</i> barnyardgrass fall panicum oxalis prostrate spurge purslane knotweed evening primrose hop clover	4.0 to 5.3 lb/1,000 sq ft (174 – 231 lb/acre) as the initial application prior to weed germination in the spring.	Apply a repeat application of 2.7 to 4.0 lb/1,000 sq ft (118 – 174 lb/acre) after a minimum of 4 weeks for extended control or where heavy weed infestations are expected.		
	goosegrass	4.0 to 5.3 lb/1,000 sq ft (174 – 231 lb/acre) in the spring prior to weed germination.	Apply a repeat application of 4.0 lb/1,000 sq ft (174 lb/acre)		
	cudweed Poa annua chickweed lawn burweed henbit corn speedwell	4.0 to 5.3 lb/1,000 sq ft (174 – 231 lb/acre)	Apply in late summer or early fall prior to weed germination.		
Bentgrass and established <i>Poa annua</i> * (1/2 inch height or taller)	crabgrass foxtail Poa annua barnyardgrass fall panicum oxalis prostrate spurge purslane knotweed evening primrose hop clover	4.0 ib/1,000 sq ft (174 ib/acre) in the spring prior to weed germination.	Apply a repeat application of 2.7 to 4.0 lb/1,000 sq ft (118 - 174 lb/acre) after a minimum of 4 weeks. for extended control or where heavy weed infestations are expected.		
	goosegrass	4.0 lb/1,000 sq ft (174 lb/acre) prior to weed germination in the spring.	Apply a repeat application of 4.0 Ib/1,000 sq ft (174 Ib/acre) after a minimum of 4 weeks.		
	cudweed Poa annua chickweed lawn burweed henbit corn speedwell	4.0 lb/1,000 sq ft (174 lb/acre)	Apply in late summer or early fall prior to weed germination.		
SOUTHERN GRASSES Bermudagrass** St. Augustinegrass Bahiagrass Zoysiagrass Centipedegrass Tall Fescue	crabgrass foxtail Poa annua bamyardgrass fall panicum oxalis prostrate spurge pursiane knotweed evening primrose hop clover	4.0 to 5.3 lb/1,000 sq ft (174 – 231 lb/acre) prior to weed germination in the spring.	Apply a repeat application of 2.7 to 4.0 ib/1,000 sq ft (118 – 174 ib/are) after a minimum of 4 weeks if necessary.		
	goosegrass	4.0 to 5.3 lb/1,000 sq ft (174 – 231 lb/acre) prior to weed germination in the spring. Apply a repeat application of 4.0 to 5.3 lb/1,000 sq ft (174 – 231 lb/acre) after a minimum of 4 weeks.	An additional application of 4.0 Ib/1,000 sqft (174 Ib/acre) may be applied for extended goosegrass control a minimum of 4 weeks after the second application.		
·	cudweed Poa annua chickweed lawn burweed henbit corn speedwell	4.0 to 5.3 lb/1,000 sq ft (174 – 231 lb/acre)	Apply in late summer or early fall prior to weed germination.		

*Not for use on greens or tees.

** Rates do not apply to Bermudagrass greens and tees.

DO NOT apply more than 5.3 lb of this product per 1,000 sq ft per application, and no more than 15.9 lb of this product per 1,000 sq ft per year.

The efficacy of this product will be improved if the application is followed by one-half inch of rainfall or its equivalent in sprinkler irrigation. If this product is not activated by rainfall or irrigation within 14 days, erratic weed control may result.

SUGGESTED SPREADER SETTINGS

Recommended Rates in 1b per 1,000 sq ft					
Spreader		2.7 lb	4.0 lb	5.3 lb	
LESCO Rotary	Calibration Gauge	#XX	#XX	#XX	
Cyclone® or Spyker®		XX	XX	XX	
SCOTTS® R8-A	•	XX	XX	XX	
Lely®		XX II	XX II	XX II	

EPA REG. NO. 10404-100

EPA EST. NO. 82757-FL-001 (S), 82757-OH-001 (M) First letter of lot code indicates manufacturing site.



IMPORTANT: Spreader settings are only approximate. Age, condition of spreader, and operator speed can cause wide variation in application rate. Spreader should be calibrated prior to each application by the operator.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposai. PESTICIDE STORAGE: Store this product only in its original container in a dry, cool secured storage area. Do not contaminate water, foodstuffs, feed or seed by storage or disnosal

PESTICIDE DISPOSAL: Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, State or local procedures. Or call [1-800-CLEANUP] for disposal instructions. Never place unused product down any indoor or outdoor drain

CONTAINER DISPOSAL: Do not reuse bag. Dispose of emptied bag(s) in a sanitary landfill approved for pesticide disposal, or by incineration. Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling if available or dispose of empty bag in a sanitary landfills or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

SPILL: In case of spill, sweep up material and dispose of material according to "pesticide disposal" directions listed above.

PRECAUTIONS

Use only on well-established turfgrass with a dense and uniform stand. On newly planted areas, application should not be made until the turfgrass has filled in and has been mowed at least four times.

On turf that has been thinned or damaged due to winter injury, excessive moisture, etc., allow for turf recovery prior to making an application.

Applications made to overseeded warm-season turfgrasses may cause thinning or injury of the overseeded species.

Do not use on Bentgrass or Poa annua (greens and tees) or injury may occur.

Delay reseeding or winter overseeding treated turfgrass for at least 2 months following application. Do not sprig turfgrass for 3 months after application.

CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully and completely. It is impossible to eliminate all risks inherently associated with the use of this product. To the extent consistent with applicable law, Buyer and/or User assume all risks of ineffectiveness or other unintended consequences or damages that may result from conditions outside or beyond the control of LESCO, Inc. including but not limited to, such factors as manner of use or application, weather or weather conditions outside the range considered normal at the application site or for the time period in which the product is applied, the, presence of other materials, incompatible products, or other influencing factors which are beyond the control of LESCO, Inc.. To the extent consistent with applicable law, all such risks shall be assumed by Buyer and/or User, and Buyer and/or User agrees to hold LESCO, Inc. harmless for any claims relating to such factors.

LESCO, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with the Directions for Use under normal use conditions. To the extent consistent with applicable law, this warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of LESCO, Inc. and Buyer and/or User assume the risk of any such use. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, LESCO, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW. THE EXCLUSIVE REMEDY OF THE BUYER AND/OR USER AND THE EXCLUSIVE LIABILITY OF LESCO, INC. FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR AT THE ELECTION OF LESCO, INC. REPLACEMENT OF THE PRODUCT, OR IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL LESCO, Inc., BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES

LESCO, Inc. offers this product, and Buyer and/or User accepts it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of LESCO, Inc.


Information concerning the raw materials composing this product can be obtained by writing to: LESCO, Inc., Attn: RA Dept., 1301 East 9th Street, Suite 1300, Cleveland, Ohio 44114-1849, referring to the item number found on this bag.

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-a1.com.

Poly Plus is comprised of Polymer Coated Sulfur Coated Urea. $_{\rm o}^{-0.5000}$ $_{\rm b}$

LESCO, Pre-M and Poly Plus are registered trademarks and the sweeping design is a trademark of LESCO Technologies, LLC. SCOTTS is a registered trademark of The SCOTT Company. Cyclone and Spyker are registered trademarks of Spyker Spreaders, LLC. Lely is a registered trademark of C. Van Der Lely N.V.

G:\REGUL\WP\Regul Private\MstrLbl_ERIE\VIDV\\ADDRESS\New EPA Approved\Pre-M 0.86%.doc



1301 East 9th Street Cleveland, OH 44114-1849