



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Susan E. Spencer LESCO, Inc. 1301 East 9th Street, Ste., 1300 Cleveland, OH 44114-1849

OCT 2 2009

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4 and 98-10

1. Updated warranty statement

Dear Ms. Spencer:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 and 98-10 dated August 28, 2009 for:

/	
EPA Registration 10404-102	LESCO PRE-M 0.75% Plus Fertilizer
EPA Registration 10404-100	LESCO PRE-M 0.86% Plus Fertilizer
EPA Registration 10404-101	LESCO PRE-M 1.00% Plus Fertilizer
EPA Registration 10404-82	LESCO PRE-M 1.31% Plus Fertilizer
EPA Registration 10404-98	LESCO PRE-M 1.50% Plus Fertilizer

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and 98-10 and finds that the label change(s) requested falls within the scope of PRN-2007-4 and 98-10. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-5551.

Sincerely,

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

		/* .					2/
SEPA	Uı Environmental	orm. nited States Protecti gton, DC 20	• .	Form Approved	Registrat Amendm Other	ion	O. Approvel expires 2-28-5 OPP Identifier Number
		Applicati	on for Pesticio	de - Section	ı		
1. Company/Product Numbe 10404-102	7		2. EPA F J. Tom	Product Manager		3. Pr	oposed Classification
4. Company/Product (Name)			PM# 25	ркиз		1	None Restricted
5. Name and Address of App LESCO, Inc. 1301 East 9th Street, Cleveland, OH 44114	Suite 1300	de)	(b)(i), m to: EPA R		nilar or identio	cal in co	FIFRA Section 3(c)(3) mposition and labeling
			Section - I		·		
Amendment - Explain Resubmission in resp Notification - Explain Explanation: Use addition	onse to Agency letter of below.		23/09	Final printed labe Agency letter da "Me Too" Applic Other - Explain b	ted A	IOTIF	- 2 2009
Notification of label change p 98-10 and the requirements of labeling or the Confidential S to EPA. I further understand 156.146, and 156.156, this p	of EPA's regulations at 4 tatement of Formula for that if the amended labe	0 CFR §§ 15 this product. el is not consi	6.10, 156.140, 156.14 I understand that it is stent with the requirer	4, 156.146, and 15 a violation of 18 U nents of PR Notice	56.156. No other I.S.C. Sec. 1001 98-10 and 40 (er change I to willful CFR §§ 1	s have been made to the ly make any false statement 56.10, 156.140, 156.144,
•			Section - II	<u> </u>			
1. Material This Product Will Child-Resistant Packaging Yes No * Certification must be submitted	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per container	Water Soluble Portion Yes ✓ No If "Yes" Package wgt	No. per container	2. Type of C	Container Metal Plastic Glass Paper Other (S	
3. Location of Net Contents		4. Size(s) Re	tail Container 50#, 1000#	5. La	ocation of Labe	al Directio	ons
✓ Lebel C 6. Manner in Which Lebel is	ontainer Affixed to Product	Litho	graph r glued siled	Other			
		Stend	Section - I	1			
1. Contact Point (Complete	items directly below fo	r identificati			cessary, to pro	cess this	application.)
Name Susan E. Spencer		<u> </u>	Title Regulatory Speci		-	Telephon	e No. (Include Area Code) 9250 ext 2343
l certify that the state I acknowledge that an both under applicable		Certific this form and nisleading st	d all attachments the	oreto are true, acc ishable by fine or	urate and com imprisonment	plete. or	6. Date Application Received (Stamped)
2. Signature Susan E. Spence	Digraffy signed by Susan E Spencer Diff che Susan E Spencer, periodin Devre Lundscapes, com, co Data 2009,000 121-464 96-46500	u=Reg.Jatory JUS	3. Title Regulatory Special	ist			
4. Typed Name			5. Date				

Susan E. Spencer

9/25/09



5) Pho

Phone: 216.706.9250 800.321.5325 www.lesco.com

August 28, 2009

Document Processing Desk (NOTIF)
Office of Pesticide programs (7504P)
Mr. Jim Tompkins, PM25
U. S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

SUBJECT:

Notifications for Commercial Labels:

LESCO PRE-M 0.75% Plus Fertilizer, EPA Reg. No. 10404-102 LESCO PRE-M 0.86% Plus Fertilizer, EPA Reg. No. 10404-100 LESCO PRE-M 1.00% Plus Fertilizer, EPA Reg. No. 10404-101 LESCO PRE-M 1.31% Plus Fertilizer, EPA Reg. No. 10404-82 LESCO PRE-M 1.50% Plus Fertilizer, EPA Reg. No. 10404-98

Dear Mr. Tompkins:

Enclosed please find Notifications for your review and acceptance to address the following:

• Storage & Disposal Statement – updated to bring into compliance with PRN 2007-4, 'Standards for Pesticide Containers and Containment' dated 10/29/07 and revised 4/29/08

In addition, we have taken this opportunity to ensure our updated Warranty and Disclaimer Statement is in compliance with Agency 'Guidance on Warranty Statements' dated 10/17/06.

The following documentation is provided in support of the above:

- 8570-1 for each registration
- One (1) highlighted label copy for each registration noting the above actions
- Five (5) clean label copies for each registration for Agency files

Thank you for your assistance in this matter. If you should have any questions, or require additional information, please feel free to contact me at sspencer@johndeerelandscapes.com or at 216.706.9250; ext 2343.

Sincerely,

Susan E. Spencer

Regulatory Specialist

enclosures

Corporate Office:

1301 East Ninth Street, Suite 1300 • Cleveland, Ohio • 44114-1849

PRE-M°0/75% Plus Fertilizer

Not for use on turf being grown for sale or for other commercial use as sod, or for commercial seed production, or for research purposes.

For control of specified weeds in or on residential lawns, corporate lawns, parks, recreational areas, golf courses, cemeteries, and

- Preemergent control of crabgrass, goosegrass, foxtail, chickweed, oxalis, spurge, knotweed, and Poa annua.
- Provides quick green-up from soluble nitrogen.
- · Prevents annual grassy and broadleaf weeds. Contains LESCO® Poly Plus® Sulfur Coated Urea to provide uniform and the contains LESCO® Poly Plus® Sulfur Coated Urea to provide uniform and the contains the co

with extended nitrogen feeding. Active Ingredient: Pendimethalin, N-(1-ethylpropyl)-3,4-dimethyl-2,6-	OCT	- 2 2009
dinitrobenzenamine*		0.75%
Other Ingredients:		
Total		
*Licensed under one or more of the following U.S. Patents: 3,920,742; 4,		



CUADANTEED ANALYSIS
GUARANTEED ANALYSIS
TOTAL NITROGEN (N)XX.XXX
XX.XX% Ammoniacal Nitrogen (N)
XX.XX% Urea Nitrogen (N)*
XX.XX% Water Insoluble Nitrogen (N)
XX.XX% Water Soluble Controlled Release Nitrogen (N)
AVAILABLE PHOSPHATE (P2O5)XX.XXX
SOLUBLE POTASH (K2O)XX.XXXX
MAGNESIUM (Mg) TotalXX.XX%
XX.XX% Water Soluble Magnesium (Mg)
SULFUR (S) TotalXX.XXX
XX.XX% Free Sulfur (S)
XX.XX% Combined Sulfur (S)
COPPER (Cu) TotalXX.XXX
XX.XX% Water Soluble Copper (Cu)
IRON (Fe) TotalXX.XXX%
XX.XX% Water Soluble Iron (Fe)
MANGANESE (Mn) TotalXXXXXX
XX.XX% Water Soluble Manganese (Mn)
ZINC (Zn) Total XX.XX%
XX.XX% Water Soluble Zinc (Zn)
DERIVED FROM:
CHLORINE (CI) Max. XX.XX%
*X.XX% Slowly available Urea Nitrogen from Polymer Coated Sulfur Coated
Urea

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes eye irritation. Harmful if absorbed through skin. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling. Avoid breathing dust.

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID					
If swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by the poison control center or doctor. Do not give anything by mouth to an unconscious person. 				
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. 				
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. 				

· Call a poison control center or doctor for treatment advice

If inhaled

- · Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
- · Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact Chem-Trec at 1-800-424-9300 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. DO NOT apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. DO NOT contaminate water by cleaning of equipment or disposal of equipment washwaters or rinsate

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear: long-sleeved shirt and long pants, chemical resistant gloves made of any waterproof materials, such as butyl rubber > 14 mils, nitrile rubber >14 mils, or neoprene rubber > 14 mils, shoes plus socks. Follow manufacturers' instructions for changing/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. Remove contaminated clothing and wash separately before reuse

DIRECTIONS FOR USE

- . It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at time of pesticide application.
- Observe all cautions and limitations in this leaflet and on the labels of products used in combination with this product. Do not use this product other than in accordance with the instructions set forth on this label. The use of this product not consistent with this label can result in injury to turf, animals, or persons. Keep container closed to avoid spills and contamination.
- DO NOT apply this product through any type of irrigation system.
- Do not enter or allow others to enter the treated area until dusts have settled.
- Do not apply this product in a way that will contact any person or pets, either directly or by drift.
- Do not allow dust to drift from the application site and contact people, structures people occupy at the time and the associated property, parks and recreation areas, nontarget crops, aquatic and wetland areas, woodlands, pastures, rangelands, or

GENERAL INFORMATION

This product is a combination pre-emergent herbicide and fertilizer formulated to provide control of most annual grasses and certain broadleaf weeds found in turfgrass. This product is labeled for use on the following turfgrass species: Kentucky Bluegrass, Perennial Ryegrass, Fine Fescue, Tall Fescue, Bentgrass, Poa annua (except putting greens and tees), Bermudagrass, St. Augustinegrass, Bahiagrass, Centipedegrass, and Zoysiagrass.

This product controls weeds as they germinate but will not control established weeds. Unusually cold, excessively wet, or hot and dry conditions that delay germination or extend germination over a long period of time can reduce weed control.

Applied according to label directions and under normal growing conditions, this product will not cause turf injury. Over-application can result in turf stand loss, turf injury, or soil residues. Uneven application can decrease weed control or cause turf injury.

Seedling diseases, cold weather, excessive moisture, high soil pH, high soil salt concentration, or drought can weaken turfgrass and increase the possibility of turf damage from this product.

APPLICATION

Apply product uniformly at the recommended rate using a properly calibrated spreader (see table below for approximate settings). The efficacy of this product will be improved if the application is followed by one-half inch of rainful, or its equivalent in sprinkler irrigation. This will remove the product from the turfgrass foliage and establish a pre-emergent herbicide barrier in the soil. Avoid contact of product with porous surfaces such as driveways, stone, or wood. Removing particles will help prevent staining.

PRE-M_0.75% Plus Fertilizer

der, and operator ated prior to each

ation by the operator.			
STORA	GE AND	DISPOSAL	

Do not contaminate water, food, or feed by storage and disposal. PESCITICE STORAGE: Store this product only in its original container in a dry,

cool, secured storage area. Do not contaminate water, foodstuffs, feed or seed

PESTICIDE DISPOSAL: Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, State or local procedures. Or call [1-800-CLEANUP] for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL: Do not reuse bag. Dispose of emptied bag(s) in sanitary landfill approved for pesticide disposal, or by incineration. Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling if available or dispose of empty bag in a sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

SPILL: In case of spill, sweep up material and dispose of material according to "pesticide disposal" directions listed above

PRECAUTIONS

Use only on well-established turfgrass with a dense and uniform stand. On newly planted areas, application should not be made until the turfgrass has filled in and has been mowed at least four times.

On turf that has been thinned or damaged due to winter injury, excessive moisture, etc., allow for turf recovery prior to making an application.

Applications made to overseeded warm-season turfgrasses may cause thinning or injury of the overseeded species.

Do not use on Bentgrass or Poa annua (greens and tees) or injury may occur.

Delay reseeding or winter overseeding treated turfgrass for at least 2 months following application. Do not sprig turfgrass for 3 months after application.

CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully and completely. It is impossible to eliminate all risks inherently associated with the use of this product. To the extent consistent with applicable law, Buyer and/or User assume all risks of ineffectiveness or other unintended consequences or damages that may result from conditions outside or beyond the control of LESCO, Inc. including but not limited to, such factors as manner of use or application, weather or weather conditions outside the range considered normal at the application site or for the time period in which the product is applied, the, presence of other materials, incompatible products, or other influencing factors which are beyond the control of LESCO, Inc.. To the extent consistent with applicable law, all such risks shall be assumed by Buyer and/or User, and Buyer and/or User agrees to hold LESCO, Inc. harmless for any claims relating to such factors.

LESCO, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with the Directions for Use under normal use conditions. To the extent consistent with applicable law, accordance with the Directions for Use under normal use conducts. To the extent or insteal with reprinciple law, this warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not neasonably foreseeable to or beyond the control of LESCO, Inc. and Buyer and/or User assume the risk of any such use. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, LESCO, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE BUYER AND/OR USER AND THE EXCLUSIVE LIABILITY OF LESCO, INC. FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF LESCO, INC. REPLACEMENT OF THE PRODUCT, OR IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL LESCO, Inc., BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES.

LESCO, Inc. offers this product, and Buyer and/or User accepts it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of LESCO, Inc.

Information concerning the raw materials composing this product can be obtained by writing to: LESCO, Inc., Attn. RA Dept., 1301 East 9th Street, Suite 1300, Cleveland, Ohio 44114-1849, referring to the item number found on this bag.

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-a1.com.

Poly Plus is comprised of Polymer Coated Sulfur Coated Urea.

LESCO, Pre-M and Poly Plus are registered trademarks and the sweeping design is a trademark of LESCO Technologies, LLC. SCOTTS is a registered trademark of The SCOTT Company. Cyclone and Spyker are registered trademarks of Spyker Spreaders, LLC. Lely is a registered trademark of C. Van Der Leiv N.V.

G:\REGUL\WP\Regul Private\MstrLbi_ERIEVIEW ADDRESS\New EPA>/ipproved\PRE-M 0.75%

(113004)	Re	ev. 11/13/07- D	₿ 8/2	26/09	VT (000
Net Weight: 3	(X lb	(XX kg)	۵.	000	١.٥	0000
			ö	a	ö	

000000 00000 6 6 00000

0000 0 0 0 6

	$\mathcal{F}^{r_{i}}$	— `	-		
IMPORTANT: Spreader settings at speed can cause wide variation in	(approxima	te. Age,	condition	of spread
application by the operator.	applic	allon rate.	Spieau	ei siloula	De Calibra
	_				

•	F	ZIT-IAI). I J /0
APPLICAT	ION RATES: RAT		HART
Turfgrass Species	Weeds	Rates of PRE-M 0.75% Plus Fertilizer	Comments:
NORTHERN GRASSES Kentucky Bluegrass Perennial Ryegrass Fine Fescue Tall Fescue	crabgrass foxtail Poa annua barnyardgrass fall panicum oxalis prostrate spurge purslane knotweed evening primrose hop clover	4.6 to 6.1 lb/1,000 sq ft (200 – 267 lb/acre) as the initial application prior to weed germination in the spring.	Apply a repeat application of 3.1 to 4.6 lb/1,000 sq ft (135 – 200 lb/acre) after a minimum of 4 weeks for extended control or where heavy weed infestations are expected.
	goosegrass	4.6 to 6.1 lb/1,000 sq ft (200 – 267 lb/acre) in the spring prior to weed germination.	Apply a repeat application of 4.6 lb/1,000 sq ft (200 lb/acre)
	cudweed Poa annua chickweed lawn burweed henbit corn speedwell	4.6 to 6.1 lb/1,000 sq ft (200 – 267 lb/acre)	Apply in late summer or early fall prior to weed germination.
Bentgrass and established <i>Poa annua*</i> (1/2 inch height or taller)	crabgrass foxtail Poa annua barnyardgrass fail panicum oxalis prostrate spurge purslane knotweed evening primrose hop clover	4.6 lb/1,000 sq ft (200 lb/acre) in the spring prior to weed germination.	Apply a repeat application of 3.1 to 4.6 lb/1,000 sq ft (135 – 200 lb/acre) after a minimum of 4 weeks for extended control or where heavy weed infestations are expected.
	goosegrass	4.6 lb/1,000 sq ft (200 lb/acre) prior to weed germination in the spring.	Apply a repeat application of 4.6 lb/1,000 sq ft (200 lb/acre) after a minimum of 4 weeks.
	cudweed Poa annua chickweed lawn burweed henbit corn speedwell	4.6 lb/1,000 sq ft (200 lb/acre)	Apply in late summer or early fall prior to weed germination.
SOUTHERN GRASSES Bermudagrass** St. Augustinegrass Bahiagrass Zoysiagrass Centipedegrass Tall Fescue	crabgrass foxtail Poa annua barnyardgrass fall panicum oxalis prostrate spurge purslane knotweed evening primrose hop clover	4.6 to 6.1 lb/1,000 sq ft (200 – 267 lb/acre) prior to weed germination in the spring.	Apply a repeat application of 3.1 to 4.6 lb/1,000 sq ft (135 – 200 lb/acre) after a minimum of 4 weeks if necessary.

corn speedwell *Not for use on greens or tees.

** Rates do not apply to Bermudagrass greens and tees.

cudweed

Poa annua

chickweed

henbit

lawn burweed

goosegrass

DO NOT apply more than 6.1 lb of this product per 1,000 sq ft per application, and no more than 18.3 lb of this product per 1,000 sq ft per year.

4.6 to 6.1 lb/1,000 sq ft

(200 - 267 lb/acre) prior

to weed germination in

4.6 to 6.1 lb/1,000 sq ft

(200 - 267 lb/acre) after

a minimum of 4 weeks.

4.6 to 6.1 lb/1,000 sq ft

(200 - 267 lb/acre)

the spring. Apply a repeat application of

extended

application of 4.6

lb/1,000 sq ft (200

goosegrass control

a minimum of 4 weeks after the second application

Apply in late

germination.

summer or early

fall prior to weed

lb/acre) may be applied for

The efficacy of this product will be improved if the application is followed by one-half inch of rainfall or its equivalent in sprinkler irrigation. If this product is not activated by rainfall or irrigation within 14 days, erratic weed control may result.

SUGGESTED SPREADER SETTINGS

Recommended R	ates in lb per 1	,000 sq ft	
Spreader	3.1 lb	, 4.6 lb	6.1 lb
LESCO Rotary Calibration Gauge	#XX	#XX	#XX
Cyclone® or Spyker®	XX .	XX	XX
SCOTTS® R8-A	XX	XX	XX
Lely®	XX II	XX II	XX II

EPA REG. NO. 10404-102

EPA EST. NO. 82757-FL-001 (S), 82757-OH-001 (M)

First letter of lot code indicates manufacturing site.



F1560 Distributed by: LESCO, Inc. 1301 East 9th Street Cleveland, OH 44114-1849