

NOV 7 1986

IDACON, Inc.
10611 Harwin Drive, Suite 400
Houston, TX 77036

Attention: Mr. Mitchell Martin

Gentlemen:

Subject: Penta 5 Sure-Treat Wood Preserver
EPA Registration No. 10413-1
Dura Treet 40 Wood Preserver
EPA Registration No. 10413-2
Idacon Brand Wood-Treat Technical Penta
EPA Registration No. 10413-3
Idacon Brand Prill-Tox Technical Penta
EPA Registration No. 10413-4
Penta 7 Sure-Treat Wood Protector
EPA Registration No. 10413-10
Penta 9 Ready To Use Sure-Treat Wood Protector
EPA Registration No. 10413-11
Dura-Treet 11
EPA Registration No. 10413-12
Penta 11 Sure-Treat Wood Protector Wood Preserver
EPA Registration No. 10413-15
Penta 10 Sure-Treat Wood Protector Wood Preserver
EPA Registration No. 10413-16
Penta 8 Sure-Treat Wood Protector Wood Preserver
EPA Registration No. 10413-17
Penta 6 Sure-Treat Wood Preserver Wood Protector
EPA Registration No. 10413-18
Dura Treet II 7% Ready To Use Wood Preserver
EPA Registration No. 10413-19
Dura Treet II 5% Ready To Use Wood Preserver
EPA Registration No. 10413-20

88599; Mack: J-10; KENCO: 11/5/86; 11/17/86; dej: Vo

SYMBOL ▶								
SURNAME ▶								
DATE ▶								

2 SEP -3 1986

The labeling referred to above, submitted/in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

Lois A. Rossi
Acting Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (TS-767C)

Enclosure

4/26/6

PRECAUTIONARY STATEMENTS:

DANGER

CONTAINS PETROLEUM DISTILLATES

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: MAY BE FATAL IF SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. CAUSES DELAYED CHEMICAL BURNS. DO NOT TAKE INTERNALLY. AVOID BREATHING VAPORS, SPRAY MIST, OR DUST. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER SKIN CONTACT, AND BEFORE EATING, DRINKING, USE OF TOBACCO PRODUCTS, OR USING RESTROOMS.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: CALL A PHYSICIAN OR POISON CONTROL CENTER. DO NOT INDUCE VOMITING.

IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER. GET MEDICAL ATTENTION.

IF INHALED: REMOVE VICTIM TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION OR OXYGEN IF NEEDED. GET MEDICAL ATTENTION.

IF IN EYES: FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. GET MEDICAL ATTENTION.

REFER TO ADDITIONAL PRECAUTIONARY INFORMATION ELSEWHERE ON THE LABEL UNDER THE HEADING "PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS".

NOTE TO PHYSICIAN: THIS PRODUCT IS A METABOLIC STIMULANT. CAUSES HYPERTHERMIA. TREAT SYMPTOMATICALLY.

APPLICATORS MUST WEAR GLOVES IMPERVIOUS TO THE WOOD TREATMENT FORMULATIONS (e.g., POLYVINYL ACETATE (PVA), POLYVINYL CHLORIDE (PVC), OR NEOPRENE). IN ALL SITUATIONS WHERE DERMAL CONTACT IS EXPECTED (e.g., DURING THE ACTUAL APPLICATION PROCESS AND WHEN HANDLING FRESHLY TREATED WOOD).

APPLICATORS MUST WEAR LONG SLEEVED SHIRTS, LONG PANTS, AND A IMPERMEABLE APRON DURING THE APPLICATION AND MIXING PROCESSES AND ALL SITUATIONS WHERE DERMAL CONTACT IS EXPECTED.

WORK CLOTHING MUST BE CHANGED WHEN IT SHOWS SIGNS OF CONTAMINATION. LAUNDRY WORK CLOTHING SEPARATELY FROM OTHER HOUSEHOLD CLOTHING. DISPOSE OF WORN-OUT WORK CLOTHING AND WORKSHOES OR BOOTS IN ANY GENERAL LANDFILL, IN THE TRASH, OR IN ANY OTHER MANNER APPROVED FOR PESTICIDE DISPOSAL.

APPLICATORS MUST NOT EAT, DRINK, OR USE TOBACCO PRODUCTS DURING THOSE PARTS OF THE APPLICATION PROCESS THAT MAY EXPOSE THEM TO THE WOOD TREATMENT FORMULATION.

INDIVIDUALS WHO MANUALLY OPEN CYLINDER DOORS MUST WEAR GLOVES AND A RESPIRATOR.

INDIVIDUALS WHO ENTER PRESSURE TREATMENT CYLINDERS AND OTHER RELATED EQUIPMENT THAT IS CONTAMINATED WITH WOOD TREATMENT FORMULATION (e.g., CYLINDERS THAT ARE IN OPERATION OR ARE NOT FREE OF THE TREATMENT SOLUTION) MUST WEAR PROTECTIVE CLOTHING (INCLUDING OVERALLS, JACKETS, GLOVES, AND BOOTS) IMPERVIOUS TO THE WOOD TREATMENT FORMULATION, AND A RESPIRATOR.

NOTE TO USER: AS USED ON THIS LABEL, THE TERM "RESPIRATORS" MEANS PROPERLY FITTED, WELL MAINTAINED, HALF-MASK CANISTER OR CARTRIDGE RESPIRATORS WHICH ARE MSHA/NIOSH APPROVED FOR POLYNUCLEAR AROMATICS AND ORGANIC VAPORS. EXAMPLES OF ACCEPTABLE MATERIALS FOR PROTECTIVE CLOTHING (e.g., GLOVES, OVERALLS, JACKETS, AND BOOTS) REQUIRED DURING APPLICATION AND HANDLING OF PENTACHLOROPHENOL ARE POLYVINYL ACETATE (PVA), POLYVINYL CHLORIDE (PVC), NEOPRENE, NBR (BUNA-N), AND NITRILE. IN ADDITION, PLASTIC COATED DISPOSABLE COVERALLS IMPERVIOUS TO THE LIQUID OR ANY DUST WHICH MIGHT OCCUR IS ACCEPTABLE

THE U.S. EPA HAS DETERMINED THAT PENTACHLOROPHENOL CAN PRODUCE DEFECTS IN THE OFFSPRING OF LABORATORY ANIMALS. EXPOSURE TO PENTACHLOROPHENOL DURING PREGNANCY SHOULD BE AVOIDED.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS

COMBUSTIBLE. DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME. IN CASE OF FIRE, USE WATER SPRAY, FOAM, CO2, OR DRY CHEMICAL. PLANTS OR SHRUBS SHOULD BE REMOVED WITHIN 3 FEET OF TREATMENT OR PROTECTED WITH TAR PAPER. TREATED SAW DUST AND OTHER WOOD WASTE SHOULD NOT COME IN CONTACT WITH DOMESTIC ANIMALS OR BE USED SO THEY MAY COME IN CONTACT WITH USEFUL LIVING PLANTS.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its label.

This product is intended for exterior use and above ground use.

This product is for use only by certified applicators or by persons under their supervision and only for those uses covered by the certified applicators' certification.

This product is not intended for home and farm use.

COMMERCIAL TREATMENT

The solution is ready to use. To protect dry and/or seasoned lumber, timbers, posts, poles and other wooden members before construction or before placing in contact with the soil, the wood should be treated in a commercial vessel capable of physically (by pressure, temperature or time) impregnating the wood and providing adequate penetration and retention. If temperature or time is used as the treating parameter, treat for 12 to 48 hours or until effective retention and penetration is achieved.

All wooden members should be free of bark before receiving treatment.

6066

STORAGE AND DISPOSAL

STORAGE INSTRUCTIONS

Storage Instructions: Avoid temperature extremes. Avoid Freezing, avoid temperature above 150°F. Do not contaminate with other materials.

Wear Gloves, goggles and protective clothing when handling.

Containment areas are required. If a leak occurs pump material into an undamaged container. Observe all safety precautions.

Do not mix with other pesticides or preservatives.

PROHIBITIONS

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of federal law. If these wastes can not be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Triple rinse or equivalent and offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other approved State and Local procedures.

GENERAL

Consult Federal, State or Local Authorities for approved alternative procedures.

Notice:

Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals and condition of application equipment will vary, seller makes no claims other than those stated on this label.