

AGWAY

ZINEB-MALATHION-SEVIN* 13-4-5D

TOBACCO DUST

FUNGICIDE-INSECTICIDE

ACCEPTED
JUN 31 1988
8590-489

ACTIVE INGREDIENTS	
***Zineb	13%
**Malathion	4%
Carbaryl (1 Naphthyl N methylcarbamate)	5%
INERT INGREDIENTS	78%
TOTAL	100%

***Zinc ethylene bisdithiocarbamate
Zinc expressed as metallic 3.85%
**O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate
*Trademark of Union Carbide Corporation for the active ingredient
1 Naphthyl N Methylcarbamate

KEEP OUT OF REACH OF CHILDREN
CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if inhaled or swallowed. Avoid breathing of dust. Do not take internally. Skin contact may be harmful. Avoid contact with skin. Wash hands and face before eating. Take shower or bath after work. Wear regular long sleeve work clothing. Change to clean clothing daily.

NOTE TO PHYSICIAN: Carbaryl is a moderate reversible, cholinesterase inhibitor. Malathion may cause cholinesterase inhibition. Atropine is antidotal.

Wear protective clothing (long pants, long sleeve shirt, gloves, hat and boots) during mixing and loading.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

PHYSICAL & CHEMICAL HAZARDS

Some phototoxicity may occur on tender foliage in the presence of rain or high humidity of several days duration following dusting.

DIRECTIONS FOR USE: It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, state or local procedures.

CONTAINER DISPOSAL: Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment, then dispose of bag in a sanitary landfill or by incineration if allowed by state and local authorities.

TOBACCO: Blue Mold, Aphids, Flea Beetles

HORNWORMS — PLANT BED: For each 100 sq. yards of plant bed, apply 2 to 3 pounds of dust depending upon size of plants. Start applications when insects or disease first appear in the vicinity. Apply at 3 to 4 day intervals until transplanting time.

FIELD: Use 15 to 25 pounds of dust per acre. Good coverage is essential. Repeat as needed.

If late applications are necessary, treat immediately after pruning rather than before pruning. Do not apply within 7 days of harvest.


Avoid excessive applications.

DISCLAIMER: Buyer assumes all risks of use, storage or handling not in strict accordance with directions given herewith.

NOTE: This pesticide is to be sold ONLY in this original unbroken package.

EPA Reg. No. 8590-489

EPA Est. No. 8590 PA 1

 **AGWAY INC — CHEMICAL DIVISION**
PO BOX 4933
SYRACUSE, NY 13221

NET CONTENTS 50 LBS.

A 7 83

BEST DOCUMENT AVAILABLE