3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Fefer to the A-79 unclosure for a further

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for

Product Panager (32) Disinfectants Pranch

Registration Division (TG-767)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

1 1983

sliptert at the product constitutes acceptance of these conditions.

A starred copy of the label is enclosed for your records.

description of final printed labeling.

Enclosers

EPA Form 8570-6 (Rev. 5-76)

ATTACHMENT IS APPLICABLE

ATTACHMENT TO THE REGISTRATION NOTICE

NAME OF PRODUCT:	Chlor-San 16	
BPA Registration	No. 10428-16 Date	APR 11983

This registration is being issued with the understanding that the derivative of cyanuric acid which is contained in this product is under scrutiny for potential adverse effects to humans. There may be some regulatory actions directed against all registered products containing this chemical as an active ingredient at some time in the future.



CHLOR-SAN 16

Wash Sanitizer

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Danger

Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into takes, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance contact your regional office of EPA.

PHYSICAL AND CHEMICAL HAZARDS

Strong oxidizing agent. Mix only with water. Use clean utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, generation of hazardous gases and possible generation of fire explosion. In case of contamination or decomposition do not reseal container. If possible isolate container in open air or well-ventilated area. Flood with large volume of water if necessary.

Active Ingredient	
Sodium Dichloro-s-triazinetrione	
Dihydrate	%
Inert Ingredients	
Provides 15.8% available chlorine	

DANGER

Practical Treatment FIRST AID

If swallowed: Feed bread soaked in milk followed by olive oil or cooking oil. Call a physician immediately. If on skin: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists get medical attention.

If in eyes: Flush with cold water for at least 15 minutes. Get medical attention.

SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL

EPA Reg. No. 10428-EPA Est. No. 10428-WA-1

ACCEPTED with COMMENTS in EPA Letter Dated: 10428-16

Under the Fed. of Insecticide, Fungicide, and Joaconicide Act as amonded, for the particide regimental under EPA Reg. No.

NET CONTENTS

BATCH_

くれたのとう名の 16 Wash Sanitizer is recommended for use in either immersion or spray machines to sanitize and clean eggs prior to sale. CHOR-5名の 16 Wash Sanitizer is also recommended for use in sanitizing dishes, glasses, food processing equipment and utensils including dairy and brewery equipment and utensils.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For egg wash: Dissolve one or two ounces of CHLOQ-SAN 16 Wash Sanitizer in ten gallons of warm (125°F) water. This provides 100 or 200 ppm of available chlorine respectively. For immersion treatment dip a basket of eggs in the 200 ppm available chlorine solution, hold for two or three minutes, remove and dry. With a conveyor type machine, spray with the 100 ppm available chlorine solution and allow eggs to drain and dry. Eggs may be rinsed with potable water if desired.

For dishes, glasses, food processing equipment and utensils: Dissolve one or two ounces of CHLOGAN 16.

Wash Sanitizer per ten gallons of warm (125° F) water. This provides 100 to 200 ppm of available chlorine respectively. Clean and rinse items prior to sanitizing. Then dip the items to be sanitized in solution and hold for two or three minutes. Remove, and let of the items of the same solution may be used in the feed tank for immersion or spray-type machines providing two to five minutes contact time for sanitizing dishes, glasses and food processing equipment and utensils.

Remove, and let dry. The items are then ready for use.

The sanitizing solutions should be used promptly after mixing. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional CHLOR-SANIG Wash Sanitizer should be added to maintain a minimum concentration of 100 ppm available chlorine.

STORAGE AND DISPOSAL

Keep product dry in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. In case of a decomposition isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area or bury in a safe place.

WESMAR CO., INC. - 1451 - N.W. 46th - SEATTLE, WASH. 98107 - Phone 783-5344