9 FEB 1987

Wesmar Company, Inc. 1451 NW. 46th Street Seattle, WA 98107

Attention: Doug Newman

Gentlemen:

Subject: CHLOR-SAN 16

EPA Registration No. 10428-16

Your Amendment Dated October 20, 1986

The amendment referred to above, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you:

- Submit/cite all data required for registration/reregistration
 of your product under FIFRA section 3(c)(5) when the Agency
 requires all registrants of similar products to submit such
 data.
- 2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
 - a. Remove ". . . or bury in safe place" under Pesticide Disposal instructions.
 - b. Insert proper ounces of CHLOR-SAN 16 in order to get 100 ppm concentration.
- 3. Submit two (2) copies of your final printed labeling before you release the product for shipment.

93668: Pringle: P-1: KBNCO: 1/28/87: 2/6/87: bjp: VO

CONCUMRENCES

SYMBOL | 1-30

DATE | 1-30

EPA Form 1320-1 (4-81)

OFFICIAL FILE COPY

4. Submit a revised Confidential Statement of Formula (see enclosed sample).

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

Jeff Kempter

Product Manager (32)

Disinfectants Branch

Registration Division (TS-767C)

Enclosures



CHLOR-SAN 16

Wash Sanitizer

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Danger

Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance contact your regional office of EPA.

PHYSICAL AND CHEMICAL HAZARDS

Strong oxidizing agent, Mix only with water. Use clean utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, generation of hazardous gases and possible generation of fire explosion. In case of contamination or decomposition do not reseal container. If possible isolate container in open air or well-ventilated area. Flood with large volume of water if necessary.

Active Ingredient Sodium Dichloro-s-triazinetrione Provides 15.8% available chlorine

KEEP OUT OF REACH OF CHILDREN DANGER

Practical Treatment FIRST AID

If swallowed: Feed bread soaked in milk followed by olive oil or cooking oil. Call a physician immediately. If on skin: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists get medical attention.

If in eyes: Flush with cold water for at least 15 minutes. Get medical attention.

SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL

EPA Reg. No. 10428-16 ****** EPA Est. No. 10428-WA-1

ACCEPTED. **发射性 3.00% 科学员**实 Briden to be a species

as a conded. Are the as quifte

CHLOR-SAN 16 Wash Sanitizer is recommended for - - y spray machines to senitize and clean eggs prior to sale. CHLGR-SAN 46 Wash Sanitizer is also recommended for use in sanklizing dishes, glasses, food processing equipment and utensils including dairy and brewery equipment and utensils.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. For egg wash: Dissolve one. ounce of CHLOR-SAN 16 Wash Sanitizer in ten gailons of warm (125°F) ppm of available water. This provides 100 chlorine

With a conveyor type machine, spray with the 100 ppm available chiorine solution and allow eggs to drain and dry.

For dishes, glasses, food processing equipment and utensils: Dissolve one ounce of CHLOR-SAN 16 Wash Sanitizer per ten gallons of warm (125°F) water. This provides 100 ppm of available sanitizing. Then dip the Items to be sanitized in solution and hold for two or three minutes. Remove and let dry. The same solution may be used in the feed tank for immersion or spray-type machines providing two to five minutes contact time for sanitizing dishes, glasses and food processing equipment and utensils. Remove, and let dry. The items are then ready for use. The sanitizing solutions should be used promptly after mixing. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional CHLOR-SAN 16 Wash Sanitizer should be added to maintain a concentration of 100 ppm available chlorine.

STORAGE AND DISPOSAL

Keep product dry in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. In case of a decomposition isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area or bury in a sale place.

BATCH