

U.S. ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (WH-567)
WASHINGTON, D.C. 20460

EPA REGISTRATION NO.

10428-17

DATE OF ISSUANCE

June 14, 1985

TERM OF ISSUANCE

NOTICE OF PESTICIDE: REGISTRATION
 REREGERISTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

Supersan

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Wesmar Company, Incorporated
1451 N. W. 46th Street
Seattle, WA. 98107

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(C) provided that you:

1. Submit one or more of the data required for registration/re-registration of your product under FIFRA section 3(c)(5) within the Agency to other registrants of similar products to submit such data.

2. Add the phrase "EPA Registration No. 10428-17" to your label before you release the product for shipment.

3. Submit five copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(a). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your reference.

for [Signature]
Product Manager #37

Insecticide Branch

Registration Division (WH-567)

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

BEST AVAILABLE COPY

Supersan

No-Rinse Acid Cleaner Sanitizer For Dairy, Food Processing and Farm Use
Removes Milkstone

Active Ingredients

Octyl decyl dimethyl ammonium chloride	2.2950%
Didecyl dimethyl ammonium chloride	1.1475%
Diocetyl dimethyl ammonium chloride	1.1475%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl- benzyl ammonium chlorides	3.1600%

Inert Ingredients

ACCEPTED
92-0500-01
in EPA 1000-1 Date: JUN 14 1985

KEEP OUT OF REACH OF CHILDREN

DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probably mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No.

10428-

EPA Establishment No.

10428-WA-4

Net Contents

Manufactured by:

Wesmar Co INC - 1451 NW 46th - Seattle WA 98107

For sale for use and storage by maintenance personnel only.

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Supersan is an acid cleaner sanitizer and dairy equipment in water up to 600 ppm. Rinse with water. For heavily soiled equipment, pre-rinse required. Prepare a fresh solution daily or when visibly dirty. For mechanical application, use for sanitizing applications.

Cleaning Bulk Milk Tanks, Dairy and Food Processing Equipment

Sanitizing To sanitize hard non-porous food contact surfaces, clean with water, then thoroughly, dilute 1 oz. of Supersan (1% active quaternary) and apply with a cloth or brush. Surfaces should remain wet for at least 60 seconds, then drain and air dry. Do not rinse with water.

Grade A Pasteurized Milk Ordinance

At 1 oz / 4 gallons, Supersan fulfills the Grade "A" Pasteurized Milk Ordinances 15.1.1. U.S. Public Health Services in waters up to 100 ppm. Supersan is a Detergent Sanitizer Method against escherichia coli.

The udders, flanks and teats of dairy cows should be cleaned with a solution of 1 oz. Supersan in 4 gallons of water. A potable water rinse is required. Use a fresh solution. Contamination of sanitizing solution by dirt or feed should be towel back into sanitizing solution. When soiled, discard and provide fresh solution.

**Precautionary Statements
Hazards To Humans and Domestic Animals**

DANGER

Keep out of the reach of children. Corrosive to skin and eyes. Do not get in eyes, on skin, or on clothing. Wear eye protection, face shield and rubber gloves when handling. Do not swallow.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Dumping is prohibited. Do not reuse empty container. Rinse empty container thoroughly with water and dispose in regular trash collection.

1451 N. W. 46th Street
Seattle, WA. 98107

BEST AVAILABLE COPY

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit one/or cite and data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Add the phrase "EPA Registration No. 10428-17" to your label before you release the product for shipment.

3. Submit five copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(c). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

[Handwritten Signature]

Assistant
Principal Manager #39
Insecticide Branch
Registration Division (98-107)

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

Supersan

No-Rinse Acid Cleaner Sanitizer For Dairy, Food Processing and Farm Use
Removes Milkstone

Active Ingredients

Octyl decyl dimethyl ammonium chloride	2.2950%
Didecyl dimethyl ammonium chloride	1.1475%
Diocetyl dimethyl ammonium chloride	1.1475%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethylbenzyl ammonium chlorides	3.0600%

Inert Ingredients

ACCEPTED
92 0500
in EPA 0000 Dated

KEEP OUT OF REACH OF CHILDREN JUN 14 1985

DANGER

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately

NOTE TO PHYSICIAN: Probably mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No.

10428-

EPA Establishment No.

10428-WA-4

Net Contents

Manufactured by:

Wesmar Co Inc. 1151 NW 46th Seattle, WA 98107

For sale for use and storage by maintenance personnel only.

Directions for Use

It is a violation of Federal Law to use inconsistent with its labeling.

Supersan is an acid cleaner sanitizer and dairy equipment in water up to 600 ppm and rinse with water. For heavily soiled equipment required. Prepare a fresh solution daily or visibly dirty. For mechanical application, use for sanitizing applications.

Cleaning Bulk Milk Tanks, Dairy and Food

Sanitizing — To sanitize hard non-porous milk tanks and milking equipment, clean with thoroughly, dilute 1 oz. of Supersan (active quaternary) and apply with a cloth device (spray surface until thoroughly wet) surfaces should remain wet for at least 60 s draining and air drying. Do not rinse with

Grade A Pasteurized Milk Ordinance

At 1 oz./4 gallons Supersan fulfills the Grade "A" Pasteurized Milk Ordinance 19 U.S. Public Health Services in waters calculated as CaCO₃ when evaluated by Detergent Sanitizer Method against escherichia aureus.

The udders, flanks and teats of dairy cows with a solution of 1 oz. Supersan in potable water rinse is required. Use a fresh contamination of sanitizing solution by d towel back into sanitizing solution. When s discard and provide fresh solution.

Precautionary Statement
Hazards To Humans and D

DANGER

Keep out of the reach of children. Corrosive skin irritation. Do not get in eyes, on skin, or face shield and rubber gloves when handling swallowed.

STORAGE AND DIS

Do not contaminate water, food or feed by dumping is prohibited. Do not reuse empty. Rinse empty container thoroughly with water in regular trash collection