

**SUPER MOL FLY CONTROL MINERAL MIX  
(Contains RABON Oral Larvicide)**

To prevent the development of Horn Flies, Face Flies, House Flies, and Stable Flies in the manure of treated cattle.

**ACTIVE INGREDIENT**

2-chloro-1-(2,4,5-trichlorophenyl) vinyl dimethyl phosphate

**BY WEIGHT**

.93%\*

**INERT INGREDIENTS**

99.07%\*\*

\* Each pound contains 4.2g RABON

\*\* Refers only to ingredients which are not larvicidal.

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See below for additional precautionary statements.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS  
CAUTION**

Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water for 15 minutes. If irritation persists, see a physician.


**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

**GUARANTEED ANALYSIS**

**PERCENT**

Phosphorus (P), not less than	10.00
Calcium (Ca), not less than	18.00
Calcium (Ca), not more than	22.00
Salt (NaCl), not less than	12.00
Salt (NaCl), not more than	15.00
Iron (Fe), not less than	.50
Iodine (I), not less than	.01
Copper (Cu), not less than	.15
Cobalt (Co), not less than	.02
Manganese (Mn), not less than	.05
Magnesium (Mg), not less than	.50
Zinc (Zn), not less than	.02
Fluorine (F), not more than	.10
Vitamin A, USP unit/lb.	25,000
Vitamin D3, USP units/lb.	7,500
Total Mineral Ingredients, not more than	95.00%



**FEED INGREDIENTS:** Defluorinated Phosphate, Dicalcium Phosphate, Calcium Carbonate, Salt, Dehydrated Cane Molasses, Manganous Oxide, Magnesium Oxide, Iron Carbonate, Iron Sulphate, Iron Oxide, Zinc Oxide, Copper Sulphate, Copper Oxide, Cobalt Carbonate, Ethylene Diamine Dihydriodide, Vitamin A Palmitate, D-Activated Animal Sterol (source of Vitamin D-3), Cane Molasses, Mineral Oil.

See reverse side for feeding directions

Manufactured By

50 lbs. Net Weight

EPA Reg. No. 10444-5

**Super-Mol Division**

**HUCO, INC.**

Tampa, Florida 33619

(OVER)

**DIRECTIONS FOR USE**  
**GENERAL CLASSIFICATION**

It is a violation of Federal law to use this product  
in a manner inconsistent with its labeling.

Feed Super Mol Fly Control Mineral Mix at the rate of one ounce per 350 pounds of body weight per head per day by mixing it into the ground grain or complete daily ration.

Start feeding Super Mol Fly Control Mineral Mix early in the spring before flies begin to appear and continue feeding throughout the summer into the fall until cold weather restricts fly activity.

Super Mol Fly Control Mineral Mix may be fed up to slaughter and to lactating dairy cows.

Super Mol Fly Control Mineral Mix prevents the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle but is not effective against existing adult flies. When starting a feeding program during the fly season, it is desirable to use other control measures to reduce the population of existing adult flies.

In some cases, supplemental fly control measures may be needed in and around cattle lots and buildings to control adult house flies and stable flies which can breed not only in cattle manure but in other decaying vegetable matter or silage on the premises.

In order to achieve optimum fly control, Super Mol Fly Control Mineral Mix should be used in conjunction with other good management and sanitation practices.

**STORAGE AND DISPOSAL**

Do not contaminate water or food by storage or disposal. Open dumping is prohibited. Dispose of in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

Manufactured By  
**Super-Mol Division**  
**HUCO, INC.**  
Tampa, Florida 33619

10444-5