PRECAUTIONARY STATEMENTS **HAZARDS TO HUMANS**

多多位的 医克里斯斯斯氏征

WARNING!.

HARMFUL IF SWALLOWED OR ABSORBED THROUGH THE SKIN.

CAUSES SKINJRRITATION AND EYE DAMAGE. DU NOT BREATHE VAPOR OR SPRAY MIST. KEEP AWAY FROM HEAT AND OPEN FLAME. KEEP CONTAINER CLOSED.

Doubt_net on skin, in eyes, or on clothing. Wear goggles of face shield and rubber gloves when handling. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT:

EYE: In case of contact, flush eyes immediately with water for at least 15 minutes and get medical attention.

SKIN: In case of contact, wash with soap and water. If irritation persists, call a physician. Wash contaminated clothing before reuse. INTERNAL: If swallowed, drink promptly a large quantity of milk, egg whites, delatin solution; or if these are not available, drink large quantities of water. Do not induce vomiting. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buver assumes all risk of use and/or handling of this material when such and/or handling is contrary to the label instruction.



Not Reviewed. Registrant claims to be in accordance Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

00-00 I3-DI1 **formerty 60155**

DIRECTIONS FOR USE

MICROBIOCIDE

FOR CONTROL OF BACTERIA, ALGAE, DIATOMS, MOLD AND SLIME GROWTHS IN RECIRCULATING INDUSTRIAL WATER SYSTEMS

KEEP OUT OF REACH OF CHILDREN WARNING!

EPA Registration No. 10445-6

☐ EPA Establishment No. 10445-NJ-01

☐ EPA Establishment No. 10445-TX-01

EPA Establishment No. 10445-CA-01

☐ EPA Establishment No. 10445-MO-01 ☐ EPA Establishment No. 10445-PA-01

Active Ingredients:

Dodecylguanidine Hydrochloride Bis(Tributyltin) oxide

Inert Ingredients:

85.90% 100.00%

10.78%

3.32%

Information concerning human and environmental exposure may be reviewed on the Material Safety Data Sheet for this product.

For additional information regarding incidents involving human and environmental exposure, call 412-777-8000 and ask for the Health and Environmental Affairs Department.

CALGON CORPORATION

CALGON CENTER • PITTSBURGH, PA. 15230

It is a violation of Federal Law to use this product in a manner inconsistent with

Begin treatment when the system is in jeopardy of becoming affected after cleaning systems whose efficiency is already impaired.

CONTINUOUS FEED METHOD

INITIAL DOSE: When the system is just noticeably fouled, apply 6.5 to 13.0 fluid ounces of H-212 per thousand gallons of makeup water (50-100 ppm).

SUBSEQUENT DOSE: Maintain this treatment level by starting continuous feed of 0.66 to 6.5 fluid ounces of H-212 per thousand gallons of water lost by blowdown (5-50 ppm). Badly fouled systems must be cleaned before treatment is begun.

INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When the system is noticeably fouled, apply 10.0 to 26.0 fluid ounces of H-212 per thousand gallons of water (77-200 ppm) in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 3.3 to 13.0 fluid ounces of H-212 per thousand gallons of water in the system weekly or as needed to maintain control (25-100 ppm). Badly fouled systems must be cleaned before treatment is begun.

METHOD OF FEDING: H-212 should be fed as received and not diluted with water or mixed with any other chemical feed solution. Product can form potentially explosive materials when mixed with strong oxidizing agents such as chlorine. Apply at a point in the system where the product will be uniformly mixed.

STORAGE AND DISPOSAL

STORE ABOVE 32°F Do not use or store near heat or open flame.

Prohibitions — Do not contaminate water, food or feed by storage or disposal. Pesticide Disposal — Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Plastic Containers — Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration or if allowed by State and local authorities, by burning. If burned, stay out of smoke. Tank Cleaning — Transport tanks and equipment should be thoroughly drained and flushed with water to properly remove all traces of product. Dispose of washings as indicated above under Pesticide Disposal. Liquid and solid residues are hazardous.