UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Reg # 10445-60

Stanley C. Oslosky Calgon Corporation P.O. Box 1346 Pittsburgh, PA 15230

APR 28 1994

Metasol T-10WB Subject:

EPA Registration No. 10445-60

Your Amendment Re-submission Dated October 28, 1992

Dear Mr. Oslosky:

This is in response to your label amendment, for adding uses in metalworking fluids, adhesives, and emulsions, re-submitted in response to the Agency letter dated June 12, 1992.

The amendment referred to above, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you:

- 1. Submit/cite all data or other material required for registration/ reregistration of your product under FIFRA section 3(c)(5) or FIFRA section 4 when the Agency requires all registrants of similar products to submit such data.
- 2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.


A stamped copy of the label is enclosed for your records.

Sincerely,

Ruth G. Douglas Product Manager 32

Antimicrobial Program Branch Registration Division (7505C)

Enclosure



EPA Form 1320-1A (1/90)

Printed on Recycled Paper

*U S. Government Printing Office: 1992 — 620-856/40872



A Water-Based Formulation to Inhibit and Control the Growth of Microorganisms in Pulp and Paper Mills

Active Ingredients: Methylene Bisthiocyanate 10.0% inert ingredients 90.0% Total 100.0% 8.8 Lbs. per Gallon

KEEP OUT OF REACH DE CHILDREN

PRACTICAL STATEMENTS OF TREATMENT:

EYES: In case of contact, flush with plenty of water for at least 15 minutes. Get medical attention immediately. SKIN: in case of contact, flush with plenty of soap and water. Get medical attention immediately.

INTERNAL: If swallowed, call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or, if available, by administering syrup of Ipecac. Do not induce vomiting or give anything by mouth to an unconscious person.

INHALATION: Immediately remove affected person from contaminated area to fresh air Immediately contact physkcian.

See Side Panel for Additional Precautionary Statements

DANGER

Net Weight _____

either prior to its addition letasol T-10WB should be sage at a rate of 0.5 to 5.0 luted fluid will usually be mine the exact dose is

at rates of 0.2 to 2.0 lbs. ight. Moderate agitation Adding Metasol T-10WB

d adding Metasol T-10WB

CALGON CORPORATION CALGON CENTER . PITTSBURGH, PA. 15230

... ...

ACCEPTED with GOMMENTS in EPA Letter Pated:

APR 28 894

Under the regeral insectacide, Panelside, and Rodentiside Act as amended, for the particide amended, for the Particide and Rodentiside and Reg. No.

10445-60

BEST AVAILA

DIREC

It is a violation of Fe manner inconsistent Desage - Add Meta water or stock system treated water (0.075 gallon of treated wa 0.001 tb./ton of finis Under conditions water, high levels of t ally severe levels of p tengi, dosages appn 10WB/1000 gallon of Method of Addition ed from the dram b directly to a location (in the mass of fiber a Inlet, broke cheats, f water tanks. The add tinuous or intermitte matic timer to facili

dosing. Under most feed of several hours

severe conditions of

NOTICE TO BUYER:

handling which are at

tions hereon. There a

yand the description

E.P.A. Regi

EPA Reg

EPA Reg

☐ EPA Reg

EPA Rec

EPA Re

For information reg

and environmental

request to speak to

mended.

PRECAUTIONARY STATEMENTS HAZARDS TO HUIFANS AND DOMESTIC ANIMALS

DANGER!

CAUSES EYE BURNS AND SKIN IRRITATION. HARMFUL OR FATAL IF SWALLOWED OR ABSORBED THROUGH SKIN.

Do not get in eyes, on skin, or on clothing.

Do not breathe vapors.

Use with adequate ventilation.

Wear goggles or face shield and rubber gloves when handing.

Wash thoroughly after handling.

immediately remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into takes. streams, ponds, or public waters unless in accordance with a NPDES permit. For guidance, contact your repional office of the EPA. Do not contaminate water by cleaning of container and equipment or disposal of wastes. Apply this product only as specified on this label.

STORAGE AND DISPOSAL

Keep container closed when not in use. Do not contaminate water, food, or feed by storage or disposal. Reseal empty container and offer for reconditioning or bury in a landfill approved for pesticide disposal.

DIRECTIONS FOR USE

Adhesives, Emulsions

Metasol T-10WB should be incorporated into the mixture at rates of 0.2 to 2.0 lbs. (2.9 to 29.5 oz.) per 1,000 lbs. of total formula weight. Moderate agitation should accompany the addition of Metasol T-10WB. Adding Metasol T-10WB after steps involving extremes of temperature of pH, and adding Metasol T-10WB with make-up water are good manufacturing practices.

Metal-Working Fluids

Should be added or metered into the final diluted fluid, either prior to its addition to the system, or after the system has been filled. Metasol T-10WB should be thoroughly mixed into the system to assure efficacy. Usage at a rate of 0.5 to 5.0 lbs. product (7.4 to 73.7 oz.) per 1,000 lbs. of diluted fluid will usually be affective. However, laboratory testing to determine the exact dose is ncommended

E ASUL T-111WR

A Water-Based Formulation to Inhibit and Control the Growth of Microorganisms in Pulp and Paper Mills

Active Ingredients: inert ingredients 90.0% Total 100.0%

8.6 Lbs. per Gallon

KEEP OUT OF REACH DE CHILDREN

PRACTICAL STATEMENTS OF TREATMENT:

EYES: In case of contact, Sush with plenty of water for at least 15 minutes. Get medical attention immediately. SIGH: In case of contact, flush with plenty of soap and water. Get medical attention immediately. INTERNAL: If swallowed, call a physician or Poison Con-

trol Center. Orink 1 or 2 glasses of water and induce varilting by touching back of throat with linger or, if available, by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an uncon-Scious person.

INHALATION: Immediately remove affected person from contaminated area to fresh air, Immediately contact phy-

sician.

DANGER

See Side Panel for Additional Precautionary Statements

BEST AVAILABLE COPY Net Weight _____

CALGON CORPORATION CALGON CENTER . PIŢŢSBURGH, PA. 15230 It is a viola manner ind

Destet -water or st treated wa gallon of t 0.001 tb.// Under c

water, high ally severe fungi, dos 10WB/100 Method of ed from t directly to in the mas inlet, brok water tank tinuous or. matic time dosing. U food of sev SAYERE CON mended.

MOTICE TO

handling w

tions hered

yond the d

For Inform and enviro request to

ACCEPTED with GOMMENTS in EPA Letter Poted:

APR 28 1894

Wader the regeral insectuade. Pundide, and Rodenticide Act 1 emended, for the pesticide egistered under EPA Reg. No.

10445-60