ACCEPTED

MAR 16 1995

Under the Federal Insentance. Tunginia, and Redestinda Act. as amended, for the pesticide EPA Reg. No. 10445-69

DIRECTIONS FOR USE It is a violation of Federal Law to use this product in a manner

CALGON PB-15L is recommended for the control of bacterial and funual slime in the production of paper. This product is approved by the Food and Drug Administration for use as a slimicide (21 CFR 176.300) and as an antimicrobial agent for fillers,

binders, pigment sturries, sizing solutions, and coating formula-

tions used in the manufacture of paper and paperboard that

Point of Addition: CALGON PB-15L should be added to a point in

the system to insure mixing such as the beater, hydropulper, or

POSAGE CALGON PB.15L is recommended for the control of

bacteria and tungi for water-based paper coating formulations

and additives used in the manufacture of paper and paperboard

such as fillers, binders, clay slurries, calcium carbonate slurres,

titarium dioxide slurries, pigment slurries, and sizing solutions. Add 0.43-1.65 lbs. of CALGON PB-15L 195-750 g) to each 1000

lbs. (453 kg) of fluid to provide 425-1675 ppm of product (6.25 to 25

ppm active isothiozolin). As a papermill slimicide, apply 0.44 to 1.5

ibs. (7-23 fl. oz.) of CALGON PB-15L per ton (dry basis) of pulp or

paper produced as a slug dose. If needed, repeat daily, Badly

fouled systems should be cleaned before initial treatment.

CALGON PB-15L weighs 8.4 lbs. per gallon.

inconsistent with its labeling.

contacts food. (21 CFR 176.170)

(an or broke storage pumps.



CALGON PB-15L

IF SWALLOWED: Do not induce vomiting. Drink promptly a large quantity of egg whites or gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately. Never give anything by mouth to an

IF WHALED: Remove immediately to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Call a physician.

IF IN EYES: Flush with plenty of water for at least 15 minutes. Call a physician.

MOTE TO PHYSICIAIL

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory

ACTIVE INGREDIENTS:

5-Chloro-2-methyl-4-isothiazolin-3-one 1.15% 2-Methyl-4-isothiszolin-3-one 0.35%

KEEP OUT OF REACH OF CHILDREN

DANGER:

See Side Panel For Additional Precautionary Statements.

NET WT: 40 LB. (18 KG.)

EPA Registration No. 10445-69 EPA Establis ment No. 10445-PA-01

□ EPA Establishment No. 10445-CA-01 EPA Establishment No. 10445-TX-01

CALGON CORPORATION

CALGON CENTER . PITTSBURGH, PA. 15230

PAPERMILL SLIMICIDE

STATEMENT OF PRACTICAL TREATMENT

unconscious person

IF ON SIGN: Wash thoroughly with soap and water. Remove and wash contaminated clothing before reuse.

depression and convilisions may be needed.

INERT INGREDIENTS: 98.50%

TOTAL . . 100.00%

IIIOTECE. Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with derections under normal conditions of use, but leading in their warranty of merchantability of fitness for a particular purpose, express or implied, extends to the use, storage or handling of this product in a manner other than as directed by label instructions or under action and conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use

Marte In U.S.A.

EEST COPY AVAILABLE



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER: CAUSES ALLERGIC SKIN REACTION HARMFUL IF INHALED.

ENVIRONMENTAL HAZARDS:

STORAGE AND DISPOSAL

WITHOUGH

PESTYCHE MEPOSAL:

Office for guidence.

CHIERAL.

CONTINUES DISPOSAL:

alternative procedures.

Environmental Affects Asperlment

Office of the EPA

CAUSES EYE DAMAGE AND SKIN BURNS.

MAY BE FATAL IF \$WALLOWED OR

ARSORBED THROUGH THE SKINL

Do not get in eyes, on skie, on clothing. Wear gaugites or face shield and rubber gloves when handling. Avoid breathing vapor or mist, Avoid contamination-of food. Do not take internally, Wash thorseptly after

This posticide is lessic to fish and wildlife. Do not discharge efficient containing

this product into lakes, streams, pends, estuaries, access or other waters

unless in accordance with the requirements of a Matienal Polistant Discharge

Elimination System (MPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge efficient containing this

product to sower systems without previously notifying the sousge treatment

This product is correcive to mild steel. Do not store or transport in

Picticide wastes are acutely legardous. Impreper disposal of access posticide or rimate is a violation of Federal Law, if these

wastes cannot be dispended by use according to labbl instructions, centact your State Posticide or Environmental Central Agency, or the Hazandess Waste representative at the negrot EPA Regional

METAL CONTAINERS. Triple rines (or equivalent). Then offer for recycling or reconditioning, or purchase and dispose of in a

sanitary landfill, or by other procedures approved by state and PLASTIC CONTAINERS: Triple ringe (or equivalent), Then offer for recycling or reconditioning, or paneture and dispose of in a

sanitary landfill, or incineration, or, if allowed by state and local

Cursuit faderal; state or local dispusal settlerities for approved

Information concerning human and environmental exposure may be

authorities, by burning, it trained, star and of smoke.

reviewed on the Muterial Safety Data Sheet for this product. For additional information majoriting incidents involving human and summonmental criposis a, Laff 412-777-8000 and sak for the Health and

sterage, disposal, or cleaning of equipment.

ed metal centainers. Do not contaminate food or find by

plant authority. For guidance, contact your State Water Beard or Regional