1. 1. 1.

Precautionary Statements

Hazards to Humans and Domestic Animals

CORROSIVE

Causes Eye Damage and Skin Irritation

Harmful if Swallowed

Do not get in eyes, on skin or on clothing.

Wear goggles or face shield and rubber gloves when handling.

Wash thoroughly after handling.

FIRST AID:

EYE: In case of contact, flush eyes immediately with water for at least 15 minutes and get medical attention.

SKIN: In case of contact, wash with soap and water. If irritation persists, call a physician. Wash contaminated clothing before reuse.

INTERNAL: If swallowed, call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or, if available by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person.

Environmental Hazards:

Do not discharge into lakes, streams, or public waters unless in accordance with an NPDES permit. For guidance, contact your Regional Office of the EPA.

Storage and Disposal:

Keep container closed when not in use. Do not reuse empty container. Reseal and offer for reconditioning or dispose of in an approved landfill.

NOTICE: Seller expressly warrants that the product conforms to its chemical description. There are no warranties associated with the sale of this product either express or implied, including but not limited to the warranties of fitness for a particular purpose or merchantability.

U.S. Patent No.: 3,833,731, 3,873,597, 3,877,922, 3,929,858

Made in U.S.A.

TEKTAMER

0.L.

Water Treatment Microbiocide for Oilfield Subsurface Water Injection Systems And Well Drilling Fluids

Active Ingredient KEEP OUT OF THE REACH OF CHILDREN ... PC 1,2-Dibromo-2,4-Dicyanobutane 10% DANGER! Inert Ingredient 90% E.P.A. Registration No. 10445-EPA Establishment No. 10445-TX-01
EPA Establishment No. 10445-MO-01
EPA Establishment No. 45359-CT-01 EPA Establishment No. 10445-PA-01 EPA Establishment No. 10445-NJ-01 EPA Establishment No. 10445-CA-01

> CALGON CORPORATION Calgon Center - Pittsburgh, PA. 15230

> > ACCEPTED with COMMENTS in EPA Letter Dated: 10445-71 7 . X 7 0 198**4**

Protection of rd Insecticide, Free and and Redenticide Act are projected, for the pesticide Wantered under EPA Reg. No.

It \$

For

inje

syste

are (

micro

cedui

stor4

tine

1740

to be

of fo

obtai

For D 44 2

oc 52 direc

trest:

ETGALI

epera

(105 |

METO.

العطاء

flatt

TEKTAMER 38

Water Treatment Microbiocide for Dilfield Subsurface Water Injection Systems And Well Drilling Fluids

ve Ingredient		KEEP OUT OF THE	REACH OF CHILDR
1,2-Dibromo-2,4-Dicyanob	outane 10%		
rt Ingredient	90%	1	DANGER!
E.P.A. EPA Establishment No. 10 EPA Establishment No. 10		A Establishment	No. 10445-TX-01 No. 10445-M0-01
EPA Establishment No. 10			No. 45359-CT-01

CALGON CORPORATION

Calgon Center · Pittsburgh, PA. 15230

ACCEPTED with COMMENTS in EPA Letter Dated: 10445-71

produced the enticide Act and the posticide regulator that the posticide r

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For Injection Systems

< /

To control sulfate-reducing bacteria in oilffeld 9ater injection systems and water transmission and gathering systems, use Tektamer 38 O.L. as directed. Best results are obtained when slug fed. Frequency of addition of a microbiocide depends on many factors. Follow this procedure to optimize your use of Tektamer 38 O.L.

Add Tektamer 38 O.L. as close to the water source EN as possible with a Calgon (or equivalent) metering pump at a point in the system prior to free water knockouts, storage tanks, or filters for maximum system residence

Slug feed 100 to 500 ppm Tektamer 38 O.L. (350 to 1740 pounds Tektamer 38 O.L. per 1,000 barrels of water to be treated). Slug additions should be for a minimum of four hours each day, more frequently if needed to obtain desired results.

For Dilling Fluids

Add 250 to 500 ppm Tektamer 38 O.L. (87 to 174 pounds or 52 to 103 mud cups per 100 barrels of drilling fluid) directly to the mud or the drilling fluid for start-up

Add Tektamer 38 O.L. to the chemical barrel and add treatment over one circulation period.

Maintain Tektamer 38 O.L. residual during drilling operation by adding 300 to 600 ppm Tektamer 38 O.L. (105 to 210 pounds or 62.5 to 125 mud cups per 100 barrels of new fluid) to new make-up fluid each tour.

Add Tektamer 38 O.L. maintenance treatment to the chemical barrel once each tour whenever new make-up fluid is added.

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (8.H-567) MASHINGTON (1.C. 2.4)	PA REGISTRATION NO.	DATE OF ISSUANCE		
	NAME OF PESTICIDE PRODUCT			
NOTICE OF PESTICIDE: THE GISTRATION	NAME OF PESTICIDE PRODUC	190		
(Under the Federal Insecticide Tumereide and Rodenticide Act, as an ended)		904		
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)	.— — 			
	٦			
BEST DOCUMENT ANAILABLE				
NOTE: Changes in labeling formula differing in substance for submitted to and accepted by the Registration Division prior product always refer to the above U.S. EPA registration numbers.	rom that accepted in conpection r to use of the label in commerc	with this registration must be e. In any correspondence on this		
On the basis of information furnished by the registrant, the the Federal Insecticide, Fungicide, and Rodenticide Act.	above named pesticide is hereb	y Registered/Reregistered under		
A copy of the labeling accepted in connection with this Re-	gistration/Reregistration is retu	urned herewith.		
Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.				
	, e	or atom.		
	•			
		and of Therman		
		The state of the s		
A = 0		· · · · · · · · · · · · · · · · · · ·		
•				
		. 3.		
	,			
ATTACHMENT IS APPLICABLE				
SIGNATURE OF APPROVING OFFICIAL	<u> </u>	LOATE		

THEY USEN TO MAY BE USEN WITH SUPPLY IS EXHAUSTED.

EPA Form 8570-6 (Rev. 5-76)

(7)

ATTACHMENT TO EPA RUGISTRATION NOTICE

EPA Registration No. 10445-71	Date Issued May 10, 1984
Company Name Calgon Corporation	
Product Name Tektamer 38 O.L.	

The following requirements or revisions apply to the label which was accepted with this registration notice:

- 1. The registration number which has been assigned to this product must appear on the label as EPA Registration No. 10445-71.
- 2. Refer to the enclosed "Status of Disclaimer Statements on Pesticide Labeling" dated November 16, 1966, and revise the proposed disclaimer statement accordingly. The revised statement subsitted with your application of Parch 23, 1984, for Tektamer 38, RPA Registration No. 10445-33, and Tektamer 38 A.D., EPA Registration No. 10445-56, is acceptable in this regard.
- 3. Revise "Causes Eye Damage and Skin Irritation" to "Causes Eye and Skin Damage."

The label which will be used for this product in channels of trade must reflect these revisionss.

Five copies of the finished labels, as defined in the A-79 enclosure, must be submitted to the Agency before the product is released for shipment to comply with PR Notice 82-2 of June 18, 1982.

The finished printed labels must comply with the general labeling requirements of Section 162.10 of Title 40 of the Code of rederal Regulations. Failure to do so may result in rejection of the labels.