

ACCEPTED

JUN 1966

1045371

HI SPEC #333

OIL BASE INSECTICIDE.
SYNERGIZED PYRETHRIN HOME AND INDUSTRIAL SPRAY

ACTIVE INGREDIENTS	100%
Pyrethrins075%
*Piperonyl butoxide, technical150%
N-octyl bicyclopheptene dicarboximide...	.250%
Petroleum distillate.....	99.525%

*Consist of 0.120% (butylcarbityl) (6-propylpiperonyl) ether and 0.030% related compounds

DIRECTIONS FOR USE

1. TO KILL FLIES, MOSQUITOES, GNATS, FLYING MOTHS, AND BEETLES in homes, institutions, food processing and industrial plants: Close room and discharge spray mist vigorously in all parts of room, using 2 or 3 ounces for each 100 cubic feet of space. Leave room closed for at least 10 minutes. Repeat as needed. (Do not use in poultry houses.)

2. TO KILL FLEAS in animal quarters, kennel houses and stables (infested premises): Remove and destroy animal's bedding and spray sleeping quarters freely forcing the spray into all cracks and about the room. Repeat when re-infested.

3. TO KILL ROACHES AND WATERBUGS in homes, institutions and industry: Apply in all cracks and crevices, in woodwork, underneath sinks, dark places behind pipes, or where roaches and waterbugs infest. Repeat if necessary. (Do not apply in poultry houses.)

4. TO KILL CLOTHES MOTHS, CARPET BEETLES in houses or clothing warehouses: Spray all articles to be protected, giving particular attention to folds and seams. Interior surfaces of storage containers such as closets, chest and trunks should be regularly sprayed. Repeat every thirty days unless articles are stored in a mothtight container.

5. TO KILL GRAIN WEEVILS, CADELLES, GRAIN MOTHS, FLOUR BEETLES AND GRAIN MITES (accessible stages) in grain-storage houses: Wet surfaces thoroughly and treat all infested surface areas, insect hiding places and insect runways at the rate of one gallon of this material on 750 square feet of area.

CAUTION: Do not spray stored grain surfaces.

CAUTION: Harmful if swallowed. Cover or remove all foods and food processing equipment during application. Do not allow food to come in contact with treated surfaces for at least 48 hours. Remove bird cages and fish bowls during spray applications. Do not store, pour or spill near heat or open flame. Keep container closed.

CAUTION: KEEP OUT OF REACH OF CHILDREN



UNITED LABORATORIES, INC.