

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460	EPA REGISTRATION NO. 10461-11	DATE OF ISSUANCE 29 OCT 1984
	TERM OF ISSUANCE Until Reregistration	(10/15/84)
	NAME OF PESTICIDE PRODUCT V.M.S. PEST-A-SIDE BLOCK W/PARON	

NOTICE OF PESTICIDE: REGISTRATION
 RENEWAL
 (Under the Federal Insecticide, Fungicide,
 and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

V.M.S. Inc.
 P.O. Box 406
 Montgomery, AL 36195-6001

160/124640
 18 | 1 DRP

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA Section 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment.
 - a. Add the phrase, "EPA Registration No. 10461-11"
 - b. The heading on the label over the meal, salt, etc. should appear as FEED INGREDIENTS.
 - c. The STORAGE AND DISPOSAL section should be revised per PR Notice 85-3. The appropriate disposal text refers to disposal on site.
 - d. Correct the spelling of "inconsistent" under the heading DIRECTIONS FOR USE.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA Sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

"THREE BLOCKS EQUAL 100 POUNDS"

V.M.S. PEST-A-SIDE
BLOCK W/RABON (R)

To prevent the development of horn flies, face flies, house flies
and stable flies in the manure of treated cattle.

Active Ingredient:

By Weight

2-chloro-1-(2, 4, 5-trichlorophenyl) vinyl dimethyl phosphate..... 0.30%**

Inert Ingredients: 99.70%**

ACCEPTED
with COMMENTS
EPA Letter Date

OCT 29 1984

*Refers only to ingredients which are not larvicidal.
**RABON Insecticide-Contains 1.362g of RABON per pound.

RABON is the registered trademark of Shell Oil Company.

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended,
registered at No.

INGREDIENTS:

Dehydrated alfalfa meal, salt, dicalcium phosphate, monocalcium phosphate,
cottonseed meal, semictite vermiculite magnesium limestone hemicellulose
extract, calcium bentonite, magnesium oxide, magnesium sulfate, potassium
sulfate, calcium carbonate, ethylene diamine dihydriodide, copper oxide, niacin,
choline chloride, sodium bicarbonate, zinc sulfate, riboflavin supplement, meat
and bone meal, yeast culture, cobalt sulfate, cobalt carbonate, iron carbonate,
manganous oxide, D-activated animal sterol (source of Vitamin D-3), Vitamin A
supplement and cane molasses.

GUARANTEED ANALYSIS:

Crude Protein, not less than	8.00 %
Crude Fat, not less than	0.50 %
Crude Fiber, not more than	7.00 %
Calcium (Ca), not more than	8.00 %
Calcium (Ca), not less than	6.70 %
Phosphorus (P), not less than	2.00 %
Salt (NaCl), not more than	12.00 %
Salt (NaCl), not less than	10.00 %
Iodine (I), not less than001%
Magnesium (Mg), not less than	4.00 %
Sulfur (S), not less than	0.25 %
Vitamin A, USP Units/lb., not less than	20,000
Vitamin D-3, USP Units/lb., not less than	5,000

KEEP OUT OF REACH OF CHILDREN (12 pt. type size)

UTION (18 pt. type size)

PRECAUT. STATEMENTS (12 pt. type size)

HAZARDS TO HUMANS (12 pt. type size)

Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust.
Wash thoroughly with soap and water after handling and before eating or smoking.
If in eyes, wash with plenty of water for 15 minutes. If irritation persists,
see a physician.

ENVIRONMENTAL HAZARDS (12 pt. type size)

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL (12 pt. type size)

Do not contaminate water or food by storage or disposal. Open dumping is prohibited. Dispose of in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

DIRECTIONS FOR USE:
GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Provide one block per 10-15 head of cattle. Add an additional block when each block has been one-half consumed. Cattle should consume an average of 1.67 lbs. of the block per 100 pounds of body weight per month. This will supply the recommended average intake of 70 mg RABON (R) Oral Larvicide per hundred pounds of body weight. Animals should not be starved for minerals before initiation of the V.M.S. Pest-A-Side Block with Rabon (R) program, but OMIT all salt from other feed after the program is started. Do not feed free choice sources of salt or mineral containing salt in any form. Place near watering and loafing areas. Protect from rain. If consumption of V.M.S. Pest-A-Side Block with Rabon (R) is above 1.67 lbs. of the block per 100 lbs. of body weight per month, reduce the number of feeding locations or relocate. If consumption is below 1.67 lbs. of the block per 100 lbs. of body weight per month, increase the number of feeding locations. Start feeding V.M.S. Pest-A-Side Block with Rabon (R) early in the spring before flies begin to appear, and continue feeding throughout the summer and into the fall.

V.M.S. Pest-A-Side Block with Rabon (R) may be fed to slaughter and to lactating dairy cows.

V.M.S. Pest-A-Side Block with Rabon (R) prevents the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle, but is not effective against existing adult flies. When starting a feeding program during the fly season, it may be necessary to use other control measures to reduce the population of existing adult flies.

Supplement fly control measures may be needed in and around cattle lots and buildings to control adult house flies and stable flies which can breed not only in cattle manure, but in other decaying vegetable matter or silage on the premises.

In order to achieve optimum fly control, the V.M.S. Pest-A-Side Block with Rabon(R) should be used in conjunction with other good management and sanitation practices.

Manufactured By: V. M. S., INC.
Montgomery, AL 36195, U.S.A.

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460	EPA REGISTRATION NO. 10461-11	DATE OF ISSUANCE 29 OCT 1984		
	TERM OF ISSUANCE Initial Reregistration (10/15/84)			
NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	NAME OF PESTICIDE PRODUCT V.M.S. PEST-A-SIDE BLACK W/PAR N			
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)				
<table border="0"> <tr> <td style="width: 60%;"> V.M.S. Inc. P.O. Box 406 Montgomery, AL 36115-6001 </td> <td style="width: 40%; text-align: right;"> $\frac{160}{18} / \frac{124640}{1}$ DRP </td> </tr> </table>			V.M.S. Inc. P.O. Box 406 Montgomery, AL 36115-6001	$\frac{160}{18} / \frac{124640}{1}$ DRP
V.M.S. Inc. P.O. Box 406 Montgomery, AL 36115-6001	$\frac{160}{18} / \frac{124640}{1}$ DRP			
NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.				
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.				
A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.				
Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.				
This product is conditionally registered in accordance with FIFRA Section 3(c)(7)(A) provided that you:				
<ol style="list-style-type: none"> 1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data. 2. Make the labeling changes listed below before you release the product for shipment: <ol style="list-style-type: none"> a. Add the phrase, "EPA Registration No. 10461-11" b. The heading on the label over the meal, salt, etc. should appear as FEED INGREDIENTS. c. The STORAGE AND DISPOSAL section should be revised per PR Notice 83-3. The appropriate disposal text refers to disposal on site. d. Correct the spelling of "inconsistent" under the heading DIRECTIONS FOR USE. 				
<input checked="" type="checkbox"/> ATTACHMENT IS APPLICABLE				
SIGNATURE OF APPROVING OFFICIAL		DATE		

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA Sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

"THREE BLOCKS EQUAL 100 POUNDS"

V.M.S. PEST-A-SIDE
BLOCK W/RABON (R)

To prevent the development of horn flies, face flies, house flies
and stable flies in the manure of treated cattle.

Active Ingredient:	By Weight
2-chloro-1-(2, 4, 5-trichlorophenyl) vinyl dimethyl phosphate.....	0.30%**
Inert Ingredients:	99.70%*

ACCEPTED
with COMMENTS
EPA Letter Dated

OCT 29 1984

*Refers only to ingredients which are not larvicidal.
**RABON Insecticide-Contains 1.362g of RABON per pound.

RABON is the registered trademark of Shell Oil Company.

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, this product is
registered under EPA Reg. No.
10461-11

INGREDIENTS:

Dehydrated alfalfa meal, salt, dicalcium phosphate, monocalcium phosphate,
cottonseed meal, semictite vermiculite, magnesium limestone hemicellulose
extract, calcium bentonite, magnesium oxide, magnesium sulfate, potassium
sulfate, calcium carbonate, ethylene diamine dihydriodide, copper oxide, niacin,
choline chloride, sodium bicarbonate, zinc sulfate, riboflavin supplement, meat
and bone meal, yeast culture, cobalt sulfate, cobalt carbonate, iron carbonate,
manganous oxide, D-activated animal sterol (source of Vitamin D-3), Vitamin A
supplement and cane molasses.

GUARANTEED ANALYSIS:

Crude Protein, not less than	8.00 %
Crude Fat, not less than	0.50 %
Crude Fiber, not more than	7.00 %
Calcium (Ca), not more than	8.00 %
Calcium (Ca), not less than	6.70 %
Phosphorus (P), not less than	2.00 %
Salt (NaCl), not more than	12.00 %
Salt (NaCl), not less than	10.00 %
Iodine (I), not less than00 %
Magnesium (Mg), not less than	4.00 %
Sulfur (S), not less than	0.25 %
Vitamin A, USP Units/lb., not less than	20,000
Vitamin D-3, USP Units/lb., not less than	5,000

KEEP OUT OF REACH OF CHILDREN (12 pt. type size)

CAUTION (18 pt. type size)

PRECAUTIONARY STATEMENTS (12 pt. type size)

HAZARDS TO HUMANS (12 pt. type size)

Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust.
Wash thoroughly with soap and water after handling and before eating or smoking.
If in eyes, wash with plenty of water for 15 minutes. If irritation persists,
see a physician.

ENVIRONMENTAL HAZARDS (12 pt. type size)

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL (12 pt. type size)

Do not contaminate water or food by storage or disposal. Open dumping is prohibited. Dispose of in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

DIRECTIONS FOR USE:
GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Provide one block per 10-15 head of cattle. Add an additional block when each block has been one-half consumed. Cattle should consume an average of 1.67 lbs. of the block per 100 pounds of body weight per month. This will supply the recommended average intake of 70 mg RABON (R) Oral Larvicide per hundred pounds of body weight. Animals should not be starved for minerals before initiation of the V.M.S. Pest-A-Side Block with Rabon (R) program, but OMIT all salt from other feed after the program is started. Do not feed free choice sources of salt or mineral containing salt in any form. Place near watering and loafing areas. Protect from rain. If consumption of V.M.S. Pest-A-Side Block with Rabon (R) is above 1.67 lbs. of the block per 100 lbs. of body weight per month, reduce the number of feeding locations or relocate. If consumption is below 1.67 lbs. of the block per 100 lbs. of body weight per month, increase the number of feeding locations. Start feeding V.M.S. Pest-A-Side Block with Rabon (R) early in the spring before flies begin to appear, and continue feeding throughout the summer and into the fall.

V.M.S. Pest-A-Side Block with Rabon (R) may be fed to slaughter and to lactating dairy cows.

V.M.S. Pest-A-Side Block with Rabon (R) prevents the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle, but is not effective against existing adult flies. When starting a feeding program during the fly season, it may be necessary to use other control measures to reduce the population of existing adult flies.

Supplement fly control measures may be needed in and around cattle lots and buildings to control adult house flies and stable flies which can breed not only in cattle manure, but in other decaying vegetable matter or silage on the premises.

In order to achieve optimum fly control, the V.M.S. Pest-A-Side Block with Rabon (R) should be used in conjunction with other good management and sanitation practices.

Manufactured By: V. M. S., INC.
Montgomery, AL 36195, U.S.A.

(99-M)

EPA Reg. No. 10461-

EPA EST. NO. 10461-AL-1