# CENTER PANEL

#### MONTEREY

#### MONTEREY LIQUI-COP

Liquid Fungicide Spray
For Citrus, Fruit, and Nut Trees
Replaces Bordeaux Sprays

# ACCEPTED

MAR 2 7 1986

Under the Federal Insecticity. Fungicide, and Redenticide as amended, for the pesticide registered under 10465-3

ACTIVE INGREDIENTS	
Copper, metallic (from Copper Ammonium Carbonate*)	88
INERT INGREDIENTS	928
Total	1008
*Contains 0.784 lbs. Copper per gallon.	

Keep Out of Reach of Children

# CAUTION

#### PRECAUTIONARY STATEMENTS

WILL THOUSEN TENERS

Harmful if swallowed. In case of ingestion, call physician immediately. Avoid inhaling spray mist. Avoid contact with skin, May cause irritation to nose and throat.

See side panel for additional Precautionary Statements

MONTEREY CHEMICAL COMPANY Manufactured for:

Monterey Chemical Company P. O. Box 5317 Fresno, California 93755

Net Contents:

EPA Registration No. EPA Est. No.

Store above 40° F

# LEFT PANEL

#### PRECAUTIONARY STATEMENTS

This product is toxic to fish.

Keep out of lakes, streams, or ponds.

Do not apply where runoff is likely to occur.

Do not apply when weather conditions favor drift from areas treated. Do not apply to sidewalks, patios, painted walls, etc., as staining may result.

## DIRECTIONS FOR USE

#### General Classification

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Read entire label - Use strictly in accordance with label directions and Precautionary Statements.

## STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal.

Storage: Store in a dry place.

Disposal: Wrap container and place in trash collection.
DO NOT REUSE CONTAINER.

#### GENERAL INFORMATION

Monterey Liqui-Cop is a copper spray to be used on citrus, fruit trees, nut trees, and vegetables as a fungicide spray.

Control of diseases with fungicides is based on PREVENTION; complete coverage with the spray solution is necessary to prevent a fungus infection.

Since weather conditions vary, consult your state extension service for timing of applications.

Monterey Liqui-Cop is compatible with most insecticides, and can; be used in a multi-purpose spray. Observe all cautions, limitations, and directions on labels of all products used in mixtures.

# MIXING DIRECTIONS

- 1. Fill spray tank with 1 recommended water.
- Add insecticides or other compatible component, if necessary, while agitating.
- 3. Add recommended amount of Liqui-Cop through a strainer, while agitating.
- 4. Add balance of water.
   5. Frequent shaking of sprayer while spraying is recommended to insure uniform coverage.

# RIGHT PANEL

	KIGHT TARBE			
Crop	Disease Control	Rate Tbsp/gal. Water	Instructions	
ALMONDS	Brown Rot	2	Apply at delayed dormant bud swell stage	
	Shot Hole	2	Apply at leaf fall. Reapply up to late bud swell	
APRICOTS	Brown/Blossom Rot	2	Apply at red bud to jacket fall stage.	
	Shot Hole	2	Apply at leaf fall. Reapply up to late bud swell.	
CHERRIES	Shot Hole	2	Apply at leaf fall. Reapply up to late bud swell.	
PEACHES NECTARINES	Blossom/Brown Rot	2	Apply as dormant or delayed dormant spray Do not apply at or after full bloom.	
	Leaf Curl	2	Apply at leaf fall (Nov. 15 - Dec. 15). Reapply as a dormant spray (Jan March).	
	Shot Hole	2	Apply at leaf fall. Reapply up to late bud swell.	
WALNUTS	Walnut Blight	2	Make first application as early prebloom Make second application Make additional applications if disease conditions persist.	

RIGHT PANEL (con't)

Crop	Disease Control	Rate Tbsp/gal. Water	Instructions
CITRUS (California only)	Brown Rot	1	Apply in the fall before or just after heavy rainfall. In areas of skirt spray, apply to a height of at least 4 feet.

Water Rates: Use enough for complete coverage and spray until runoff.

- Paris (

Notice: Seller's guarantee shall be limited to contents and merchantability of the product and the terms of the label, and subject thereto the buyer assumes any risks to persons or property arising out of use or handling and accepts the product on these conditions. Because the time, place, rate of application and other conditions of use are beyond Seller's control, Seller's liability from storage, handling and use of this product is limited to replacement of product or refund of purchase price.

