

ACCEPTED

JUN 28 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 10465-13

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

WARNING

Product is toxic to humans and animals.
Harmful if product or treated wood is swallowed.
Irritant, corrosive, causes severe eye damage. Skin sensitizer. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, rubber gloves, long sleeve shirt, and long pants when mixing, loading and applying this product. May be fatal if inhaled. Do not breathe vapors. Harmful if swallowed or absorbed through the skin.
Do not inhale dust, spray or sandblast.
Wear protective gloves and clothing when handling chemicals or wet treated lumber.
Launder clothing if exposed to spill or sandblast.

ENVIRONMENTAL HAZARD

This product is toxic to fish.

Do not discharge effluent containing this product directly into lakes, streams, ponds, estuaries, oceans or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product into sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the Environmental Protection Agency.

PHYSICAL OR CHEMICAL HAZARDS

This product may decompose under fire conditions, emitting gases (i.e., hydrogen chloride) which may be toxic and irritating to the respiratory tract.

DIRECTIONS FOR USE
GENERAL CLASSIFICATION

Note to User: Technical Chlorothalonil may produce temporary allergic side effects characterized by redness of the eyes, mild bronchial irritation and redness or rash on exposed skin areas. Persons having allergic reaction should contact a physician. It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

STORAGE: This product must be stored in cool place. Protect from excessive heat.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, pesticide formulation or residue is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the National Waste Management Administration at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Do not reuse empty container. Triple rinse (or equivalent), and then offer for recycling, reconditioning, or disposal in a sanitary landfill, or by incineration if allowed by State and local authorities.

SPILLS: Remove (sweep up or soak up) contaminated soil. Place in closed, labeled containers and store in a safe place to await proper disposal.

MOLD-EX,
FUNGICIDE FOR CONTROL
OF SURFACE MOLDS ON FRESH-
CUT OR UNSEASONED WOOD

ACTIVE INGREDIENT

Chlorothalonil (2,2,4,4-tetrachloro-3,5-dichlorobenzonitrile) 40.4%

INERT INGREDIENTS

99.6%

TOTAL

100.0%

This product contains 4.17 lbs. active ingredient per gallon (800 grams per liter).

*US Patents 3,260,353, 3,331,736 and 3,948,838

KEEP OUT OF THE REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICAL TREATMENT

If swallowed -- seek medical attention.

In case of eye contact, flush eyes with water for 15 minutes, get medical attention immediately. In case of skin contact, wash exposed areas of skin with soap and warm water. This product may produce temporary allergic side effects characterized by redness of the eyes, mild bronchial irritation and redness or rash on exposed skin areas. Persons having allergic reaction should contact a physician. Note to physician: Persons having allergic reaction respond to treatment with antihistamines or steroid cream and/or systemic steroids. In case of inhalation, remove person to fresh air and get medical attention immediately.

SEE SIDE PANEL FOR WARNING

PRECAUTIONARY STATEMENTS

For use on:

Mineral Research & Development Corporation
P.O. Box 31711, Charlotte, NC 28231

EPA ESTABLISHMENT NO.: 677-TX-1

EPA REGISTRATION NO.: 10465-13

NET CONTENTS: 5 Gals./19.285 Liters

DIRECTIONS

GENERAL: Under extremely hot and humid conditions, use the higher recommended rate.

The active ingredient of MOLD-EX is a fine suspension and will tend to settle out on prolonged standing. Agitate MOLD-EX before use by slowly inverting until it is a uniform mixture. Add the required amount of MOLD-EX slowly to the mixing tank while filling. Agitate the mixture during dipping or pressure treatment. Effective control of mold requires complete wood surface coverage by the fungicide. Mold control is a preventive treatment applied before mold organisms develop.

APPLY WITH OCA PRESSURE TREATMENT: Add 1% to 3% MOLD-EX to 100 gals. of OCA treating solution ready to use. Pressure treat wood or lumber by the standard procedure of American Wood Preservers Association.

ALTERNATE TREATMENTS

ON WOOD BEFORE PRESSURE TREATMENT: Dip wood in a vat containing 1% to 3% MOLD-EX in 100 gals. water. This is to control mold while wood is drying. OCA pressure treatment may be done immediately following the dip treatment if desired.

ON WOOD AFTER OCA PRESSURE TREATMENT: Dip OCA treated wood in a vat containing 1% to 3% MOLD-EX in 100 gals. water. This may be done as soon after pressure treatment as desired.

WARRANTY AND LIMITATION OF DAMAGES

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY, AND NO AGENT OF SELLER IS AUTHORIZED TO DO SO EXCEPT IN WRITING WITH A SPECIFIC REFERENCE TO THIS WARRANTY. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.

Rev. 2/85

BEST AVAILABLE COPY