

U. S. D. A. REG. # \_\_\_\_\_

SACRIFICIAL COPPER  
BOTTOM PAINT

DEEP COPPER #910


<u>ACTIVE INGREDIENTS</u> .....	27.5%
Cuprous Oxide.....	27.0%
Mercuric Oxide.....	0.5%
	<u>27.5%</u>
<u>INERT INGREDIENTS</u> .....	<u>72.5%</u>
	100.0%

ACCEPTED  
4/10/64  
10/62

CAUTION!

HARMFUL IF SWALLOWED. CALL A DOCTOR AT ONCE. COMBUSTIBLE.

Keep away from heat, sparks or open flame. Do not smoke.  
Provide adequate ventilation when painting in confined area.  
Avoid contact with skin, eyes or clothing. Avoid breathing of  
vapors. Wash thoroughly after using. Keep container closed when  
not in use. Keep out of reach of children.



DIRECTIONS FOR USE

For use on all boat bottoms in fresh or salt water service. Prepare all surfaces, painted or unpainted: WASH all surfaces and allow thorough drying. SAND all surfaces (including bare surfaces) to provide a clean, firm, uniformly textured surface for painting. WIPE down bare fibre-glass surfaces, if any, with SAU-SEA THINNER #1000 on clean cloth. CAULK AND REPAIR hull, as necessary. Use SAU-SEA CAULKING AND REPAIR PRODUCTS. PRIME: Brush one coat of SAU-SEA VINYL MASTIC, BRUSHABLE GRADE on all bare surfaces - including bare spots exposed in the preparation of previously painted surfaces. Allow 12-24 hours drying time. PAINT: Apply one coat of SAU-SEA SACRIFICIAL COPPER BOTTOM PAINT by brush or roller and allow hard drying - 6 hours or more. Apply second coat of bottom paint and launch boat as soon as it is touch-dry to handling. Allow 48 hours for water-cure before cruising. USE SAU-SEA THINNER WITH SAU-SEA PRODUCTS.

TYPE SIZES

for QUART CONTAINERS of

SAU-SEA SACRIFICIAL COPPER BOTTOM PAINT DEEP COPPER #910

This product will be offered in ONE QUART and ONE GALLON container sizes.  
The type face for QUART CONTAINERS shall be as follows:  
(See sheet attached for type size of gallon containers)

QUART CONTAINER

Face of Label

TYPE SIZE

"WARNING"..... 14 point type  
"KEEP OUT OF REACH OF CHILDREN"..... 12 point type  
"see back panel for added cautions"..... 10 point type

Back Panel

"CAUTION"..... 12 point type  
Text of "CAUTION"..... 10 point type  
Words underlined in text of "CAUTION"..... 10 point boldface type  
"DIRECTIONS FOR USE"..... 10 point boldface type  
Text of "DIRECTIONS FOR USE"..... 10 point type  
"U. S. D. A. REG. # \_\_\_\_\_"..... 12 point boldface type  
"ACTIVE INGREDIENTS"..... 10 point boldface type  
Text of "ACTIVE INGREDIENTS"..... 10 point type  
"INERT INGREDIENTS"..... 10 point boldface type

TYPE SIZES

for GALLON CONTAINERS of

SAU-SEA ARTIFICIAL COPPER BOTTOM PAINT DEEP COPPER #910

This product will be offered in ONE QUART and ONE GALLON container sizes.  
The type face for GALLON CONTAINERS shall be as follows:

GALLON CONTAINER

<u>Face of Label</u>	<u>TYPE SIZE</u>
"WARNING".....	22 point type
"KEEP OUT OF REACH OF CHILDREN".....	18 point type
"See back panel for cautions".....	16 point type
 <u>Back Panel</u>	
"CAUTION".....	18 point type
Text of "CAUTION".....	16 point type
Words <u>underlined</u> in text of "CAUTION".....	16 point <u>boldface</u> type
"DIRECTIONS FOR USE".....	16 point <u>boldface</u> type
Text of "DIRECTIONS FOR USE".....	16 point type
"U. S. D. A. REG. # _____".....	18 point <u>boldface</u> type
"ACTIVE INGREDIENTS".....	16 point <u>boldface</u> type
Text of "ACTIVE INGREDIENTS".....	16 point type
"INERT INGREDIENTS".....	16 point <u>boldface</u> type