

"ungicide, and Rodentic. as amended, for the per registered under EPA Reg No

DIRECTIONS

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For cooling towers or spray ponds, add one ounce for each 1,000 gallons of water in the system to establish 1.2 to 2.0 PPM of chlorine residual for super chlorination treatment. This dosage should be used two or three times weekly for effective algae control.

APPLICATION

Calcium Hypochlorite Briquettes are designed for easy handling and dispensing by suspending in plastic screen bags or through automatic dispensers. The total dosage may be added to the plastic screen bag and ruspended in the cooling tower basin or spray pond basin. Automatic feeds should be adjusted to add the correct dosage for each cyclical application.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES Permit, i'er guidance, contact the regional officu of EPA.

BACTERICIDE ALGAECIDE

ACTIVE INGREDIENT:

INERT INGREDIENTS 30%

*Available chlorine 70%

Total 100%

DANGER!

KEEP OUT OF THE REACH OF CHILDREN.

STRONG CXIDANT, HIGHLY CORROSIVE, AVOID BREATH! **IRRITATING TO NOSE AND THROAT.**

FIRE MAY RESULT FROM CONTACT WITH HEAT, ACIDS ORGANIC OR COMBUSTIBLE MATTER. MAY BE FATAL IF SWALLOWED.

- Causes skin and eye damage.
- Avoid prolonged contact with skin, eyes, and clothing.
- In case or contact, brush off excess, then wash skin with water. For eyes, flush wi water for at least 15 minutes. Get medical attention.

SEE ADDIT. MAL PRECAUTIONS ON SIDE PANELS

EPA REGISTRATION EPA ESTABLISHMENT NO

OND CHEMICALS, INC. 1500 BROOKPARK ROAD SCIEVELAN

NET WY.

CALCIUM HYPOCHLORITE BRIQUETTES

BACTERICIDE ALGAECIDE

ACTIVE INGREDIENT:

*Colcium Hypochlorite		. 70%
INERT INGREDIENTS		
*Augilable chloring 700/	Total	1000

ANGER!

EP OUT OF THE REACH OF CHILDREN.

TRONG OXIDANT. HIGHLY CORROSIVE. AVOID BREATHING DUST. RITATING TO NOSE AND THROAT.

RE MAY RESULT FROM CONTACT WITH HEAT, ACIDS, DRGANIC OR COMBUSTIBLE MATTER.

AY BE FATAL IF SWALLOWED.

auses skin and eye damage.

void prolonged contact with skin, eyes, and clothing.

case c. contact, brush off excess, then wash skin with water. For eyes, flush with plenty of attention,

SEE ADDIT. MAL PRECAUTIONS ON SIDE PANELS

EPA REGISTRATION NO. 10477-12 EPA ESTABLISHMENT NO. 10477-0H-1

ID CHEMECALS, INC. 1500 BROOKPARK ROAD CLEVELAND, OHIO 44109

: IMPORTANT STORAGE AND : HANDLING INFORMATION — READ BEFORE USING

- Wear goggles or face shield when handling.
- Store Cálcium Hypochlorite in a cool, dry, well-ventilated place.
- Keep container closed when not in use.
- Keep away from heat sources, sparks, open flames, and lighted tobacco products.
- Fire may result if Calcium Hypochlorite is contaminated by small amounts of foreign materials such as tobacco, beverages, paint products, soaps, cleaners, oil, kerosens, rags, paper, vinegar and most other chemicals, organic or combustible materials.
- Use only a clean, dry scoop made of metal or plastic each time Calcium Hypochlorite is removed from the container.
- In case of fire, drench with water. Calcium Hypochlorite supplies oxygen; therefore, attempts to smother fire with wet blankets, carbon dioxide or dry chemical fire extinguisher are ineffective.
- Wash hands after handling.
- Do not reuse empty container. Wash container thoroughly, then place in trash collection or dispose of in approvad landfill area.

FIRST AID

IF ON SKIN: Brush off excess chemical and flush skin with cold water for at lanst 15 minutes. If irritation persists, get medical attention.

IF INHALED: Remove person to fresh air. Get immediate medical attention.

IF IN EYES: Flush with cold water for at least 15 minutes. Get immediate medical attention.

If SWALLOWID: Give bread soaked in milk, followed by large amounts of olive oil or cooking oil. If person is conscious and vomiting, place face down with head lower than hips. Get immediate medical attention.

みじ