COLD DISINFECTION

Completely immerse cleaned surgical instruments, dental equipment, barber tools and brushes into solution containing 1½ oz. Vizual pergallon of water for ten minutes.

DANGER


Keep Out of Reach of Children. Corrosive: Causes eye damage and skin irritation Do not get in eyes, on skin or on clothing. Protect eyes when handling concentrate. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

Rinse empty container thoroughly with water and discard.



DISINFECTANT SANITIZER DEODORIZER

ACTIVE INGREDIENTS:

n-Alkyl (60% C_{14} , 30% C_{16} , 5% C_{12} , 5% C_{18}) dimethyl benzyl ammonium	
5% C ₁₈ dimethyl benzyl ammonium chlorides	. 5%
n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides	5°7

INERT INGREDIENTS: 90%

CONTAINS SODIUM NITRITE
VIZUAL IS A CONCENTRATE AND SHOULD BE
DILUTED BEFORE USING.

NET CONTENTS: 1 U.S. PINT EPA Reg. No. 10482-2 DANGER

Keep Out of Reach of Children. See antidote statement and other precautions on left panel.

CONTINENTAL CHEMICAL & RESEARCH CO. 2100 N. 11TH ST. READING, PA. 19604

USE DIRECTIONS:

Household

For sanitizing and disinfecting floors, walls and inanimate hard surfaces. First remove gross filth and heavy soil deposits. For Schools, Homes, Locker Rooms, Garbage Pails. Sink Tops, Corridors, Classrooms, Offices and Toilet Seats. Use solution with mop or cloth. Sanitize with 1 ounce Vizual to 4 gallons of water. Disinfect with 3 ounces VIZUAL to 5 gallons of water. Flush with clean water all food contact surfaces before reuse. Kills Staphylococcus aureus and Salmonella choleraesuis

Hospitals

For floors, walls and other, hard surfaces. In Nursing Homes, Institutions, as well as Sink Tops, Garbage Pails, Telephones and Restrooms, use Vizual, at 3½ ounces per 5 gallons of water. At this level Vizual, will be effective against Pseudomonas aeruginosa. PRD 10

10482

USE DIRECTIONS ****

DISINFECTION: Use 1 ounce per gallon of water.

Use TRENOR HG-9 with a clean mop or cloth and apply to floors, walls, other hard environmental surfaces and inanimate objects---For heavy soil or organic matter, a pre-cleaning step is recommended.

SANITIZATION: Limit sanitizing solution to 200 ppm active quaternaries level, 1.4 ounces per 5 gallons of water---

Immerse previously cleaned food processing equipment and/or food contact items in solution for at least two minutes, of for the Contact Time specified by governing Sanitary Code. Place sanitized item in rack of on drain board. Let air dry. At 200 ppm active quaternaries level, NO FINAL RINSE REQUIRED.

** DANGER **

CORROSIVE TO SKIN TISSUE

KEEP OUT OF REACH OF CHILDREN. Protect eyes and skin when handling concentrate....It causes severe eye and skin damage..Do not get in eyes, on skin, or, on clothing..Harmful if swallowed..Avoid contamination of food.

FIRST AID---


In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician...Remove and wash contaminated clothing before re-use.

If swallowed, drink promptly, a large quantity of milk, egg whites, gelatine solution or, if these are not available, drink large quantities of water...Call a physician immediately.

NCTE TO PHYSICIAN---

Probable mucosal damage may contraindicate the use of gastric lavage....Measures against circulatory shock, respiratory depression and convulsion may be needed.

RINSE EMPTY CONTAINER THOROUGHLY WITH PLENTY OF WATER BEFORE DISCARDING IT.



ACTIVE INGREDIENTS

n-A1Ky1 (60% C)4,30% C)6,5% C)2,5% C)8)			
Dimethyl Benzyl Ammonium Chlorides	4.5	%	
n-Alkyl (68% C12,32% C14) Dimethyl			
Ethylbenzyl Ammonium Chlorides	4.5	%	
Sodium Carbonate	4.0	%	•
Tetrasodium ethylenediamine tetraacetate	2.0	%	
INERT INGREDIENTS	85.0	%	
TOTAL			

**** DANGER **** KEEP OUT OF REACH OF CHILDREN

SEE FIRST AID AND ADDITIONAL PRECAUTIONS ON LEFT PANEL

EPA REG. NO. 10486-2

MANUFACTURED BY

TRENOR LABORATORIES-HOUSTON, MS. 38851

NET CONTENTS: 128 FL. OZ. (1 GALLON)

***** FEATURES

TRENOR HG-9 is a concentrated detergent, decdorizer, sanitizer, disinfectant, fungicide and virucide.*

TRENOR HG-9 is specifically designed for use in Hospitals, Nursing Homes, Schools and other Institutions where cross-infection from environmental surfaces is of major house-keeping concern.

TRENOR HG-9 is for use on floors, walls, furniture, equipment, other hard, washable environmental surfaces and inanimate objects.

TRENOR HG-9 is excellent for Operating Rooms, Emergency Rooms and Nurseries, Intensive Care Units, Isolation Wards, Laboratories....Doctor, Dentist and Veterinary Clinics, Operatoriums, Offices.....Rest Rooms, Utility Rooms, Laundry Rooms and Chutes....Personnel Lockers, Locker Rooms, Class Rooms, Dormitories and Corridors....Food Preparation Areas, Food Service Areas...Garbage and Waste Disposal Areas....

At 1 ounce per gallon Use-level for disinfection, TRENOR HG-9 is bactericidal against Staphylococcus aureus, Pseudomonas aeruginosa and Salmonella choleraesuis.

--Fungicidal against pathogenic fungi, Trichophyton interdigitale-*Virucidal against Vaccinia, Herpes Simplex, Adenovirus type 2, and Influenza A2 viruses.

At 1.4 ounces per 5 gallons Use-level,200 ppm active quaternaries, TRENOR HG-9 demonstrates sanitizing activities suitable for sanitizing previously cleaned food processing equipment and /or food contact items. At 200 ppm active quaternaries level,NO FINAL RINSE IS REQUIRED.