### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



# **EPA** United States Environmental Protection Office of Pesticide Programs Agency Office of Pesticide Programs

Palmero Health Care 120 Goodwin Place Stratford, CT 06615

JAN 0 8 2010

AGENT: SciReg, Inc.

12733 Director's Loop Woodbridge, VA 22192

Attention: Frederick T. Smith

Subject: DisCide Ultra Disinfecting Towelettes

EPA Registration No. 10492-4

Notification Dated December 17, 2009

This will acknowledge receipt of your notification, submitted under the provisions of FIFRA Section 3(c)(9).

## **Proposed Notification**

- To update the "Net Contents" statement on label

#### **General Comment**

Based on a review of the submitted material, the following comments apply:

The Notification is in compliance with PR Notice 98-10 and is acceptable. This information has been made a part of your file.

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217.

Sincerely

Marshall Swindell

**Product Manager 33** 

Regulatory Management Branch 1 Antimicrobials Division (7510P)

Plased read instructions on reverse before completing form.	Form	Appr . OMB No. 20	$\mathcal{H}^{ au}$ 070-0060. Approval expires 2-28-95						
SEPA United States Environmental Protecti Washington, DC 204	ion Agency	Registratio Amendmen  X Other	n OPP Identifier Number						
Application for Pesticide - Section I									
1. Company/Product Number	2. EPA Product Mana	ager	3. Proposed Classification						
10492-4		M. Swindell X None Restricte							
4. Company/Product (Name)  DisCide Ultra Disinfecting Towelettes  PM#  32									
5. Name and Address of Applicant (Include ZIP Code)	•		th FIFRA Section 3(c)(3)						
Palmero Health Care 120 Goodwin Place Stratford, CT 06615	(b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No.								
Check if this is a new address	Product Name								
	Section - II								
Amendment - Explain below.		labels in response to							
	Agency letter								
Resubmission in response to Agency letter dated "Me Too" Application.  X Notification - Explain below. Other - Explain below.									
X Notification - Explain below.		in below.							
Explanation: Use additional page(s) if necessary. (For section In Notification of an updated net contents statement consistent with F									
This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.									
Material This Product Will Be Packaged In:	Section - III								
Child-Resistant Packaging Unit Packaging	Water Soluble Packaging	2. Type of Cont	ainer						
Yes	Yes	Meta							
X No X No	<b>X</b> No	x Plas							
* Certification must If "Yes" No. Per	If "Yes" No. Per	I I I ()the	er er (Specify)						
be submitted Unit Packaging wgt. Container	Package wgt Contain	ier   o							
3. Location of Net Contents Information 4. Size(s) Ret	1.5	Location of Label Direc  x On label.	tions						
Label Container 1 lb. 5 oz.	and 1 lb. 7 oz.	On label accompa	nying product.						
\	ograph  er glued  ciled								
	Section - IV								
1. Contact Point (Complete items directly below for identification		essary, to process this a	application.)						
Name	Title		phone No. (Include Area Code)						
Frederick T. Smith	Agent (SciReg, Inc.)	703/4	494-650 <sub>0</sub> 0						
Certification  I certify that the statements which I have made on this form and all attachments thereto are true, accurate and complete. Certify Received									
l acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.									
2. Signature	3. Title	(( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( (	c c						
The Piel	Agent (SciReg, Inc.)		( ( ( (						
4. Typed Name	5. Date								
Frederick T. Smith	12/17/09								



December 17, 2009

Mr. Marshall Swindell Document Processing Desk (NOTIF) Office of Pesticide Programs (7504C) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 S. Crystal Dr. Arlington, VA 22202

Re: DisCide Ultra Disinfecting Towelettes (Reg. No. 10492-4)

Dear Mr. Swindell:

On behalf of Palmero Health Care (PHC), SciReg, Inc. is submitting a notification for DisCide Ultra Disinfecting Towelettes (Reg. No. 10492-4), consistent with PR Notice 98-10, to update the net contents statement. As required, a completed application and two copies of the label, one of which is marked to show the changes, are provided.

Should you have any questions, please let me know. Thanks very much.

-7111/ Nu

Sincerely.

Frederick T. Smith

Senior Regulatory Specialist

Enclosures

# **DisCide ULTRA Disinfecting Towelettes**

# A One-Step Disinfectant - Cleaner - Decontaminant

Kills All Listed Pathogens In One Minute

\*Virucidal ♦ Tuberculocidal ♦ Bactericidal ♦ Herpecidal ♦ Fungicidal

DisCide ULTRA Disinfecting Towelettes are non-woven disposable towelettes impregnated with a dual chain quaternary ammonium/high level alcohol solution.

Healthcare Use in Health Care & Alternate Care Settings such as hospitals, intensive care units, emergency medical settings, central supply, laboratories, clinics, nursing homes, and dental suites where control of the cross-contamination hazards between treated surfaces is required.

Consumer Use on hard, non-food-contact surfaces in kitchens, food service areas and bathrooms and other related hard, non-food-contact surfaces such as shopping carts, child-restraint seats, exercise and weight-lifting equipment, office equipment, computer screens and key pads, telephones, cell phones, and door knobs and handles.

DisCide ULTRA Disinfecting Towelettes eliminate odors and are effective against the following pathogens on hard nonporous, contact surfaces when used as directed:

`>	Tuberculosis bacteria (Mycobacterium bovis)	(1 min. at 20°C)	>	MRSA (Methicillin Resistant	(1 min.)
$\triangleright$	Staphylococcus aureus (Staph)	(1 min.)		Staphylococcus aureus)	
>	Pseudomonas aeruginosa	(1 min.)	>	VRE	(1 min.)
۶	Salmonella enterica	(1 min.)		(Vancomycin Resistant Enterococcus faecalis)	
>	Escherichia coli (E. coli)	(1 min.)	>	HBV*	(1 min.)
×	Avian Influenza A Virus*	(30 sec.)		(Hepatitis B Virus)	<b>(</b> · · · · · · ,
	(H3N2 strain)		>	HCV*	(1 min.)
۶	Influenza A Virus*	(30 sec.)		(Hepatitis C Virus)	,
	(Hong Kong strain)		>	RSV*	(1 min.)
	Herpes Simplex Virus type 2*	(1 min.)		(Respiratory Syncytial Virus	)
	(genital herpes virus)		>	HIV-1* (AIDS virus)	(1 min.)
×	Candida albicans	(1 min.)	<b>A</b>	Human Coronavirus*	(30 sec.)
$\triangleright$	Proteus mirabilis	(1 min.)	>	Adenovirus type 2*	(1 min.)
			>	Pandemic 2009 H1N1 influe Virus* (formerly called swine	•

KEEP OUT OF REACH OF CHILDREN

#### WARNING

See back panel for additional precautionary statements

EPA Reg. No. 10492-4: EPA Est. No.

C12, 5% C18) dimethyl benzyl ammonium chloride ..... 0.12% n-alkyl (68% C12, 32% C14) dimethyl ethyl benzyl

**ACTIVE INGREDIENTS** n-alkyl (60% C14, 30% C16, 5%

ammonium chloride ...... 0.12% Isopropyl alcohol ...... 63.25% OTHER INGREDIENTS ......36.51% TOTAL INGREDIENTS...... 100.00%

> DisCide ULTRA Disinfecting Towelettes meet the disinfection requirements of OSHA's Bloodborne Pathogen Standard (29 CFR §1910.1030).

NET CONTENTS: 1 lb 5 oz 1 lb 7 oz 60 Towelettes (10 x 10 in.) 160 Towelettes (6 x 6.75 in.)

Rev. 12/17/09

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### General Precautions and Restrictions

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contact intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

[dispenser] TO START FEED: Remove large cover from container and discard seal. From center of towelette roll, pull up a towelette corner, twist into a point and thread through hole in container cover. Pull through about one inch. Replace cover. Pull out first towelette and snap off at a 90° angle. Remaining towelettes feed automatically, ready for next use. When not in use, keep small center cap closed to prevent moisture loss.

TO CLEAN, DECONTAMINATE, AND DISINFECT: Remove gross dirt and soil. Thoroughly wet the surface with a DisCide ULTRA Disinfecting Towelette and allow to remain wet for the required contact time.

Healthcare For Disinfection and Deodorization of: inanimate, hard, non-porous surfaces such as chairs, stools, counter tops, drawer pulls, door knobs and handles, carts, baskets, tables, cabinets, lighting fixtures, bassinets, bed rails, incubators, physical therapy equipment, shower stalls, toilet exteriors and toilet seats, telephones and other related hard surfaces in hospitals, operating and surgical rooms, intensive and critical care units, emergency units, dental and veterinary offices, surgery, recovery, anesthesia, X-Ray, Cat. Lab, blood collection and donation centers, isolation units, orthopedics, newborn nursery, respiratory therapy, radiology, pediatrics, physical therapy, rehabilitation, ophthalmology, optometry, hospices, central supply, emergency medical vehicles, police and fire vehicles, correctional facilities, funeral homes, morgues, spas, health clubs, salons, schools and school medical facilities, school buses, day care and non-food-contact surfaces. DisCide ULTRA Disinfecting Towelettes may be used to preclean or decontaminate medical instruments prior to sterilization or high-level disinfection.

**Consumer** For Disinfection and Deodorization of: inanimate, hard, non-porous kitchen/food service and bathroom surfaces such as counter tops, drawer pulls, carts, baskets, tables, cabinets, door knobs and handles, appliance exteriors, shower stalls, toilet exteriors and toilet seats, bathroom and lighting fixtures, sinks, flooring, walls, vanities, diaper pails, trash cans, telephones, shopping carts, child-restraint seats, exercise and weight-lifting equipment, office equipment, computer screens and key pads, telephones, cell phones, and other related hard, non-food-contact surfaces.

Use on stainless steel, glass, formica and other similar surfaces. Use care when using on varnished surfaces or plexi-glass. DO NOT USE AS A BABY WIPE. Discard towelette after use.

#### \*Virucidal Activity:

DisCide Ultra Disinfecting Towelettes are effective against the following viruses in 30 seconds or one minute when used according to label directions on hard, non-porous environmental surfaces: MRSA, VRE, Avian Influenza A (H3N2 strain), Influenza A (Hong Kong strain), Pandemic 2009 H1N1 influenza A virus (formerly called swine flu), RSV, HBV, HCV, Human coronavirus, HIV-1, Adenovirus type 2, and Herpes Simplex virus type 2.

Kills HIV-1, HBV, and HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings (Hospitals, Nursing Homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus (HBV), and Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS), HBV, and HCV FOR SURFACES OR OBJECTS SOILED WITH BLOOD OR BODY FLUIDS

PERSONAL PROTECTION: Wear disposable latex gloves, protective gown, face mask and eye covering, as appropriate, when handling HIV-1. HBV, and HCV infected blood or body fluids.

when handling HIV-1, HBV, and HCV infected blood or body fluids.

<u>CLEANING PROCEDURE:</u> All blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant. A DisCide ULTRA Disinfecting Towelette can be used for this purpose.

CONTACT TIME: Thoroughly wet surface with a DisCide ULTRA Disinfecting Towelette. Allow surfaces to remain wet for 1 minute, then air dry. The efficacy of a 1 minute contact time has been shown to be adequate against HIV-1 (AIDS virus), HBV, and HCV.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to Federal, State, and local regulations for infectious waste disposal.

 "PRÉCAUTIONARY STATEMENTS:

Hazards to Humans and Domestic Anil 3: WARNING. Causes substantial but terrary eye injury. Do not get in eyes or on clothing. Wear protective eyewear. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

Physical or Chemical Hazards: Flammable. Keep away from heat or open flame.

_	IRST	ΑI	$\mathbf{r}$
P-	1851	4	11
		$\sim$	_

If in eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

#### **HOT LINE NUMBER**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact Chem•Tel Inc. at 1-800-255-3924.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store away from heat.

<u>CONTAINER DISPOSAL:</u> [dispenser] Do not reuse towelette or empty container. Wrap towelette container and discard in trash. [foil packages] Do not reuse towelette or empty packet. Dispose of used towelette and packet in trash.

For technical information on DisCide ULTRA Spray, Towelettes, Aerosols, and DisCide XRA Hand Sanitizing Wipes, call 1-800-344-6424 or fax 203-377-8988.

PALMERO HEALTH CARE, 120 GOODWIN PLACE, STRATFORD, CT 06615

www.palmerohealth.com

### **Optional Text**

- Hepatitis B Virus (as duck HBV)
- Hepatitis C Virus (ATCC VR-1422)
- Human Coronavirus (ATCC VR-740)
- HIV-1 (AIDS virus)
- Adenovirus type 2 (ATCC VR-864)
- Herpes Simplex Virus type 2 (ATCC VR-734)
- Avian Influenza A Virus H3N2 strain (ATCC VR-2072)
- Influenza A Virus Hong Kong strain (ATCC VR-544)
- Respiratory Syncytial Virus (ATCC VR-26)
- Vancomycin Resistant Enterococcus faecalis (ATCC 51559)
- Methicillin Resistant Staphylococcus aureus (ATCC 33592)
- Staphylococcus aureus (ATCC 6538)
- Pseudomonas aeruginosa (ATCC 15442)
- Salmonella enterica (ATCC 10708)
- Escherichia coli (ATCC 11229)
- Mycobacterium bovis (ATCC 27289)
- Candida albicans (ATCC 10231)
- Proteus mirabilis (ATCC 9240)

CCCCCC
CC CC

Rev. 12/17/09