Kindly overwrite the label dated 6/15/2010 with the label in this folder.

7



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

JUN 15 2010

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Palmero Health Care 120 Goodwin Place Stratford, CT 06615

Attention: Frederick T. Smith Senior Regulatory Specialist

Subject:

DisCide Ultra Disinfecting Spray

EPA Reg. No. 10492-5

Notification Letter Dated May 27, 2010

Application Dated May 27, 2010

This will acknowledge receipt of your notification for the aforementioned product label, submitted under the provisions of Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) Section 3© (9). Based on a review of the submitted material, the following apply:

- To update the Container Disposal text.
- To add the company logo for the subject product.

The Notification is in compliance with PR Notices 98-10 and 2007-4 and is acceptable. This information has been made a part of your file.

If you have any questions concerning this letter, please contact Abigail Downs at (703) 305-5259.

Sincerely.

Product Manager (33)

Regulatory Management Branch I Antimicrobials Division (7510P)

					~
rm Appro	OMB No.	2070-0060.	Approval	expires	2-28-9

	,	
9	FPA	

 \sim

United States

	Registration
	Amendment
:	Other

OPP Identifier Number

SEPA		vironmental Protection Agency Washington, DC 20460			Amendment × Other			
			f D d' . ' I	<u>x</u>				
		Application	for Pesticide -		11			
Company/Product Number 10492-5			EPA Product Manager M. Swindell		3. Proposed Classification			
Company/Product (Name) DisCide Ultra Disinfectin	g Sprav		PM# 32					
5. Name and Address of Appli		9)	6. Expedite	d Review.	In accordance w	ith FIF	RA Sect	ion 3(c)(3)
Palmero Health Care 120 Goodwin Place Stratford, CT 06615		(b)(i), my pro to: EPA Reg.	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No.					
Check if this is a	a new address		·	Product Name				
			Section - II					
Amendment - Explain be	elow.		1 1	printed label cy letter date	s in response to ed			
Resubmission in respons	se to Agency letter date	ed	"Me T	oo" Applicat	tion.			
X Notification - Explain be	low.		Other	- Explain be	elow.			
This notification is consisted 156.140, 156.144, 156.146 product. I understand that notification is not consisted and 156.156, this product is	6, and 156.156. No o it is a violation of 18 nt with the terms of P	ther changes ha U.S.C. Sec. 100 R Notice 98-10, f FIFRA and I ma	ve been made to the 1 to willfully make a PR Notice 2007-4, a ay be subject to enfo	e labeling on the state of the	or the Confidentia atement to EPA. I R 152.46, 156.10	l State further , 156.1	ment of r unders 40, 156.	Formula for this tand that if this 144, 156.146,
·	· · · · · · · · · · · · · · · · · · ·	,	Section - III					
1. Material This Product Will	Be Packaged In:			 				
Child-Resistant Packaging	Unit Packaging	\	Water Soluble Packagi	ing	2. Type of Container			
Yes	Yes		Yes		x Pla			
X No	X No		X No		Gla Par			
* Certification must	If "Yes" Unit Packaging wgt.		f "Yes" Package wgt	No. Per Container		er (Speci	ify)	
be submitted								
3. Location of Net Contents In X Label Co	ontainer	4. Size(s) Retail Co 16 oz, 32 oz, 6	ontainer 4 oz, 5 gal, 55 gal	5. Loc	ation of Label Dired On label. On label accompa		roduct.	
6. Manner in Which Label is A	Affixed to Product	Lithograph Paper glue Stenciled	1 1	Other				
			Section - IV					
1. Contact Point (Complete it	tems directly below for	identification of ind	lividual to be contacted	d, if necessa	ry, to process this	applicati	ion.)	
		Title Age	tle gent (SciReg, Inc.)		1 '	Telephone No. (Include Area Code) 703/494-65000 000000000000000000000000000000000		
I certify that the statements			tachments thereto are		•		6. Dat	e Application eived
I acknowledge that any knowingly false or misleading statement may be puni-			be punishable by fine	or imprisonr	č 6	c	•	Stamped)
both under applicable law. 2. Signature		3. Ti	itle		0 0 0 0 0	0 C C	00 C	ຍ
Ill Nith						6 6 6	(((((((((((((((((((0 0 0
4. Typed Name		5. Da					00000	O
Frederick T. Smith		5	129/10				0000	



May 27, 2010

Mr. Marshall Swindell Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency One Potomac Yard 2777 S. Crystal Drive Arlington, VA 22202

Re:

77

i i

Notification Consistent with PR Notice 98-10 and 2007-4

- DisCide Ultra Disinfecting Spray (EPA Reg. No. 10492-5)

Dear Mr. Swindell:

On behalf of Palmero Health Care (PHC), SciReg, Inc. is submitting a notification consistent with PR Notice 908-10 and 2007-4 to update PHC's Container Disposal text and add a company logo the subject product. One copy of the label, with the changes clearly marked, is included.

Should you have any questions, please let me know.

Frederick T. Smith

Sincerely,

Senior Regulatory Specialist

Enclosures

DISINFECTING SPRAY

One-Step Disinfectant - Cleaner - Decontaminant Kills All Listed Pathogens IN ONE MINUTE

◆Bactericidal *** Tuberculocidal ** Virucidal* ** Fungicidal

DisCide ULTRA Disinfecting Spray is herbal scented, dual chain quaternary ammonium/high level alcohol solution. Use in Health Care & Alternate Care Settings such as hospitals, intensive care units, emergency medical settings, central supply, laboratories, clinics, nursing homes, and dental suites where control of the cross-contamination hazards between treated surfaces is required. Consumer Use on hard, non-food-contact surfaces in kitchens, food service areas and bathrooms and other clated hard, non-food-contact surfaces such as shopping carts, child-restraint seats, exercise and weight-lifting equipment, office equipment, computer screens and key pads, telephones, Gell phones, and door knobs and hapitles. DisCide ULTRA Disinfecting Spray eliminates odors and liseffective against the following pathogens on hard non-porous, contact surfaces when used as directed: used as directed:

DisCide ULTRA Disinferging Spray meets the disinfection requirements

of OSHA's Bloodborne Pathogen Standard (29 CFR 1910.1030)

- Tuberculosis bacteria (Mycobacterium bovis)
 (1 min. at 2000)
- Staphylococcus aureus (Staph) (1 min.)
- Pseudomonas aeruginosa (1 min.)
- Salmonella enterica (1 min.)
- Escherichia coli (E. coli) (1 min.)
- Avian Influenza A Virus* (H3N2 strain) (30 sec.)
- Influenza A Virus* (Hong Kong strain) (30 sec.)
- Herpes Simplex Virus type 2* (genital herpes) virus) (1 min.)
- Candida albicans (1 min.)
- Proteus mirabiliร เป็น ลักเก.) นี้

- MRSA (Methicillin Resistant Staphyloco aureus) (1 min.)
- VRE (Vancomycin Resistant Enterococcus faecalis) (1 min.)
- HBV* (Hepatitis B Virus) (1 min.)
- HCV* (Hepatitis C Virus) (1 min.)
- RSV* (Respiratory Syncytial Virus) (1 min.)
- HIV-1* (AIDS virus) (1 min.)
- Human Coronavirus* (30 sec.)
- Adenovirus type 2* (1 min!)
- Pandemic 2009 H1N1 influenza A Virus*
 (30 sec.) (formerly called swine flu)

ACTIVE INGREDIENTS

n-alkvl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chloride 0.12% n-alkyl (68% C12, 32% C14) dimethyl ethyl benzyl ammonium chloride 0.12% TOTAL INGREDIENTS 100.00%

KEEP OUT OF REACH OF CHILDREN WARNING

See side panel for additional precautionary statements

EPA REG. NO. 10492-5 • EPA EST. NO. 62511-KS-1



- If in eyes: Hold eye open and rinsesslowly and gently with water for 15-20 minutes.
 - Remove contact lenses if present, after the first 5 minutes then
 - doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison controll center or doctor, or going for treatment. You may also contact GhemaTel Inc. at 1-800-255-3924.

Precautionary Statements:

Hazards to Humans and Domestic Animals: WARNING. Causes substantial but temporary eye injury. Do not get in eves or on clothing. Wear protective eyewear. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. Physical or Chemical Hazards: Flammable. Keep away from heat or open flame

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store away from heat. CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available.

For technical information on DisCide ULTRA Spray, Towelettes, Aerosols and DisCide XRA Hand Sanitzing Wipes, Call 1-800-344-6424 or fax 203-377-8988.

NET CONTENES: 1 U.S. BAKLON (3.79L)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

GENERAL PRECAUTIONS AND RESTRICTIONS: This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contact intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

TO CLEAN, DECONTAMINATE, AND DISINFECT: Remove gross dirt and soil. Thoroughly wet the surface with DisČide ULTRA Disinfecting Spray and

allow to remain wet for the required contact time.

Healthcare FOR DISINFECTION AND DEODORIZATION OF: inanimate, hard, non-porous surfaces such as chairs, stools, counter tops, drawer pulls, door knobs and handles, carts, baskets, tables, cabinets, lighting fixtures, bassinets, bed rails, incubators, physical therapy equipment, shower stalls, toilet exteriors and toilet seats, telephones and other related hard surfaces in hospitals, operating and surgical rooms, intensive care and critical care units, emergency units, dental and veterinary offices, surgery, recovery, anesthesia, X-Ray, Cat. Lab., blood collection and donation centers, isolation units, orthopedics, newborn nursery, respiratory therapy, radiology, pediatrics, physical therapy, rehabilitation, ophthalmology, optometry, hospices, central supply, emergency medical vehicles, police and fire vehicles, correctional facilities, funeral homes, morgues, spas, health clubs, salons, schools and school medical facilities, school buses, day care and non-food contact surfaces. Use on stainless steel, glass, formica and other similar surfaces. Use care when using on varnished surfaces or plexi-glass. Discide ULTRA Disinfecting Spray may be used to preclean or decontaminate medical instruments prior to sterilization or high-level disinfection.

Consumer FÓR DISINFECTION AND DEODORIZATION OF: inanimate, hard, non-porous kitchen/food service and bathroom surfaces such as counter tops, drawer pulls, carts, baskets, tables, cabinets, door knobs and handles, appliance exteriors, shower stalls, toilet exteriors and toilet seats, bathroom and lighting fixtures, sinks, flooring, walls, vanities, diaper pails, trash cans, telephones, shopping carts, child-restraint seats, exercise and weight-lifting equipment, office equipment, computer screens and key pads, telephones, cell phones, and other related hard, non-food-contact surfaces.

Use on stainless steel, glass, formica and other similar surfaces. Use care when using on varnished surfaces or plexi-glass.

*Virucidal Activity: DisCide Ultra Disinfecting Spray is effective against the following viruses in 30 seconds or one minute when used according to label directions on hard, non-porous environmental surfaces: MRSA, VRE, Avian Influenza A (H3N2 strain), Influenza A (Hong Kong strain), Pandemic 2009 H1N1 influenza A virus (formerly called swine flu), RSV, HBV, HCV, Human coronavirus, HIV-1, Adenovirus type 2, and Herpes Simplex virus type 2. Kills HIV-1, HBV, and HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings (Hospitals, Nursing Homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus (HBV), and Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS), HBV, and HCV FOR SURFACES OR OBJECTS SOILED

WITH BLOOD OR BODY FLUIDS.

PERSONAL PROTECTION: Wear disposable latex gloves, protective gown, face mask and eye covering, as appropriate, when handling HIV-1, HBV, and HCV infected blood or body fluids. CLEANING PROCEDURE: All blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant. DisCide ULTRA Disinfecting Spray can be used for this purpose. CONTACT TIME: Thoroughly wet surface with DisCide ULTRA Disinfecting Spray. Allow surfaces to remain wet for 1 minute, then air dry. The efficacy of a 1 minute contact time has been shown to be adequate against HIV-1 (AIDS virus), HBV, and HCV. DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to Federal, State, and local regulations for infectious waste disposal.

PALMERO HEALTH CARE

120 Goodwin Place, Stratford, CT 06615 • 800-344-6424 • www.palmerohealth.com

PAL3565G-1006

You may also want to get these accessories for DisCide ULTRA gallon bottle:

Hold-It™ Gallon Bottle Holder

Make any gallon bottle easy to handle and store with our white metal holder. Mount as needed for easy access to bottle. Mounting hardware included.

Size: 5½" x 4½" x 4½" Order No. 3518

Topcat™ Dynamic 1-Touch™ Gallon Sprayer and Holster

Can cover larger areas with one-handed ease. The holster attaches to the neck of your one-gallon bottle, instantly furning it into the perfect power tool for any job. The no-drip nozzle adjusts from spray to stream and anything in between.

4 AA batteries included.

Order No. 4230

DisGide Ultra is also available in:

60 count, 10½" x 10" Towelettes:
Order No. 10DIS

160 count, 6" x 6¾" towelettes:
Order No. 60DIS

Quart bottle with sprayer: Order No. 3565Q

4 oz. bottle with pump sprayer: Order No. 3564

To order these of any other Palmero Health Care Products, call

1-800-344-6424

or visit www.palmerohealth.com

REORDER #3565G