

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (TS-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.
10504-5

DATE OF ISSUANCE
JUN 23 1986

TERM OF ISSUANCE

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT
SUPPRESSOR

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

RYAN LEARY PRODUCTS
2400 E. MAIN STREET
MILWAUKEE, WI 53259

160 / 162346
18 / 1

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling change listed below before you release the product for shipment.
- Add the phrase "EPA Registration No. 10504-5."
3. Please confirm that one of the product ingredients is sodium lignocaine.
4. For the Product Chemistry please provide the following:
 - a. Actual analytical methods used to analyze the active ingredients.
 - b. Confirm that the physical state is a solid.
 - c. Provide the raw data for the Storage Stability study in percent active ingredient. Also provide the 1 year data. The minimum length of the study is one year.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

6/25/86

5. For the labeling, the following corrections must be made:

a. Revise the Environmental Hazard Statement to read:

This product is toxic to fish. Do not apply directly to any body of water. Do not contaminate water cleaning of equipment or disposal of waste."

b. In the Precautionary Statement instructions, revise the eyes treatment instruction to read similar to the following, "If in eyes, flush with plenty of water. If irritation persists seek medical attention."

c. The Storage and Disposal subheading and statement should read as follows:

STORAGE AND DISPOSAL

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag in application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

SUPPRESSOR (P)

Suppresses fly buildup by killing the larvae in the manure of treated cattle, swine and horses.

ACTIVE INGREDIENT	BY WEIGHT
2-Chloro-1-(2, 4, 5-trichlorophenyl) vinyl dimethyl phosphate.	2.5% **
INERT INGREDIENTS.	97.5% *
TOTAL	100.0%

* Refers only to ingredients which are not larvicidal.
**RABON Insecticide - Contains 11.2 grams of RABON per pound.
RABON is the registered trademark of Shell Oil Company.


Keep Out of Reach of Children
CAUTION
See side panel for additional precautionary statements

Net Wt.

ACCEPTED
with COMMENTS
in EPA Letter Dated

JUN 23 1986

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
10504-G



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Suppressor should be fed top dressed on grain or mixed with the total ration to provide 70 mg. of Rabon per 100 lbs. of body weight for Beef, Dairy (including lactating) and Horses. Swine should be fed a ration that will provide 50 mg. of Rabon per 100 lbs. of body weight.

Start adding Suppressor to feeds early in the spring before flies begin to appear and continue feeding throughout the summer and into the fall until cold weather restricts fly activity.

Suppressor prevents the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle, swine and horses, but it is not effective against existing adult flies. In some cases, supplemental fly control may be needed. In order to achieve fly control, this product should be used in conjunction with other good management and sanitation practices.

Enclosed is a premeasured cup to be used for individual dosages. Suppressor can also be mixed directly into the complete feed. For the specific daily dosage (or for use in a complete feed) please refer to the below Livestock Use Directions.

LIVESTOCK USE DIRECTIONS

ANIMAL	WEIGHT CLASS	INDIVIDUAL DOSAGE	COMPLETE FEED
BEEF	100-500 lbs.	Feed 1/2 oz. per animal per day. Measuring cup filled to green line.	Mix 5 lbs. of Suppressor per ton of complete feed
DAIRY* (Incl. Lactating)	500-1000 lbs.	Feed 1 oz. per animal per day. Measuring cup filled to blue line.	
HORSES**	1000-15000lbs.	Feed 1 1/2 oz. per animal per day. Measuring cup filled to orange line.	
SWINE	Weaners to Market	Feed 1/4 oz. per animal per day. Measuring cup filled to red line.	Mix 4 lbs. of Suppressor per ton of complet feed.
	Sows, Boars, Gitts	Feed 1/2 oz. per animal per day. Measuring cup filled to green line	Mix 8 lbs. of Suppressor per ton of complet feed.

- * There is no withholding of milk from market during or after treatment.
- ** Do not use on horses intended for slaughter.

Precautionary Statements Hazards to Humans Caution

Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water for 15 minutes. If irritation persists, see a physician.

Environmental Hazards

This product is toxic to fish. Keep out of lakes, streams or disposal.

Storage: Store in a dry place in original container.

Container Disposal: Do not reuse container. Rinse thoroughly before discarding in trash.

Product Disposal: Securely wrap original container in several layers of newspaper and discard in trash.

Manufactured for
Rx Veterinary Products
Porterville, CA 93257 U.S.A.

EPA Reg. No. 10504-_____

EPA Est. No. 45277-MC-2

