



VASCO
CIRCLES
THE FIELD

VASCO

APPLICATION:

For control of accessible or exposed stages of Rice Weevil, Granary Weevil, Confused Flour Beetles, Sawtoothed Grain Beetles, Flat Grain Beetles, Rusty Grain Beetles, Square Necked Grain Beetles, Red Flour Beetles, Cadelle Beetles, Mediterranean Flour Moth, Meal Worms, Spider Beetles, Indian Meal Moth, Ants, Roaches, Silverfish & Crickets

**CAUTION:
AVOID
PROLONGED
BREATHING.**

ACTIVE INGREDIENTS 100%
"VASCO FORMULA 100-G"

Pyrethrins	1.00%
Technical Piperonyl Butoxide*	10.00%
Amorphous Silica Gel	40.00%
Petroleum Hydrocarbons	49.00%
	<hr/>
	100.00%

*Equivalent to 8.00% of (Butyl-Carbityl) (6-Propylpiperonyl) Ether and 2.00% of Related Compounds.

"USDA Reg. No. 10562-1"

Executive Offices
308 EAST SIXTH STREET

VASCO CHEMICAL

"GO AND GROW WITH VASCO"

VASCO

7-7-70
10562-1

VASCO
CIRCLES
THE FIELD

ACTIVE INGREDIENTS 100%

"VASCO FORMULA 100-G"

Pyrethrins	1.00%
Technical Piperonyl Butoxide*	10.00%
Amorphous Silica Gel	40.00%
Petroleum Hydrocarbons	49.00%
	<u>100.00%</u>

CAUTION:
KEEP OUT OF REACH OF CHILDREN.
HARMFUL IF SWALLOWED.

DIRECTIONS FOR USE:

In Mills, Elevators, Granaries, following the cleanup of waste grain, dust, dirt and debris, thoroughly treat floors, walls and other surfaces of bins, storage and handling areas, and similar protected locations such as cracks and crevices. Treat unloading, handling and processing areas, and apply the insecticide to conveying, processing and handling equipment. Treat ant trails, areas around door sills and windowpanes where ants enter buildings.

nds. "USDA Reg. No. 10562-1"

CHEMICAL CO., INC.

HANFORD, CALIFORNIA

GO AND GROW WITH VASCO"

VASCO
CIRCLES
THE FIELD

VASCO

VASCO
CIRCLES
THE FIELD

7-7-70

10562-1

APPLICATION

For control of accessibility in exposed areas of Rice Weevils, Grain Weevils, Flour Beetles, Sawtoothed Grain Beetles, Flat Grain Beetles, Rusty Grain Beetles, Spine Necked Grain Beetles, Red Flour Beetles, Cadent Beetles, Millstone Beetles, Meal Moths, Meal Worms, Spider Beetles, Indian Meal Moth, Ants, Roaches, Silverfish & Crickets.

CAUTION:
AVOID
PROLONGED
BREATHING.

ACTIVE INGREDIENTS 100%
"VASCO FORMULA 100-G"

Pyrethrins	1.00%
Technical Piperonyl Butoxide*	10.00%
Amorphous Silica Gel	40.00%
Petroleum Hydrocarbons	49.00%
	<u>100.00%</u>

CAUTION:
KEEP OUT OF
REACH OF
CHILDREN.
HARMFUL IF
SWALLOWED.

DIRECTIONS FOR USE

In Mills, Elevators, Grain bins, etc., apply a liberal amount of waste grain dust and sweepings to the walls, floors, and other surfaces of bins, storage and processing areas and similar points of insect activity, cracks and crevices. Treat floors, walls, and processing areas of grain elevators, etc., by spraying, brushing, or holding equipment. Treatant treated around door sills and window panes to prevent ants enter buildings.

*Equivalent to 8.00% of (Butyl-Carbityl) (6-Propylpiperonyl) Ether and 2.00% of Related Compounds

"USDA Reg. No. 10562-1"

Executive Offices
308 EAST SIXTH STREET

VASCO CHEMICAL CO., INC.

HANFORD, CALIFORNIA

"GO AND GROW WITH VASCO"