

# **INDUSTRIAL SPRAY 0.25** LIQUID INSECTICIDE

Contains SYNTHRIN

#### HIGHLY ACTIVE SYNTHETIC PYRETHROID

Kills flies, mosquitoes, gnats, flying moths, millers, wasps, roaches, waterbugs, earwigs, grain mites, sowbugs, spiders and centipedes.

For use in Bakeries, Food Plants, Restaurants, Schools, Hotels, Motels, Office Buildings, Hospitals and Food Handling Plants.

ACTIVE INGREDIENTS:

(5-Benzyl-3-furyl) methyl 2	
2-dimethyl-3-(2methylopropenyl)	
cyelepropanecarboxylate	0.250%
Related Compounds	0.034%
Aromatic petroleum hydrocarbon	0.329%
Petroleum Distillate	99.375%
INERT INGREDIENTS	.012%
	100.000%

C's/transismores ratio max 30% (1) cis and min 70% (1) trans. <sup>+</sup> U.S. Patent No. 3,465.007

# CAUTION **KEEP OUT OF REACH OF CHILDREN**

See other panel for additional precautions

EPA REG. No. 10652-4 EPA ESTABLISHMENT No. 10562

### Net Contents:

\*Synthrin Trademark of FMC Corporation

CAUTION. Harmful if swallowed. Do not spray near or around an open flame. Avoid contamination of feed and foodstuffs.

> Manufactured By VASCO CHEMICAL CO., INC. - Hanford, California 93230

MOSQUITOES, FLIES, GNATS, FLYING MOTHS (MILLERS): Close all doors and windows. Direct the spray to all parts of the room. Fill the room with mist, then leave the treated area. Keep room closed for at least 15-30 minutes. Ventilate the room when treatment is completed.

WASPS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.


ROACHES, WATERBUGS, EARWIGS, GRAIN MITES, SOWBUGS, SPIDERS AND CENTIPEDES: Spray thoroughly into cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible. Repeat as necessary.

When using this processing plants, foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using this product in these areas, apply only when facility is not in operation.

completed.

This product is toxic to fish and birds. Remove pets, birds and cover fish aquariums before spraying. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

in a safe place.



#### DIRECTIONS FOR USE

## CAUTION

Do not remain in treated areas and ventilate the area after treatment is

Do not reuse empty container. Destroy by perforating or crushing and burying

•





# INDUSTRIAL SPRAY 0.25 LIQUID INSECTICIDE

Contains SYNTHRIN

#### HIGHLY ACTIVE SYNTHETIC PYRETHROID

Kills flies, mosquitoes multis, flying moths, miliers wasps, roaches waterburgs, earwire minain mites sowburgs spinlers and centipedes.

For use in Bakeries. Four Plants, Restaurants, Schools, Hotels, Motels. Office Buildings. Hospitals and Food Handing Plants.

#### ACTIVE INGREDIENTS

(5-Benzyl-3-furyls methyl ?	
2-dimethyl-3-(2methylopropenyl)	
cyelepropanecarboxylate	0.250°s
Related Compounds	0.0 <b>34</b> °5
Aromatic petroleum hydrocarbon	0.32 <b>9</b> °₀
Petroleum Distillate	99 375°₀
INERT INGREDIENTS	.012°°
	100.000°≎

Cisi transismores ratio max 30°s (L. ris and min 70°s (L. trans. U.S. Patent Nc. 3,465.007

# CAUTION KEEP OUT OF REACH OF CHILDREN

See other panel for additional precautions

EPA REG No 116524

### Net Contents:

HPA Ber N 10652-4

1

\*Synthein Trademark of EMC Corporation

CAUTION Harmful if swallowed. Do not spray near or eround an open flame. Avoid contamination of feed and foodstuffs.

Manufactured By VASCO CHEMICAL CO., INC. — Hanford, California 93230 MOSQUITOES, FLIES GNATS FLYING MOTHS (MILLERS). Close all doors and windows. Direct the spray to all parts of the room. Fill the room with mist, then leave the treated area. Keep room closed for at least 15-30 minutes. Ventilate the room when treatment is completed.

WASPS Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

ROACHES WATERBUGS, EARWIGS GRAIN MITES SOWBUGS, SPIDERS AND CENTIPEDES Shray thoroughly into crucks, crevices, moist areas, openings around tipes and anks, under refrigerators, baseboards and storage areas. Spray directly uninserts where possible. Repeat as necessary.

\*/ .....

When using this product in food processing plants foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thorocubly cleaned before using. When cising this product in these areas, apply only when facility is not in operation.

Do not remain completed.

This product is toxic to fish and birds. Remove pets, birds and lover fish aquariums before spraving. Keep out of lakes, treams or bonds. Do not contaminate water by cleaning of explorent or thips all of wastes. Apply this product only as specified on this late .

Do not reuse en in a sufe place.



#### DIRECTIONS FOR USE

## CAUTION

Do not remain in treated areas and centilate the area after treatment

Do not reuse empty container. Destroy by clerking procreptions and Elerying