

VAPORIZER CONCENTRATE 0.5-0.1

An Effective Semi-Concentrated Pyrenone® Insecticide

For application in Tifa, Challenger, Tornado, Dina-Fog, Mircosol, Halaby, Klip On, Commander, Bes-Kill and similar conventional thermol mechanical, or compressed air fogging equipment.

For use in Bakeries, Food Plants, Restaurants, Hotels, Motels, Hospitals, Schools, Office Buildings and Food Processing or Handling Plants.

ACTIVE INGREDIENTS: 100%

Pyrethrins	0.1%
*Piperonyl Butoxide Technical	0.5%
Petroleum Distillate	99.4%

*Equivalent to 0.4% of (butylcarbityl) (6-propylpiperonyl) ether and 0.1% of related compounds.

PYRENONE is a registered trademark of FMC Corporation

CAUTION

KEEP OUT OF REACH OF CHILDREN

See other panel for additional precautions

EPA REG. No. 10562-10
EPA ESTABLISHMENT No. 10562-CA-1

Net Contents:

Manufactured By
VASCO CHEMICAL CO., INC. — Hanford, California 93230

VASCO CHEMICAL CO., INC.
HANFORD, CALIFORNIA 93230

DIRECTIONS

Close windows and doors and shut off ventilating systems. Using appropriate fogging or vaporizing applications, apply at rate of 3 to 6 ounces per 1000 cubic feet of space. The lower rate may be used at machine settings which provide finer particles of spray mist. Manufacturer's recommendations may often be helpful. The dosage and distribution should be sufficient to thoroughly fill the enclosure with vapor or fog. Keep area closed for at least 15 minutes. Vacate treated area and ventilate before reoccupying. Repeat treatment as necessary.

The above described application will kill accessible, exposed stages of flies, fruit flies, mosquitoes, small flying moths, gnats, wasps, hornets, clover mites, cheese mites, cheese skippers; and these common stored product pests; granary weevils, rice weevils, sawtooth grain beetles, spider beetles, cigarette beetles, Drugstore beetles, confused flour beetles, Angoumois grain moths, Mediterranean flour moths, Indian meal moths, Tobacco moths, meal worms and grain mites.

CAUTION: Harmful if swallowed. Avoid contamination of feed or foodstuffs.

The use of this product in food processing plants should be confined to time periods when the plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using.

Do not remain in treated areas and ventilate the area after treatment is completed.

This insecticide is an oil base material and should not be sprayed, stored or otherwise exposed to an open flame. Not more than one gallon should be sprayed in 40,000 cubic feet of enclosed space in order to avoid an explosion hazard.

Remove pets, birds and cover fish aquariums before spraying.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Destroy by perforating or crushing and burying in a safe place or return to drum reconditioner.

10562-10