

DIRECTIONS FOR USE

Captan may be combined effectively at recommended dosages with most commonly used fungi,icides and insecticides with the exception of oil and strongly alkaline materials. Spray injury may result if Captan is used with, immediately before, or closely following an oil spray.

AZALEAS: Damping-off of cuttings — Use 8 teaspoonfuls per gallon of water. Dip cuttings before bedding. Petal blight — Use 4 teaspoonfuls per gallon of water. Apply to soil area around plants and spray flowers just before bloom. Repeat at 7 to 14 day intervals.

CARNATIONS: Alternaria leaf spot, Rust — Use 4 teaspoonfuls per gallon of water. Begin at first sign of disease. Repeat at 7 to 14 day intervals. Shorten intervals during frequent rains and heavy dews. Damping-off of cuttings — Use 8 teaspoonfuls per gallon of water. Dip cuttings before bedding.

CHRYSANTHEMUMS: Botrytis flower blight, Septoria leaf spot — Use 4 Teaspoonfuls per gallon of water. Apply at first sign of disease. Repeat at 7 to 10 day intervals. Damping-off of cuttings — Use 8 teaspoonfuls per gallon of water. Dip cuttings before bedding.

ROSES: Black spot, Botrytis blossom blight — Use 4 teaspoonfuls per gallon of water. Begin at first growth or first sign of disease. Repeat at 7 to 14 day intervals, and more frequently during frequent rains and heavy dews.

LAWNS, TURF (unpastured areas only) — Leaf spot, Damping-off, Brown patch, Copper spot, Winterkill, Seedling blights, and Brown spot on St. Augustine grass — Use 4 teaspoonfuls per gallon of water and apply 10 gallons per 1,000 sq. feet of turf. Begin when growth starts in spring. Repeat at 7 to 14 day intervals throughout the season. Do not graze treated areas. Do not feed clippings to livestock.

CAUTION: Avoid inhalation of dust or spray mist. Avoid contact with the skin. Do not contaminate food and feed.

This product is toxic to fish. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Destroy it and bury or discard in a safe place.

Store in cool, dry place — protect from excessive heat.

NOTICE: AGRI-CHEMICAL PRODUCTS DIVISION-LTV AEROSPACE CORPORATION, MAKES NO WARRANTY, EXPRESS OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND/OR FITNESS FOR ANY PARTICULAR PURPOSE CONCERNING THIS PRODUCT except those which are contained on the Agri-Chemical Products Division label attached to the product container.



**AGRI-CHEMICAL
PRODUCTS DIVISION**
DALLAS TEXAS 75205


Foamspray™
PRODUCTS

CAPTAN

FLOWABLE

A FUNGICIDE FOR PLANT DISEASE CONTROL

Use as a spray for control of certain fungus diseases of ornamental plants. Use as a soil treatment for control of certain soil borne diseases.



ACCEPTED
5/25/75
10370-30
10370-30

18