

ODORLESS DRIONE[®] INSECTICIDE

CAUTION: KEEP OUT OF REACH OF CHILDREN Avoid Inhalation

Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

Care should be taken that food and food utensils will not be contaminated, and if they are, they should be thoroughly cleaned.

This product is toxic to fish. Keep out of lakes, streams or ponds. Apply this product only as specified on this label.

Do not contaminate water by cleaning of equipment, or disposal of wastes.

This product is a finely divided powder which combines the flushing and killing powers of pyrethrins and piperonyl butoxide with the dehydrative principle of thermally attrited hydrogel. It is relatively odorless and non-staining and may be used in accordance with directions in homes, restaurants, stores, hotels, offices, plants and warehouses. When used as directed, it is highly effective in controlling such insects as ants, roaches, silverfish, bed bugs, fleas, lice and ticks.

DIRECTIONS FOR USE:

To control ants, cockroaches, silverfish, and fleas in animal quarters, distribute Drione at the rate of 2 ounces per 100 square feet of surface area. Apply a continuous visible film underneath and behind stoves, refrigerators and appliances. Treat on, around and behind moulding, shelving, baseboards, pipe openings, cracks, crevices and other areas where insects may hide. For severe infestations apply Drione behind cabinets and walls, in crawl spaces and attics, at the rate of 16 ounces per 1000 square feet of surface area. Repeat treatment as necessary.

SEWER TREATMENTS American and Oriental cockroach infestations in sanitary sewers may be treated with approximately 0.3 lb. Drione per manhole. When treating sewers, one manhole per 200 feet of line should be treated. Treatments are made by removing the manhole cover and replacing with a disc of plywood bored to receive the usual flexible hose from portable or truck-mounted ventilating equipment. 0.3 lb. of Drione is introduced into the ventilating air, to be dispersed quickly and thoroughly through the system.

Do not reuse container. Destroy by crushing and burying in a safe place

The surface of the second ACCEPTED JAN 26/1973 HNDER THE FEDERAT r is cont 110 1 **ション** ション ED UV S . N. S TO ATTAUN

BED BUGS: Take bed apart. Dust into joints and channels. If hollow, such as square or round tubing, see that the interior of framework is well dusted. Mattress should be dusted, especially tufts, folds and edges. Picture frame moldings and all cracks and crevices in the room should be treated.

FLEAS-Dogs and Cats. Liberally apply powder to the animal, rubbing thoroughly to the skin. Begin with the neck and include the underbody, legs, feet, and the base of the tail. Repeat as necessary. Surfaces of kennels should be dusted at rate of one ounce per 50 square feet. Heavily infested lawns, basements and crawl spaces should be dusted at rate of 16 ounces per 1000 square feet. Repeat as necessary

ACTIVE INGREDIENTS: Pyrethrins

*Piperonyl Bu Amorphous S Petroleum H

*Equivalent to 8.0% (butylcarbityl) (6 propylpiperonyl) ether and 2.0% of related compounds.

DRIONE-Reg. Trademark of FMC Corporation.

NET WEIGHT:

EPA REG. No. 10573-13

of Connecticut

500 Whalley Avenue New Haven, Connecticut 06511

Buyer as uses all risks of use, staid_e or nonuling of this material not in strict accordance with directions given herewith

		1.00%
utoxide, Technical		10.00%
Silica Get		40.00%
lydrocarbons		49 00 %
		100.00%

MANUFACTURED BY **Pest Control Products**

