

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

ii. Correct the chemical name of the active ingredient to read "[6,7-dihydrodipyrido (1,2-a:2',1'-c) pyrazinediium dibromide]".

iii. Correct the end of the ingredient substatement to read "...0.225 pounds diguat salt per gallon."

d. Add the following statements to the Precautionary Statements:

"Remove contaminated clothing and wash before reuse. Wear goggles and rubber gloves when handling this product."

e. Add the following to the beginning of the Environmental Hazards section:

"This pesticide is toxic to wildlife. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark."

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy is enclosed for your records.

Joanne I. Miller
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (H7505C)

Enclosures

CONCURRENCES

SYMBOL	H7505C							
APPROVED BY	D. KENNY							
DATE	12/16/92							

PM23 10583-22 3045

SPECIMEN LABEL

RAPID KILL #1

**Provides Excellent Spot Weed Control and Fast-acting Lawn-edging
in Driveways, Treewells, Flower Beds, and Similiar areas**

Active Ingredients

Diquat dibromide (6.7-dihydrodipyrido
(1, 2-a2, 1-c) pyrazinedium dibromide) 2.7%

Inert Ingredients 97.3%

Contains 0.120 pounds Diquat Cation per gallon
and 0.225 pound salt per gallon

KEEP OUT OF REACH OF CHILDREN

**CAUTION
WARNING-**

**See Side Panel For Additional
Precautions**

**ACCEPTED
with COMMENTS
on EPA Letter Dated**

21 JAN 1993

**Accepted Under Insecticide,
Fungicide Act
for the pesticide
registered under EPA Reg. No.**

10583-22

4075

LEFT SIDE PANEL

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**PLEASE READ DIRECTIONS CAREFULLY
BEFORE USING**

WHERE TO USE: Use in most areas of the residence wherever weeds or creeping Bermudagrass present a problem (except in lawns). For best results, spray weeds in early growing stage when moisture and high temperature are promoting vigorous growth.

HOW TO APPLY: Shake contents thoroughly, then mix one quart of contents with 3 gallons of water. Point applicator at the weed target and spray. Use just enough spray to completely cover foliage of weed. Not necessary to soak. This applicator will assist you in obtaining accurate spot weed control easily. Accidental spotting of desired plants may be pruned off at the time of spraying.

TYPE OF CONTROL: RAPID KILL # 1 kills above ground weed growth. Broadleaf weeds and grasses are browned out and destroyed. Respray perennial weeds and Bermudagrass patches when green reappears.

COVERAGE: Depends upon the amount of weeds present; control may vary from 500 to 5000 square feet per gallon of Ready to Use spray. One gallon of mixed spray will provide approximately one mile of 2 inch lawn edging. One quart of concentrate makes 3 gallons of Ready to Use spray.

Shake Well Before Using
Contents: One Quart
EPA Est. 10583-AZ-1
General Control Co.
Scottsdale, AZ.

5045

RIGHT SIDE PANEL

PRECAUTIONARY STATEMENTS

WARNING

Hazards to Humans and Domestic Animals

May be fatal if swallowed, inhaled or absorbed through skin. Causes substantial, but temporary, eye injury. Causes skin irritation. Contact with irritated skin, or a cut, or repeated contact with intact skin may result in poisoning. Do not get in eyes or on skin or clothing. Do not breathe spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

Statement of Practical Treatment

IF SWALLOWED: IMMEDIATELY give water or milk to drink and induce vomiting by inserting in finger throat. Take person and product container to nearest hospital or physician fast. PROMPT TREATMENT IS ESSENTIAL TO COUNTERACT POISONING and should be initiated before signs and symptoms of injury appear.

IF INHALED: IMMEDIATELY get away from spray mist. Stop and check spray procedure. Call a Physician if effects persists.

IF ON SKIN: IMMEDIATELY wash with soap and water. Remove and wash all contaminated clothing with soap and hot water before reuse. See a doctor if diquat contacts a skin cut, abrasion or area of irritation.

IF IN EYES: IMMEDIATELY wash eyes with plenty of water for at least 15 minutes and get medical attention.

NOTE TO PHYSICIANS: To be effective, treatment for diquat poisoning must begin IMMEDIATELY. Treatment consists of binding diquat in the gut with suspensions of activated charcoal or bentonite clay, administration of cathartics to enhance elimination, and removal of diquat from the blood by charcoal hemoperfusion or continuous hemodialysis.

ENVIRONMENTAL HAZARDS

Do not apply under windy conditions which may result in spray drifting onto desired ornamentals or grass lawns.

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry place. Do not store near food products, fertilizers, seeds or insecticides.

PRODUCT DISPOSAL: Do not reuse empty container. Wrap container and put in trash.

WARRANTY

General Control Co. warrants that this material conforms to the chemical description on the label and is fit for use as herein described.