

ACCEPTED

10589-3

27 JAN 1978

CRYOCIDE

For general disinfection, mix 1 ounce per gallon with water and wash or spray walls, floors, ceilings, drains, counters and other unexposed areas and equipment with great wetting action. Remove gross dirt and heavy soil prior to application of the disinfecting solution.

FOR USE ON NON FOOD CONTACT SURFACES IN:

- Meat Packing Plants
- Fish Processing Plants
- Poultry Processing Plants
- Poultry Hatcheries
- Industrial Processing Plants
- Dairies
- Food Processing Plants
- Hospitals
- Nursing Homes
- Institutions & Public Places

Manufactured by
PETTIBONE LABORATORIES, Inc.
 11 East 4th Street, New York, New York 10017

Photo Reduction

BEST AVAILABLE COPY

UNDER THE FEDERAL DISINFECTANT, FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTRATION

CONTENTS: 52 GALLONS

Pettibone

EPA #10589-3
 EPA EST. #9150-R.I.-1

CRYOCIDE

Disinfecting Concentrate

BACTERICIDAL • FUNGICIDAL (Pathogenic)
PSEUDOMONICIDAL • VIRUCIDAL*

ACTIVE INGREDIENTS:
 Chlorine Dioxide 3.6%
 Diethyl Dimethyl Ammonium Chloride 2.0%
 Isopropanol

INERT INGREDIENTS:
 Disinfects Influenza A2 Virus (Hong Kong-68) on nonporous environmental surfaces.

DANGER:

KEEP OUT OF REACH OF CHILDREN

See First-Aid Statement and other precautions on side panel.

U. S. and Foreign Patents Issued and Pending

CRYOCIDE

BACTERICIDAL • FUNGICIDAL (Pathogenic)
PSEUDOMONICIDAL • VIRUCIDAL
 USING ACCEPTED PROCEDURES

CRYOCIDE provides broad spectrum disinfection for commercial establishments, hospitals, nursing homes, and other institutions. CRYOCIDE is stable for ready use, offers a definite plus to its disinfecting ability. While developing CRYOCIDE, particular attention was paid to toxicology and safety in use. For example, the LD50 of CRYOCIDE is 3,300 mg/kg.

Non-staining and non-corrosive to inanimate surfaces.

DANGER:

CAUSES SEVERE EYE IRRITATION OR EYE DAMAGE. CAUSES SKIN IRRITATION. DO NOT GET IN EYES. ON SKIN OR ON CLOTHING, AVOID CONTAMINATION OF FOOD.

FIRST AID:

IF ON SKIN, FLUSH SKIN WITH PLENTY OF SOAP AND WATER. IF IN EYES, FLUSH WITH WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION.

STORAGE & DISPOSAL:

STORE CONTAINER CLOSED WHEN NOT IN USE AND IN A PLACE AWAY FROM FOOD OR FEED FOR ANIMALS. DISCARD EMPTY CONTAINER BY RINSING THOROUGHLY WITH WATER AND PLACE IN TRASH RECEPTACLE.

94-470