

JUL 20 1989

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pest(s) registered under EPA Reg. No.

Broad-Spectrum

• BACTERICIDAL • FUNGICIDAL (Pathogenic) • PSEUDOMONICIDAL • VIRUCIDAL
ODOR COUNTERACTANT

*• Human Immunodeficiency Virus Type 1 (HIV-1) (AIDS Virus)
*• Herpes Simplex Virus Type 1 and 2 *• Influenza A₂ (Hong Kong - 68) Virus
On Inanimate Environmental Surfaces

Chlorine Dioxide	0.72%
Didecyl Dimethyl	
Ammonium Chloride	0.40%

98-99%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See additional precautionary statements on back

EPA Reg. No. 10589-4-59292

EPA Est. 41260-NY-1

U.S. and Foreign Patents Issued and Pending.

NET CONTENTS ONE GALLON - (128 Fl. oz.) (3.78 LITERS)

Bactericidal • Fungicidal (Pathogenic)

• Pseudomonicidal • Virucidal*

Human Immunodeficiency Virus Type 1 (HIV-1) (AIDS Virus)
 • Herpes Simplex Virus Type 1 and 2 • Influenza A₂

**(Hong Kong - 88) Virus • Odor Counteractant
On Inanimate Environmental Surfaces**

• **CRYOCIDE-20** provides broad-spectrum economy for commercial, institutional and agricultural disinfection. **CRYOCIDE MALODORS** offers a definitive activity.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. CRYOCIDE-20 is effective for disinfection of hard non-porous surfaces, at room temperatures (20° - 25°) in the presence of moderate amounts of organic soil. Remove gross dirt and heavy soil prior to application. For general disinfection, apply CRYOCIDE-20 full strength to surface, with good wetting action, and allow to remain wet for 10 minutes. Although CRYOCIDE-20 destroys HSV-1 and 2 (herpes virus) and HIV-1 (AIDS virus) within 30 seconds of contact (see Special Instructions below) this contact time will not control other common types of viruses and bacteria.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS that involve reusable settings or other settings in which there is a suspected likelihood of soiling of reusable surfaces/objects with blood or body fluids and in which the surfaces/objects soiled with blood or body fluids can be associated with the transmission of HIV-1: CRYOCIDE-20 destroys HIV-1 on pre-cleaned environmental surfaces/objects previously soiled with blood or other body fluids in 30 seconds contact. **PERSONAL PROTECTION:** The worker should wear disposable latex gloves, gown, mask and eye protection to prevent contamination from soiled items. **CLEANING PROCEDURE:** Blec-J and other body fluids must be thoroughly cleaned from surfaces and objects before application of Viroban. **CONTACT TIME:** Allow Viroban to contact treated items for 30 seconds. This contact time will not control other common types of viruses and bacteria. **DISPOSAL OF INFECTIOUS MATERIALS:**

WARRANTY: Any blood and other body fluids deposited according to local regulations for disposal.

SUGGESTED USES: For use on non-food, i.e. plastic, chrome, floors, swimming tubs and lining Homes • Institutions • Public Places • Processing Plants • Poultry Processing Plant • Animal Processing Plants • Dairies • Food Processing Plants.

STORAGE & DISPOSAL: Store in original container away from heat and open flame. DISPOSE: water, food or feed by storage or disposal. Use of this product may be disposed of on any disposal facility. For container disposal, triple place in trash receptacle. **PRECAUTIONARY:** Human & Domestic Animals - **CAUTION:** Can Avoid contact with eyes & clothing. Wash thoroughly after handling. Remove contaminated clothes. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT: plenty of water. Get medical attention if treated. Drink promptly a large quantity of milk, egg whites are not available, drink large quantities.

NOTE TO PHYSICIAN: Prohibit mucosal use of gastric lavage. If On Stom: Flush with water.

Overlaid by

PETTIBONE LABORATORIES, INC., 136 Central Ave., Clark, NJ 07066

BEST AVAILABLE COPY