

FORMULATED FOR
**FOOD PROCESSING PLANTS—DAIRIES
MEAT PLANTS—HOSPITALS—RESTAURANTS**

Should not be applied directly to grain or uncovered food stuffs. Foods should be removed or covered before spraying. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When used as a space spray in these areas, apply only when plant is not in operation.

DIRECTIONS FOR USE

SPACE SPRAY For the control of flies, mosquitoes, gnats and certain other flying insects spray freely upward in all directions with the sprayer set to deliver a fine spray. Apply freely to walls, ceilings, moldings, window frames, light fixtures and similar resting places. If possible keep the area closed for 10 minutes after spraying. For spiders, ants, and certain other crawling insects, wet all cracks and crevices thoroughly with spray. Repeat application as required.

**FORMULA
DC-124
INSECTICIDE**

ACTIVE INGREDIENTS

Petroleum Hydrocarbons	93.41%	*Equivalent to 4.80% of (butylcarbityl) 6-
Piperonyl Butoxide Technical	6.00%	propylpiperonyl ether and 1.20% of re-
Pyrethrins	59%	lated compounds

TOTAL 100.00%

WARNING!

KEEP OUT OF REACH OF CHILDREN

See Side Panel for Additional Cautions

NET CONTENTS

GALLONS

U.S.D.A. Reg. No. 10596-1

FORMULATED FOR
**FOOD PROCESSING PLANTS—DAIRIES
MEAT PLANTS—HOSPITALS—RESTAURANTS**

CAUTION:

**Do not spray near or toward an open flame.
Harmful if swallowed.**

Contains petroleum distillates. If swallowed, do not induce vomiting, give 4 or more glasses of water or other fluid except milk.

Call a Physician.

Manufactured for