

Algaetret-200

A Bacteriostat and Algaecide for the Control of the Growth of many of the Bio-Fouling Organisms occurring in Open Recirculating Cooling Systems.

2718 HAWKEYE DRIVE . PHONE (712) 255 3579 . SIOUX CITY, IOWA 51105

ACTIVE INGREDIENTS:

N-ALKYL (7', C., 6.5', C., 53', C., 19', C., 8.5', C., 6', C.)
TRIMETHYLENE DIAMINE
ISOPROPYL ALCOHOL

، '15.0' ، 15.0° ،

INERT INGREDIENTS

70.0

DIRECTIONS FOR USE: Apply shock dosages of 80 ppm. Algaetret-200 once a week until control is evident, after which the weekly dose may be reduced to 50 ppm. The retention time of Algaetret-200 within the system and variations in the factors promoting new growths of slime or algae will affect the interval between dosages.

CAUTION: KEEP OUT OF REACH OF CHILDREN. FOR INDUSTRIAL USE ONLY. Harmful if swallowed, Avoid contact with skin, eyes or clothing. In case of skin contact, wash with soap and water. For eyes, flush with water for 15 minutes and get prompt medical attention. Water treated with Algaetret-200 should not be used for food processing, irrigation or in the manufacture of paper used for food packaging. Wash container thoroughly with water and discard it.

This product is toxic to fish do not discharge treated effluent into water containing fish or shellfish.

AGITATE BEFORE USING USDA Reg. No. 10599—

#10599-5

KEEP FROM FREEZING