

## Directions For Use

Apply spray to the animal from a distance of 8 to 12 inches. Start spraying the tail, moving the dispenser rapidly and make sure that the animal's entire body is covered including the legs and under the body. As you spray, fluff the hair so that the spray will penetrate into the fur. For cats, spray on the basis of a 4 to 6 second application to a 5 pound animal. For dogs, spray on the basis of a 20-30 second application to a 25 pound animal. Repeat treatments, if necessary; should not be more often than once weekly. Make sure spray wets ticks. Do not spray into the eyes, face or scrotum. Do not overspray.

Thoroughly spray animal's living quarters and bedding, attempting to contact directly as many insects as possible.

Manufactured for

**KATHON, INC.**

ST. LOUIS, MISSOURI 63102

SUBSIDIARY OF ROHM AND HAAS COMPANY | PHILADELPHIA



CODE NO. 595

# KATHON PHARMACEUTICALS

## KATHEX<sup>T.M.</sup> PET PEST SPRAY

**KILLS** - fleas, lice, ticks, and gnats on dogs and cats.

**REPELS** - flies, mosquitos and gnats.

### ACTIVE INGREDIENTS:

Pyrethrins . . . . .	0.075%
Technical Piperonyl Butoxide . . . . .	0.150%
N-octyl bicycloheptene dicarboximide . . . . .	0.250%
Technical Methoxyflor . . . . .	0.500%
Malathion* . . . . .	0.250%
2,3:4,5-Bis(2-butylene) tetrahydro-2-furaldehyde . . . . .	0.200%
Petroleum Distillate . . . . .	4.275%
	<u>5.700%</u>

**INERT INGREDIENTS . . . . .** 94.300%

\*O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate

### CAUTION:

KEEP OUT OF REACH OF CHILDREN

CONTENTS UNDER PRESSURE

See other cautions on side panel.

NET WT. 10 oz.

### CAUTIONS:

Harmful if swallowed. Do not treat animals under one month of age. Avoid breathing spray mist. Avoid prolonged contact with the skin; wash thoroughly after using. Avoid contamination of feed and foodstuffs. Do not use on birds or around fishbowls.

Do not store when temperature may exceed 120° F.

Do not puncture or incinerate this container.

U.S.D.A. Reg. No. 10608-1



10608-1

