GENERAL DIRECTIONS:

Place bait in locations where rats and mice feed, water of travel.

Bait placements along walls, in corners, and in concealed locations where rats and mice can feed unobserved are desirable.

Bait should be placed in locations not accessible to children, pets and domestic animals or in tamper-proof bait boxes.

DIRECTIONS

FOR RATS

- Use 1 2 lb. or more per bait station. For effective control an uninterrupted supply of bait should be maintained for a minimum of 10 days and continued longer if feeding is observed.

FOR MICE

- Use 4 oz. per bait station and use more frequent bait placements (one every 8 to 10 feet). For effective control an uninterrupted supply of bait should be maintained for at least 15 days and continued longer if feeding is observed.

IMPORTANT

- Baiting should be continued until all scans of feeding has stopped.

Baits that become moldy, spoiled or contaminated in any way should be replaced promitty.

Where a continuou, source of infestation is present, permanent bait stations should be established and replenished as needed.

STREATOR

THE HOME CF



PEST CONTROL

302 WISCONSIN AVE. STREATOR, ILLINOIS 61364 PHONE 672-0505

A SUPERIOR RAT AND MOUSE BAIT

AN ANTI-COAGULANT THAT KILLS RATS AND MICE BY INTERNAL BLEEDING.


CONTAINS

By .W+.

ACTIVE INGREDIENTS:

INERT INGREDIENTS 99.995%

Total 100,000%



CAUTION:


QUIK KILL contains as its active ingredient an anticoagulant chemical. Therefore, QUIK-KILL must be protected from or placed where humans, livestock, poultry, or pets will not eat them.

NOTICE:

In case baits are eaten, give a tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Call a physician immediately.

NOTE FOR PHYSICIANS: Intravenous injections of Vitamin K1.

QUIK-KILL PEST CONTROL
A STREATOR, ILL FIRM OWNED
BY PAUL BAIETTO JR
302 WISCONSIN AVENUE
CALL DAY OR NITE - 7 DAY-WK
672-0505 - STREATOR ILLINOIS



NET WEIGHT_____LBS.