



NET CONTENTS SHOWN HERE

# UNITOX GRANULES

NET CONTENTS	PERCENT
Active Ingredient:	BY WT.
Dimethylammonium 2,4-dichlorophenoxyacetate	40.0
Inert Ingredient	60.0
U. S. Patent Pending	100.00
Contains 33.22 percent of 2,4-dichlorophenoxyacetic acid equivalent content by weight at 25°C	
E. P. A. Reg. No. 10629-3.	

delayed. In case of skin contact, wash immediately with water; remove clothing and wash skin where necessary. For eyes, wash thoroughly with water and get medical attention. Do not apply under condition involving possible contamination to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

**CAUTION:** Do not contaminate water used for irrigation or domestic purposes. Do not store near fertilizer, seed, insecticides or fungicides.

Thoroughly clean equipment with a suitable chemical cleaner before using for other purposes.

they should be made with the approval of the local environmental agent. The maximum dosage for UNITOX GRANULES should not exceed 100 pounds of granules per acre surface.

Treatment of aquatic weeds can result in oxygen loss from decomposition of dead weeds. This loss can cause fish suffocation. Therefore, to minimize this hazard treat 1/3 to 1/2 of the water area in a single operation and wait at least 10-14 days between treatments. Begin treatment along the shore and proceed outwards in bands to allow fish to move into untreated areas. Consult your State Fish and Game Agency before applying this product to public waters.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS, WARNINGS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS. KEEP HERBICIDE IN ORIGINAL CONTAINER. DO NOT PUT CONCENTRATE OR DILUTE INTO FOOD OR DRINK CONTAINERS.

WASH AND DESTROY CONTAINER WHEN EMPTY. NEVER RE-USE. DO NOT BURN.

**CAUTION  
KEEP OUT OF REACH  
OF CHILDREN**

**WARNING:** May be fatal if swallowed, inhaled or absorbed through skin. Symptoms of injury may be

### FOR USE IN LAKES AND PONDS

UNITOX GRANULES are recommended for control of emerged and submerged aquatic weeds such as

- |                 |               |
|-----------------|---------------|
| Alligatorweed   | Hydrilla      |
| Angels hair     | Rush          |
| Arrowhead       | Sago pondweed |
| Burhead         | Sedge         |
| Burr reed       | Southern reed |
| Cattail         | Stinkweed     |
| Coontail moss   | Stonewort     |
| Horned pondweed | Tule          |
| Hornwort        | Water milfoil |
| Horsetail moss  | Waterplantain |
|                 | Waterweed     |

The herbicidal action is quick with effects being visible in a few days. For instance, where a body of water is clogged with stinkweed, use 1/2 pound of UNITOX GRANULES on 100 sq. ft. of surface. Ground equipment is suggested. When aerial applications are made,

**CONDITIONS OF SALE:** 1. NACHEMCO, INC., warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. NACHEMCO, INC., neither makes nor authorizes any agent or representative to make any other warranty of FITNESS or of MERCHANTABILITY guarantee or representation, express or implied, concerning this material.

2. Critical and unforeseeable factors beyond NACHEMCO, INC., control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the uses stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by NACHEMCO, INC., under 1. above) resulting from handling, storage, and use of this material.

NACHEMCO, INC., 4284 N. E. 5th AVE., FORT LAUDERDALE, FLORIDA 33308

