

PM 17 106.51 2

U.S. ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (TS 262)
WASHINGTON, DC 20460

EPA REGISTRATION NO.

DATE OF ISSUANCE

MAR 10 1989

TERM OF ISSUANCE

NOTICE OF PESTICIDE:

REGISTRATION
REREGISTRATION

*Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended.*

NAME OF PESTICIDE PRODUCT

NAME AND ADDRESS OF REGISTRANT (Include ZIP)

145 /
18 / 1

NOTE: Changes in labeling format, lettering, or other information that accepted in connection with the registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby **Registered/Reregistered** under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as endorsement or approval of this product by the Agency. In order to protect health and the environment, the Administration, in its discretion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name if it has been covered by others.

BEST AVAILABLE COPY

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

FRONT PANEL

101

ANCEL CITY HOUSE PLANT INSECT SPRAY

10631-2

EPA REG. NO.

EPA EST. NO. 10631

KILLS GYPSY MOTH CATERPILLARS AND JAPANESE BEETLES

AN EFFECTIVE INSECTICIDE FOR USE ON VEGETABLE

AND ORNAMENTAL PESTS

A CONCENTRATED PYRENONE^{II} MICRO-EMULSION, CLEAR, STABLE

APPLY WITH CONVENTIONAL MECHANICAL COMPRESSED AIR EQUIPMENT OR
NON-AEROSOL PUMP

ACTIVE INGREDIENTS:

Pyrethrins	0.02%
*Piperonyl Butoxide, Technical.	0.20%

INERT INGREDIENTS:	99.78%
	100.00%

*Equivalent to min. 0.16% (butylcarbityl) (6-propylpiperonyl) ether and 0.04% related compounds.


KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautions.

BACK PANEL

DIRECTIONS FOR USE



It is a violation of Federal law to use this product in a manner inconsistent with it's labeling.

TO OPERATE: SHAKE BEFORE USING. Hold sprayer 18 inches from foliage and spray with circular motion. Direct spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage. Repeat treatment as necessary. When using outdoors, spray when air is still.

BACK PANEL

TO OPERATE: SHAKE BEFORE USING. Remove shipping cap and save. Insert sprayer hose into bottle and tighten securely. Prime sprayer by holding at cap level of bottle and pumping trigger. Turn nozzle to "spray" or "stream" position before using. Hold pump sprayer 18 to 24 inches from foliage or surfaces being treated. Direct spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage. Remove sprayer and replace shipping cap between uses. Spray water through sprayer after each use. Sprayer should be rinsed thoroughly and pumped empty for storage.

This insecticide may be used indoors, outdoors or in greenhouses throughout the growing season, or as a pre-harvest treatment when other insecticides are prohibited due to residue restrictions and use limitations.

To control insects named, apply this spray to provide thorough coverage of upper and lower leaf surfaces. Repeat treatment weekly or as needed to control infestations. May be applied on day of harvest.

Use on the following crops: Asparagus, Beans, Broccoli, Cauliflower, Cabbage, Brussels Sprouts, Celery, Cranberries, Eggplant, Lettuce, Mustard Greens, Kale, Collards, Turnips, Peppers, Potatoes, Radishes, Spinach and Tomatoes, To Control: asparagus beetles, aphids, leafhoppers, whiteflies, Mexican bean beetles, 12-spotted cucumber beetles, cabbage loopers, cross-striped cabbageworms, stink bugs, green peach aphids, leaf tiers, fireworms, blister beetles, Colorado potato beetles, and webworms.

Use on the following ornamentals: African violets, Azaleas, Begonias, Camellias, Dahlias, Dogwood, Roses, Wandering Jew, Asters, Carnations, Chrysanthemums, Geraniums, Gladiolis and Marigolds, To Control: aphids, flea beetles, leafhoppers and whiteflies.

To kill gypsy moth caterpillars and adults, adult Japanese beetles and forest tent caterpillars on contact:

On trees and shrubs: Treat trees and shrubs as soon as insects emerge (usually late spring). Treat leaves, branches and tree trunks evenly, making sure to penetrate dense foliage. Repeat application every 7 days as necessary for control.

On Roses and in Flower Gardens: Treat plants and flowers as soon as insects appear. Spray plants and flowers making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.

BEST AVAILABLE COPY

BACK PANEL

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists. Remove Pets, Birds, and cover fish aquaria before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to lakes, streams, ponds, tidal marshes and estuaries. Do not contaminate water by cleaning of equipment or disposal of wastes. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources.

STORAGE AND DISPOSAL

STORAGE: Store in cool, dry locked storage area. Do not put concentrate or dilute into food or drink containers.

DISPOSAL: Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

