

Angel City Brand Pre-Mix Tomato & Vegetable Insect Spray

Non-aerosol Pump

An effective Insecticide for Use on Vegetable and Ornamental Pests

A Concentrated Pyrethone Micro-Emulsion, Clear Stable

Apply with Conventional Mechanical Compressed Air Equipment

ACTIVE INGREDIENTS:

Pyrethrins.....	0.022
*Piperonyl Butoxide, Technical.....	0.202
Petroleum Distillate.....	0.082
INERT INGREDIENTS: .....	99.702
	100.002

\*Equivalent to 0.162 (butylcarbityl)(6-propyl-piperonyl) ether and 0.042 related compound.

**Keep Out Of Reach Of Children**

**CAUTION**

See side panel for additional precautions.

**DO NOT TRANSPORT OR STORE UNDER 32°F.** If freezing occurs, thaw and agitate vigorously

PIRENONE - Registered trademark of Fairfield American Corporation

EPA Reg. No.  
EPA Est. No.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

**TO OPERATE:** Shake well before use. Hold sprayer 18 inches from foliage and spray with circular motion. Direct spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage. Repeat treatment as necessary. When using outdoors, spray when air is still.

This insecticide may be used indoors, outdoors or in greenhouses throughout the growing season, or as a pre-harvest treatment when other insecticides are prohibited due to residue restrictions and use limitations.

To control insects named, apply this spray to provide thorough coverage of upper and lower leaf surfaces. Repeat treatment weekly or as needed to control infestations. May be applied on day of harvest.

NET CONTENTS \_\_\_\_\_

CROP	INSECTS CONTROLLED
Asparagus	Asparagus Beetles
Beans	Aphids, Leafhoppers, Whiteflies, Mexican Bean Beetles, 12-Spotted Cucumber Beetles
Broccoli, Cauliflower, Cabbage, Brussels Sprouts	Aphids, Cabbage Looper, Cross-striped Cabbageworm, Diamondback Moth larvae, Flea Beetle, Harlequin Bug, Imported Cabbageworm, Stink Bug
Celery	Green Peach Aphid, Cabbage Looper, Leafminer
Cranberries	Fireworms, Leafhoppers
Eggplant	Blister Beetle, Colorado Potato Beetle, Flea Beetles, Green Peach Aphids
Lettuce	Cabbage Looper, Green Peach Aphid, Diamondback Moth Larvae, Imported Cabbageworm
Mustard Greens, Kale, Collards, Turnips	Imported Cabbageworms, Diamondback Caterpillar, Aphids, Cabbage Looper
Peppers	Green Peach Aphid
Potatoes	Aphids, Colorado Potato Beetles, Flea Beetles, Leafhoppers
Radishes	Aphids, Flea Beetles
Spinach	Aphids, Cabbage Looper, Webworm
Tomatoes	Green Peach Aphid, Colorado Potato Beetles, Stink Bugs, Whiteflies, Flea Beetles
African Violets, Azaleas, Begonias, Camellias, Dahlias, Dogwood, Roses, Wandering Jew	Aphids, Flea Beetles, Leafhoppers
Asters, Carnations, Chrysanthemums, Geraniums, Gladioli, Marigold	Aphids, Flea Beetles, Leafhoppers, Whiteflies

**INDOORS AS A SPACE SPRAY**  
To control flies, fruit flies, mosquitoes, gnats and small flying moths: apply using a good space sprayer adjusted to deliver a fine mist. Cover or remove exposed food and food handling surfaces. Close windows and doors and shut off ventilating systems. Direct spray toward upper portions of the enclosure filling

the room with mist. Use 4 to 5 ounces per 1,000 cubic feet of space. Keep area closed for at least 30 minutes. Ventilate treated areas and ventilate before reoccupying. Repeat treatment as necessary.

**OUTDOORS, ADULT MOSQUITO CONTROL**

Apply as a fine mist to thoroughly treat the entire area. For best results, treat when the wind velocity does not exceed 5 miles per hour. Treat shrubbery and vegetation where mosquitoes may rest particularly around the perimeter of mosquito breeding sites such as swamps, marshes, stagnant pools and ponds. Apply at a rate of 5 to 7 ounces per 1,000 square feet (1-ounce per 100 square feet).

To control mosquito larvae, apply at the rate of 7.5 gallons per acre or 1.5 gallons per 1000 square feet. Apply as a coarse wetting spray to the border or on shallow waters of wetlands, swamps and marshes where mosquito larvae is known to breed.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS  
CAUTION**

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with eyes. Wash thoroughly after use of contact. Immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists. Remove contaminated clothing and cover any areas being sprayed.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Do not contaminate water by cleaning of equipment or disposal of wastes. Frogs and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources.

**DISPOSAL**

Do not reuse empty container. Wash container and put in trash collection.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given hereon.

BEST DOCUMENT AVAILABLE

10631-5