

**BEFORE USE READ CAUTION  
AND WARRANT  
STATEMENT CAREFULLY**

The following general directions are supplied by us gratuitously and are believed to be reliable but are not guaranteed.

Farm & Ranch Supply Co., 91% Sodium TCA, when diluted and applied as directed below, will materially aid in the control of many troublesome grasses and weeds. It could be applied by using a high volume sprayer using large droplets. Use one or more gallons of water for each pound of Farm and Ranch TCA.

JOHNSON GRASS: Apply 3-oz. to 5-oz. per 100 sq. ft. Or 81 to 136 lb. per acre.

BERMUDA GRASS: Apply 2-oz. to 3-oz. per 100 sq. ft. or 55 to 82 lb. per acre.

Apply along fence rows, drainage ditch banks, roadsides, industrial areas, oil tank farms, substations, parking lots, and airfields.


SMALL AREA APPLICATION: Dissolve 8-oz. in one gal. of water and apply solution to 200 sq. ft. (10 ft. x 20 ft.) or 109 lb. per acre.

Repackaged by

**FARM & RANCH SUPPLY COMPANY**

7890 E. 11th Tulsa, Okla.

Net Weight — 1 lb. "EPA Reg. No. 10638-2"



# GRASS KILLER TCA

**KILLS BERMUDA GRASS, JOHNSON GRASS  
AND CERTAIN OTHER GRASSES**

ACTIVE INGREDIENTS:  
Sodium Trichloroacetate 91.00%  
Trichloroacetic acid equivalent 79.3 %  
INERT INGREDIENTS 9.00%  
100.00%

**CAUTION — KEEP OUT OF REACH OF CHILDREN.**  
Contains Sodium Nitrite  
See Side Panel For Additional Caution

## IMPORTANT

This product should not be applied to land in crops. It is not recommended for use on lawns or similar mowed turf except along the edge of driveways, walks, fence rows, flower beds. It should not be applied on or near valuable woody or herbaceous plants or on ground underlaid by roots of desirable trees and shrubs.

Do not contaminate water used for irrigation or domestic purposes with this product.

## CONTAINER DISPOSAL

Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place.

## CAUTION

Harmful if swallowed. Causes burns. Avoid contact with skin, eyes and clothing. Avoid breathing spray mist, in case of contact immediately flush with plenty of water. For eyes, wash with water for at least 15 minutes and get medical attention at once.

The presence of Sodium Trichloroacetate in the soil will inhibit seed germination and plant growth. This effect is usually temporary, but may last for 60 days or longer, and its duration will vary with soil type, soil moisture content and particularly the amount of rainfall after application.

**WARRANTY** — Buyer assumes all risk of use, storage or handling of this material not in strict accordance with directions given herewith.

ACCEPTED WITH COMMENTS