

DIRECTIONS FOR USE—Zinc Phosphide is a pesticide for the control of certain species of pest rodents. It may be used to control populations of Polynesian, Norway, and black rats in sugarcane fields in Hawaii.

BAIT APPLICATION—Prebaiting with three pounds untreated oat groats per acre one or two weeks prior to baiting is usually desirable to enhance acceptance of the treated bait by rats. Bait may be broadcast by aircraft, ground-driven devices, or by hand in fields of sugarcane between 6 months of age and 90 days before harvest. Apply at the rate of five (5) pounds of bait per acre. The number of applications shall not exceed four (4) per crop. The total application shall not exceed 20 pounds of bait per 22- to 36-month crop. Do not apply within 90 days of harvest.

BIRDS AND OTHER WILDLIFE FEEDING IN TREATED AREAS MAY BE KILLED. DISPOSE OF EXCESS BAIT BY BURIAL. USE ONLY AS DIRECTED ON THIS LABEL. ZINC PHOSPHIDE BAIT SHALL NOT BE BROADCAST OVER BODIES OF WATER, ROADS, RESIDENTIAL AREAS, OR AREAS INHABITED BY LIVESTOCK. THE BAIT MUST NOT BE EXPOSED IN ANY MANNER THAT MAY ENDANGER NON-TARGET BIRDS OR ANIMALS. CONSULT LOCAL, STATE, AND FEDERAL GAME AUTHORITIES BEFORE UNDERTAKING RAT CONTROL WITH THIS PRODUCT. MATERIAL IS NOT TO BE USED IN VIOLATION OF STATE OR LOCAL LAWS.

POISON




ZINC PHOSPHIDE

ON

CAT GROATS

FOR THE CONTROL OF
POLYNESIAN RATS (*RATTUS EXULANS*), NORWAY RATS (*R. NORVEGICUS*), AND BLACK RATS (*R. RATTUS*) IN SUGARCANE FIELDS
FOR USE IN HAWAII ONLY

POISON



Active Ingredients	
Zinc Phosphide	1.88%
	by wt.
Inert Ingredients	98.12%
Total	100.00%

DANGER

KEEP OUT OF REACH OF CHILDREN

SEE ANTIDOTE STATEMENT AND OTHER WARNINGS ON THE SIDE PANEL

Net Contents 50 lbs.

EPA Registration No. 10646-1AA
Hawaii Dept. of Agriculture
Honolulu, Hawaii 96814

DANGER

ZINC PHOSPHIDE BAIT MAY BE FATAL IF SWALLOWED! DO NOT BREATHE DUST OR FUMES. AVOID CONTACT WITH SKIN. WASH HANDS AFTER USING. DO NOT CONTAMINATE FEED AND FOODSTUFFS. KEEP AWAY FROM CHILDREN AND DOMESTIC ANIMALS. WEAR PROTECTIVE CLOTHING AND RUBBER GLOVES WHEN HANDLING BAIT. NOT FOR USE OR STORAGE IN OR AROUND THE HOME

POISON

ANTIDOTE—In case of poisoning—give a tablespoon of salt or mustard in a glass of warm water to induce vomiting and repeat until vomit fluid is clear. Avoid use of all oils. Have victim lie down and keep warm. CALL A PHYSICIAN IMMEDIATELY!

CONTAINER DISPOSAL—Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

NOTICE—Seller makes no warranty, expressed or implied, concerning the use of this product other than that indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.